

POST COPY:


Fresh year, refreshed YOU ✨ filler designed to move with every smile, laugh, and expression.

The Teoxane RHA® Collection is made to closely resemble the hyaluronic acid found naturally in your skin, for a natural-looking result.


Book your Teoxane RHA® Collection treatment to refresh your look for 2026!

Swipe for Important Safety Information.

#TeoxaneRHACollection
#RHACollection #JoinTheMovement



SLIDE 1



SLIDE 2

The long-term efficacy and safety outcomes of RHA® with lidocaine are applicable to RHA® with mepivacaine and have shown no significant impact on gel properties, including rheology and degradation profile.

RHA® Collection of Fillers, by Teoxane

Approved Uses

The Teoxane RHA® Collection of resilient hyaluronic acid (HA) fillers includes RHA Redensity®, RHA® 2, RHA® 3 and RHA® 4.

RHA Redensity® is for injection into the facial tissue for the correction of moderate to severe dynamic perioral rhytids; and RHA® 2 and RHA® 4 are for the correction of moderate to severe dynamic facial wrinkles and folds, such as nasolabial folds, in adults 22 or older. RHA® 3 is for the correction of moderate to severe dynamic facial wrinkles and folds, such as nasolabial folds, and also used to augment lip fullness in adults 22 or older.

IMPORTANT SAFETY INFORMATION

Are there any reasons why I should not receive any RHA® injectable gel formulation?

Do not receive if you have a history of multiple severe allergies or severe allergic reactions; if you are allergic to lidocaine or mepivacaine or gram-positive bacterial proteins; or if you have a bleeding disorder.

What precautions should I discuss with my doctor?

- Tell your doctor if you are pregnant or breastfeeding as the safety of these products for use during pregnancy or while breastfeeding has not been studied
- Tell your doctor if you have a history of excessive scarring, keloid formations or pigmentation disorders, as use of these products may result in additional scars or changes in pigmentation
- Tell your doctor if you are planning laser treatments or a chemical peel, as there is a possible risk of inflammation at the treatment site if these procedures are performed after treatment
- Tell your doctor if you are on immunosuppressive therapy used to decrease your immune response, as use of these products may

SLIDE 3 SCROLLING ISI