



Transport
Canada

Transports
Canada

Air

Air

LOGBOOK #3

START 1904.2

FINISH 1980.4

**AIRCRAFT
JOURNEY
LOG**

**CARNET
DE ROUTE
D'AÉRONEF**

DEPARTMENT OF TRANSPORT
CIVIL AERONAUTICS

MINISTÈRE DES TRANSPORTS
AÉRONAUTIQUE CIVILE

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
1977 BROUGHT FORWARD			13.	1	
Sept 16/77	0	0	13.	1	Transferred from U.S. Log Books
Sept 20/77	0	0	13.	1	E.D.O 597-2790 Floats installed S/N 419 420 1/4.
Sept 21/77		.3	13	.4	
Sept 21/77	11.	5.	24.	9.	
Oct 5/77					Oil changed Aeroshell 80, Throttle cables dual inspection carried out. C. R. Gosh
Oct 6/77	7	30.			
8.	7	05.			
10.	1	55.			
11.	3	30.	45.	25.	
11.	1	30.	46	55.	
12.	6	50			
Oct. 14/77					Mixture control cable replaced with new one
17.	4	35.			
19.	5	25.			
20	2	55.			
22	1	50			
24.	4	35.			
25.	4	35.	77	40	
Oct. 27/77					
28	2	45.			
29.	—	30			
30	2	20			
31	6	05.			
Nov 1/77	6	15.			
2.	5	45.	101	20	
			101	20	CARRIED FORWARD

LEAVENS AIR CHARTER LIMITED
AEROPLANE INSPECTION RELEASE CERTIFICATE
(Aircraft After Overhaul, Major Repair Or Major Modification)

Aeroplane Type	Cessna	Model	A185F	Registration	C-GYKF
Manufacturer	Cessna Aircraft	Serial No.	18503193		
Type Approval No.	3A24	or FAA Spec. or Suppl. T. C. No.			
Date of Manufacture	1977	Time since new	13.1	Time since overhaul	
Engines - Type and Model Continental IO-520D24					
	Serial Nos.	Time since new	Time since overhaul		
1.	563787	13.1			
2.					
3.					
4.					
Propellers - Type and Model McCauley D2A34C58					
	Serial Nos.	Time since new	Time since overhaul		
1.	787876	13.1			
2.					
3.					
4.					
Particulars of Alighting Gear					
Wheels Make	McCauley	Model		Tire Size	600 x 6
Floats Make	EDO	Model	597-2790		
Skis Make		Model			
Record of Approved Modifications Embodied during this operation					
	Drawing & Issue No.	Description			
	EDO Drawing #42090	Installation of Edo 597-2790			
		Floats and attaching gear as per:			
		EDO Drawing #42090			

I hereby certify that the overhaul, repair or modification, as detailed in the pertinent worksheet, has been done with certified material according to accepted practice and the component is airworthy.

In the case of overhaul, I further certify that all Airworthiness Directives and mandatory modifications have been incorporated and the aircraft conforms with the approved drawings for the type.

DATE: September 20, 1977

SIGNED: [Signature]
Approved Inspector or "B" Cat. A.M.E. Lic. N

I hereby certify that I have inspected this aircraft, especially the flying and operation controls for correct operation, and the presence of all safety and locking devices, and the aircraft is airworthy.

DATE: September 20, 1977

SIGNED: [Signature] YZM 1010
Approved Inspector or "A" Cat. A.M.E. Lic.

Name of Approved Organization

Countersigned _____ Date _____
Airworthiness Inspector (Only required if
the A/C is of U.S. reg'd.

Certificate of Pilot

I hereby certify that I have flown the aircraft described herein and that its performance, flying qualities and functioning of all units, including control systems are up to the standard of the type.

DATE: Sept 21/77

SIGNED: [Signature] YZ 09418
Pilot

ENGINEERING RECORD

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICE
NUM

HAS OCCURRED IN

ENS AIR CHARTER LIM

J. Hedges

Y24

LEAVENS AIR CHARTER LIMITED

J. Hedges

Y24

A. Wilson

Y2

replaced L.H. door handle replaced.
Qm5684.

T. Walker

dual inspection carried out airworthy

T. Walker

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the inspection of the aircraft described herein and it is airworthy.

Date: Oct 27/72

T. Walker

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/60

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			101	20	
Nov. 3/77	4	40			
4	5	10			
6	2	15	113	25	
6	-	55			
7	4	15			
8	1	55			
9	5	20			
10	5	05	131	55	
Nov 11/77			oil changed Aeroshell W.65		
15	5	35			
16	5	45			
17	-	45	144	-	
17	4	30			
19	4	05			
20	5	35			
23	3	55			
24	2	15	164	:20	
Apr 7/78			Floats removed - undercarriage installed drawing No LW3600 STC SA213A2 oil changed Aeroshell W65		
8	3	00			
10	5	10			
11	3	50	176	20	
12	2	10	178	30	
Apr 12/78					
Apr 17/78	6	40			
18	1	20			
19	4	00			
20	5	40			
24	2	40	197	20	
			197	20	CARRIED FORWARD

ENGINEERING RECORD

2

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 50 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: Nov 11/77

T. Walker

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/80

Inglis L.W. 3600 skis installed as per
M.B. amendment # 2 completed

installation airworthy

T. Walker

1A 5/60

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 100 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: Apr 12/78

T. Walker

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/80

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			197	20	
Apr 25/78	1	20			
26.	1	20			
27	3	55			
28	3	00			
May 1.	1	20			
2.	2	40			
3.	4	00			
4	2	40			
8	4	15			
9.	1	20			
11.	1	20			
11	1	20			
12.	2	30			
13.	1	45	228	25	Wheel & skin removed. floats installed oil changed w/o spark plugs replaced.
May 16/78					
May 18.	2	10			
19.	1	00			
20.	2	00			
23	7	45			
24	7	25			
25	5	00			
29	3	00			
30.	1	30			
31.	3	45			
June 2.	2	45			
5.	3	15			
6	5	20			
9	1	00			
11	4	45			
June 12/78			278	15	oil & filter
					CARRIED FORWARD

ENGINEERING RECORD

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

*Radwin Mixture Indicator Model
R10-S installed as per STC SA86841E
and Radwin instruction manual.*

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 100 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: May 14/08 [Signature]
QUALITY ASSURANCE MANAGER
M.O.T. COMPANY APPROVAL 3/00

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 100 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: June 27/08 [Signature]
QUALITY ASSURANCE MANAGER
M.O.T. COMPANY APPROVAL 3/00

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			278	15	
June 12/78.	1	00.			
13	3	35			
14.	1	00.			
15	4	10.			
16.	5	05.			
17.	2	45			
18.	4	40.			
19	2	55.			
20.	5	20			
21	5	00.			
23.	1	10			
26	4	45			
27.	7	05.			
30.	2	25.			
June 30/78.			351	50.	oil + filter
June 30/78.	2	30.			
July 4/78.	2	00			
5.	6	00.			
6.	1	20			
7.	5	35.			
8.	7	00.			
11.	1	00.			
12.	5	00			
13.	5	15.			
14.	8	00			
15.	1	40.			
16.	5	15.			
17.	-	45			
July 17/78.			383	10.	
			383	10.	CARRIED FORWARD

ENGINEERING RECORD

4

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

INNOTECH AVIATION LIMITED

I hereby certify that I have completed a 100 hr. Periodic
inspection of the aircraft described herein and it is airworthy.

Date: June 30/78 [Signature]
QUALITY ASSURANCE MANAGER
M.O.T. COMPANY APPROVAL 3/80

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 50 hr. Periodic
inspection of the aircraft described herein and it is airworthy.

Date: July 17/78 [Signature]
QUALITY ASSURANCE MANAGER
M.O.T. COMPANY APPROVAL 3/80

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			383	10.	
July 19/78.	9	50.			
20.	6	00.			
22.	4	15.			
23.	4	10			
24.		20.			
25.	4	55.			
25.	1	30.			
26.	7	30.			
27.	6	20			
28 th	3	25.	431	25.	
Aug 1/78.					
Aug 1/78.	5	05.			
2.	5	10.			
3.	7	50.			
5.	3	45.			
6.	3	45.			
7.	4	25.			
7.	-	45.			
8.	9	10.			
9.	4	00.			
10.	4	10.			
11.	4	55.	483	45.	
Aug 11/78.					
Aug 14/78.	4	50.			
15.	7	10.			
16.	2	00.			
18.	3	00.	500	45.	
			500	45.	CARRIED FORWARD

ENGINEERING RECORD

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the record required to be kept in accordance with the provisions of the Aircraft Maintenance Regulations and it is correct.

Inspection of the record completed and it is correct.

150
150

150
150

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the record required to be kept in accordance with the provisions of the Aircraft Maintenance Regulations and it is correct.

Inspection of the record completed and it is correct.

150
150

150
150

ENGINEERING RECORD

5

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 100 hr. Periodic
Inspection of the aircraft described herein and it is serviceable.

Date: Aug 1/78

G. Halliday

T. J. Walker

M.O.T. COMPANY APPROVAL 2/60

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 50 hr. Periodic
Inspection of the aircraft described herein and it is serviceable.

Date: August 1/78

T. J. Walker

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/60

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			500	45	
Aug 12/78	1	20			
20.	3	00.			
21.	5	55.			
21.	2	10.			
22.	6	55.			
23	6	25.			
24	3	00.			
25.	6	30	536	00	oil & filter - New sparkplugs - con
INNOTECH AVIATION LIMITED					
C. C. I. Certification					
I hereby certify that I have inspected this aircraft in compliance with Condition and Conformity Inspection Procedures prescribed in the Engineering and Inspection Manual and it is airworthy.					
Date: <u>August 25/78</u> <u>T Walker</u>					
QUALITY ASSURANCE MANAGER M. O. I. COMPANY APPROVAL 3/60					
Aug 26/78.	3	20.			
27.	1	00			
28.	4	25.			
29.	4	40			
31.	4	50.			
Sept 1.	2 3	25 20.			
8.	3	20.			
5.	3	40			
5.	2	05			
6.	8	00			
7.	6	45.			
8.	4	40	585	00.	
Sept 9/78.					oil changed. Aerobed 12/8.
11.	3	45.			
13	1	50			
13.	4	00	593	45	
			593	45	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			573	45	
Sept 14/78	4	20			
15	4	30			
18	1	25			
19	7	05			
20	2	55			
21	4	25			
22	9	25			
23	2	30	639	20	
Sept 25/78					oil changed Hercules
Sept 26/78	3	15			
27	5	35			
28	2	30			
30	3	00			
Oct. 1	1	30			
2	5	30			
4	4	20			
5	5	55			
9	6	05			
10	3	50			
11	6	25	677	05	
Oct 12/78					oil changed Hercules
Oct 12/78	4	20			
13	4	55			
14	3	00			
17	3	15			
18	6	55			
20	7	25	706	35	
			706	35	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			706	35	
Oct 21/78.	2	15			
22.	3	00			
23.	1	30			
25	6	30			
26	2	30			
28.	4	30			
29.	2	00	728	50.	
Nov 1/78	oil & filter				
	RH brake bearings replaced				
	alt belt replaced				
	master control cable replaced				
1	2	50			
2	4	20			
3.	3	50			
4	1	45			
6.	5	20			
9.	5	55			
10.	4	40			
11	1	20			
13.	2	40			
14	3	50			
16.	2	40			
17	1	20			
21	2	00.			
22	1	00			
26	2	00			
30.	2	15	777	35	
Dec 5/78					Flats removed wheels & skin
					L.H fuel trans replaced.
Dec 15/78	4	55	782	30.	
	4	55	782	30	CARRIED FORWARD

~~INNOCENT AVIATION LIMITED~~

AIR TIME AND

DATE 1979	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD					
Jan 13 / 79	4	15	786	45	
17	3	00			
18		55			
20		30			
24		50			
Feb 13 / 79	1	40			
14	1	30			
20	3	10			
21	3	40			
Mar 4 / 79	4	20			
12	4	40			
April 7 / 79	4	00			
14	4	00			
16	2	00			
17	2	45	825	05	
April 19 / 79					Wheels & chain removed, floats in + gear running oil changed to
April 21 / 79	3	45			
22	2	00			
23	4	40			
24	1	10			
25	6	35			
26	3	45			
27	5	10			
29	2	00			
30	4	36	859	55	
May 1	2	30			
3	2	30			
4	1	15			
9	3	55			
10	1	45	871	50	
			871	50	CARRIED FORWARD

ENGINEERING RECORD

[illegible]

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			871	50	
May 11 /79	1	15			
12	2	35	875	40	
May 15 /79					New fuel transmitter installed P.N. 0726440-1
May 16 /79	3	30	879	10	
18	8	45			
21	2	00	889	55	
May 24 /79					#6 cylinder unserviceable repair Repaired unit P.N. 6
May 25 /79	5	45			
26	6	15			
27		30			
28	5	20			
29	3	45			
30	4	10			
31	4	35			
June 1	3	55	924	00	
June 3 /79					
JUNE 4	1	15	925	15	
JUNE 5	4	00	929	15	
JUNE 7	4	40			
" 8	6	40			
" 11	4	55			
" 12	5	35			
" 14	7	25			
" 15	7	45			
" 17	2	30			
" 18	1	00			
" 19	1	00			
" 20	7	10			
" 21	2	30	979	25	50.4c
			979	25	CARRIED FORWARD

ENGINEERING RECORD

10

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

in left fuel tanks

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the work described to a 50 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: May 15/79

Tom Halliday

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/60

red - sent to Tardi Aero Engine for
272 installed. Engine ground run

Tom Halliday

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the work described to a 100 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: June 3/79

Tom Halliday

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/60

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the work described to a 50 hr. Periodic inspection of the aircraft described herein and it is airworthy.

Date: June 22/79

Tom Halliday

QUALITY ASSURANCE MANAGER

M.O.T. COMPANY APPROVAL 3/60

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			979	25	
JUNE 22/79	7	55			
" 23		50			
" 24	1	00			
" 26	6	40			
" 27	5	30			
" 28	11	10			
" 29	3	45			
JULY 3	2	30			
" 4	6	15			
" 5	2	50	1029	50	(100 hr.)
" 7	4	30			
" 9	5	20			
" 10	6	10			
" 11	5	00			
" 12	6	15			
" 17	4	00			
" 20	8	55			
" 21	8	20	1078	20	
" 24	-	-			(50 hr.)
" 24	5	40			
" 25	3	00			
" 27		20			
" 29	4	00			
" 30	7	30			
AUG 1/79	5	00			
" 2	6	50			
" 8	4	45			
" 10	4	50			
" 15	4	00			
" 16	4	00			
" 17	3	10			
" 18		45	1131	50	I HEREBY CERTIFY THAT I HAVE
					with Condition And CONFORMITY
					ENGINEERING AND INSPECTION Manual
					CARRIED FORWARD

QUALITY REGISTRATION MARKS 1-GVKF		AIRCRAFT NORMALLY BASED AT Stobins		REGION AEL		AIRCRAFT ISSUED WITH: ☒ CERTIFICATE OF AIRWORTHINESS ☐ FLIGHT PERMIT	
CRAFT MAKE, MODEL AND TYPE APPROVAL/FAA CERT. NO.		SERIAL NO.		TIME SINCE NEW		AIRCRAFT PURPOSE: ☒ PRIVATE ☐ COMMERCIAL ☐ STATE	
1000 185F 3A24		18502195		536 00		LIST AIRWORTHINESS DIRECTIVES COMPLETED ON AIRCRAFT SINCE LAST C.C.I. PROCEDURE: 68-4	
MAKE AND MODEL Incatal 200-24		SERIAL NOS. 1 563287 2		4			
MAKE AND MODEL Caulay 234051		SERIAL NOS. 1 787876 2		4			
LIST C.C.I. ☒ SKIS T HAS BEEN ☒ FLOATS CD ON: EDO		MANUFACTURER Airglass		MODEL LW3600			
TERED OWNER IS PRIVATE OPERATOR AND T IS OR HAS BEEN LEASED TO COMMERCIAL JR(S) ENTER HOURS FLOWN BY COMMERCIAL JR(S)		CURRENT CALENDAR YEAR 2790		AIRCRAFT TIME SINCE NEW ON 1ST JAN. THIS YEAR 164.20			
I CERTIFY I HAVE INSPECTED THIS AIRCRAFT IN COMPLIANCE WITH IE CONDITION AND CONFORMITY INSPECTION PROCEDURE PRESCRIBED THE ENGINEERING AND INSPECTION MANUAL AND THE AIRCRAFT AIRWORTHY OR SERVICEABLE, WHICHEVER IS APPLICABLE. NOTE: FOR ULTRA-LIGHT AIRCRAFT THIS CERTIFICATION MAY BE GIVEN BY THE OWNER IN LIEU OF AN AME OR APPROVED INSPECTOR. APPLIES TO AIRCRAFT ISSUED WITH A FLIGHT PERMIT.		I CERTIFY THAT I HAVE FLOWN THIS AIRCRAFT AND ITS PERFORMANCE, FLYING QUALITIES, FUNCTIONS OF CONTROLS, POWERPLANT, AND LANDING GEAR, ETC., WERE EQUIVALENT TO THE STANDARD OF THE TYPE. NOTE: CERTIFICATION 2 SHALL BE MADE WITHIN SEVEN (7) CONSECUTIVE DAYS AFTER CERTIFICATION 1.					
SIGNATURE OF AME OR APPROVED INSPECTOR r. Wacker		AME/CO. NO. DATE 1854 Aug 24/76		DATE OF FLIGHT Aug 26/76		LICENCE NO. DATE Qmc 7952	
						SIGNATURE OF PILOT R. Simpson	

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 100 hr. flight

inspection of the aircraft described herein and it is airworthy

Date: July 4/71

R. Halliday

QUALITY ASSURANCE MANAGER

M.D.T. COMPANY APPROVAL 3/60

INNOTECH AVIATION LIMITED

I hereby certify that I have completed the nearest equivalent to a 50 hr. flight
inspection of the aircraft described herein and it is airworthy

Date: July 24/71

R. Halliday

QUALITY ASSURANCE MANAGER

M.D.T. COMPANY APPROVAL 3/60

inspected this AIRCRAFT in compliance
inspection procedure prescribe in the
And it is Airworthy.

R. Simpson Qmc 355

AIR TIME AND

DATE 79.	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD					
Aug 18/79			1131	50	I hereby CERTIFY that I have PERFORMANCE, Flying Qualities A Landing GEAR, ETC., ARE EQUIVALENT
Aug 18/79			1131	50	I hereby CERTIFY that I have A 100 hr. INSPECTION OF THE AIR WORTHY
Aug 18/79			1131	50	Right Hand Cowling Flap REPAIR OVERHAULED.
Aug 27/79.					ELEVATOR Trim U/S. — Trim J. SCREWS Lubricated. — ENGINE Rough on Right MAG —
Aug 19/79.	5	30			
Aug 22.	4	55			
Aug 23.	2	10			
Aug 24.	6	45			
Aug 29.	3	10			
Aug 30.	1	40			
Aug 31.	5	00			
SEPT 5.	7	30			
SEPT 6.	7	45			
SEPT 9.	4	15	1181	40	I hereby CERTIFY that I have
SEPT 10					→ A 50 hr. INSPECTION ON THE
SEPT 11	2	30			
SEPT 14	7	10			
SEPT 16	2	40			
SEPT 17.	1	40			
SEPT. 18	—		1195	40	PROPELLER Removed due to OVERHAULED PROPELLER INST.
SEPT 18.		30.			
			1196	10	CARRIED FORWARD

ENGINEERING RECORD

12

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

OWN THIS AIRCRAFT AND THAT ITS
FUNCTIONING OF CONTROLS, POWER PLANT,
THE STANDARDS OF THE TYPE

J. Simpson - QMC 7958

COMPLETED THE NEAREST EQUIVALENT TO
AIRCRAFT DESCRIBED HEREIN AND IT IS

J. Simpson - QMC 355

LEFT HAND MAIN WHEEL COMPLETELY

J. Simpson - QMC 355

SCREWS SOAKED IN PENETRATING OIL -

5 LEAD REPLACED WITH NEW LEAD.

J. Simpson - QMC 355

COMPLETED THE NEAREST EQUIVALENT TO
AIRCRAFT DESCRIBED HEREIN AND IT IS AIRWORTHY

J. Simpson - QMC 355

TIME X - LEVENS @ TIME
SEE PROPELLER LOG. AIRWORTHY

J. Simpson - QMC 355

AIR TIME AND

DATE 79.	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1196	10	
SEPT. 21.	5	00			
SEPT. 23.	8	00			
SEPT. 24.	5	25			
SEPT. 25.	5	00			
SEPT. 26.	4	10			
SEPT. 28.	4	45			
SEPT. 29.	2	00			
SEPT. 30.	3	00			
OCT 1.	-		1233	30	I CERTIFY that I HAVE COME 100 hr INSPECTION OF the it is Airworthy
OCT. 2.	1	00			
OCT 3.	4	00			
OCT 8.	4	00			
OCT 10.	4	30			
OCT 12.	3	20			
OCT 17.	4	00			
OCT. 18.	5	40			
OCT. 19.	3	45			
OCT 20.	2	30			
OCT 22.	4	00			
OCT 23.	4	00			
OCT 24.	2	30			
OCT 29.	2	00			
NOV 1.	1	30			
NOV 2.	5	05			
NOV 5.	2	00			
NOV 5	-		1286	20	I hereby CERTIFY that I h A 50 hr. INSPECTION OF th is Airworthy
NOV 7.	8	00			
NOV. 8.	4	35			
			1298	55	CARRIED FORWARD

ENGINEERING RECORD

13

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

ed the NEAREST EQUIVELANT to A.
AIRCRAFT described HEREIN AND

J. Simpson *Am 355*

Completed the NEAREST EQUIVELANT to
AIRCRAFT described HEREIN And it

J. Simpson *Am 355*

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
79.					
BROUGHT FORWARD			1298	55	
Nov. 13.	4	00			
Nov 16.	4	00			
Nov 17.		30			
Nov 19.		30			
Nov 20.	2	10			
Nov 22.	1	20			
Nov 26.	5	20			
Nov 29.	4	00			
Dec 5.	1	40			
Dec 6.		30			
Dec 7.	1	30	1324	25	
July 11/80					oil changed to Shell W80
July 11/80	1	30	1325	55	
14	1	30			
20	2	25			
22	2	15			
Aug 7	1	40			
8		50			
9	2	00			
19		25			
20	4	15			
21		30			
29	1	00			
Sept 1	1	00			
2		40			
5	1	40			
7	1	00			
8	2	20			
9	1	40	1351	05	
Sept 11/80					
			1351	05	

INNOCENT AVIATION LIMITED
 "I certify all appropriate requirements in the Engineering and Inspection Manual have been met and the aircraft is determined to be Airworthy."

 Quality Assurance Manager,
 D.O.T. Compliance App. 3-60
 Date _____

TYPE REGISTRATION MARK

G Y K F

AIRCRAFT NORMALLY BASED AT

St. John's, NF.

REGION

ATLANTIC

AIRCRAFT ISSUED

☒ CERTIFICATE OF
AIRWORTHINESS☐ FLIGHT
PERMIT

ISSNA. A185F. 3A24. 1850

TIME SINCE NEW
1131:50

AIRCRAFT PURPOSE:

☒ PRIVATE☐ COMMERCIAL☐ STATELIST AIRWORTHINESS DIRECTIVES COMPLETED OR
AIRCRAFT SINCE LAST C.C.I. PROCEDURE.

68-4

78-20-01

SE 78-40

AIRCRAFT TIME SINCE NEW ON:

1ST JAN. THIS YEAR 782:30.

1ST JAN. LAST YEAR 164:20.

CONTINENTAL
10-520D-24.

PROPELLER MAKE AND MODEL

McCauley.

D2A34 C58.

SINCE LAST C.C.I.

☒ SKIS

AIRCRAFT HAS BEEN

☒ FLOATS

OPERATED ON:

MANUFACTURER

Airglass

MODEL

LW3600

MODEL

2790.

IF REGISTERED OWNER IS PRIVATE OPERATOR AND
AIRCRAFT IS OR HAS BEEN LEASED TO COMMERCIAL
OPERATOR(S) ENTER HOURS FLOWN BY COMMERCIAL
OPERATOR(S)

CURRENT CALENDAR YEAR

N/A.

LAST CALENDAR YEAR

(1) I CERTIFY I HAVE INSPECTED THIS AIRCRAFT IN COMPLIANCE WITH
THE CONDITION AND CONFORMITY INSPECTION PROCEDURE PRESCRIBED
IN THE ENGINEERING AND INSPECTION MANUAL AND THE AIRCRAFT
IS AIRWORTHY OR SERVICEABLE*, WHICHEVER IS APPLICABLE.
NOTE: FOR ULTRA-LIGHT AIRCRAFT THIS CERTIFICATION MAY BE
SIGNED BY THE OWNER IN LIEU OF AN AME OR APPROVED INSPECTOR.
* APPLIES TO AIRCRAFT ISSUED WITH A FLIGHT PERMIT.

(2) I CERTIFY THAT I HAVE FLOWN THIS AIRCRAFT AND ITS PERFORMANCE, FLYING
QUALITIES, FUNCTIONS OF CONTROLS, POWERPLANT, AND LANDING GEAR, ETC.,
WERE EQUIVALENT TO THE STANDARD OF THE TYPE.

NOTE: CERTIFICATION 2 SHALL BE MADE WITHIN SEVEN (7) CONSECUTIVE
DAYS AFTER CERTIFICATION 1.

CERTIFICATION

SIGNATURE OF AME OR APPROVED CO. INSPECTOR

AME/CO. NO.

DATE

DATE OF FLIGHT

LICENCE NO.

SIGNATURE OF PILOT

G. Sampson

9mm Aug 18/79

355

Aug 18/79

OMC 7958

G. Sampson

INNOTECH AVIATION LIMITED

"I certify all applicable requirements in the Engineering and In-
spection Manual have been met and the aircraft is determined to
be airworthy."

Tom Halliday
Quality Assurance Manager
D.O.T. Company App. 3-60

July 11/80
Date

INNOTECH AVIATION LIMITED

C.C.I. Certification

I hereby certify that I have inspected this aircraft in compliance with Condition
and Conformity Inspection Procedure prescribed in the Engineering and Inspection Manual
and it is airworthy.

Sept 11/80

Tom Halliday
QUALITY ASSURANCE MANAGER
M.O.I. COMPANY APPROVAL 3/80

DATE

SIGNED

PILOT

EQUIVALENT TO THE STANDARDS OF THE TYPE.

CONTROLS, POWERPLANT, LANDING GEAR, ETC.,

EQUIVALENT TO THE STANDARDS OF THE TYPE.

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1351	05	
Sept 15/80	1	40	1352	45	
17	1	40	1354	25	
20	1	00	1355	25	
24	1	30	1356	55	
29	1	30	1358	25	
Oct 2/80	1	30	1359	55	
3	1	20	1361	15	
5	1	30	1362	45	
9	1	30	1364	15	
10	1	50	1366	05	
11	2	35	1368	40	
Nov 23	1	30	1370	10	
Dec 2/80	1	25	1371	35	
Mar 3/81					Installation of HF Radio-System Air and complex unit 10/60 Carried All. amendments necessary sub
Mar 12/81	1	20	1372	55	
13	1	10	1374	05	
14	1	20	1375	25	
April 8/81					Oil changed to Shell W80 Work carried out as per notes Compressor Summary
May 7/81	1	30	1376	55	
9	1	25	1378	20	
15	1	00	1379	20	
19	1	00	1380	20	
May 20	1	00	1381	20	
26	1	25	1382	45	
29	1	30	1384	15	
			1384	15	CARRIED FORWARD

15

(continued)

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1384	15	
June 14/81	1	00	1385	15	
15	1	10	1386	25	
16	1	20	1387	45	
24	3	00	1390	45	
July 1/81	1	30	1392	25	
4		40	1393	05	
11	1	00	1394	05	
11		55	1395	00	
July 31/81	1	20	1396	20	
Aug 1/81	2	00	1398	20	
9		15	1398	35	
Aug 14/81			100	Unimp	
Weight + Balance					AZTEC AVIATION I certify all applicable requirements in the Engineering and Section Manual have been met and the aircraft is determined to be AIRWORTHY. <i>Van Klao</i> Date <u>Aug 14/81</u>
Carried out					
+ Submitted					
Aug 15/81	2	0	1400	35	
16	1	35	1402	10	
20	1	20	1403	30	
21	2	05	1405	35	
22	2	00	1407	35	
26		55	1408	30	
29	1	35	1410	05	
Sept 3/81	1	05	1411	10	
Nov 14/81	1	00	1412	10	
Feb 13/82	1	20	1413	30	
Feb 17/82					Hidden cable for end fitting to for and replaced PN: AN 161-122RS and inspection re-checked
May 15/82		30	1414	00	
24	1	30	1415	30	
			1415	30	CARRIED FORWARD

WRITE FIRMLY TO ENSURE THAT ALL COPIES ARE LEGIBLE

DAY 15 NO. 1

ACTIVITY REGISTRATION MARKS 2-GURF	AIRCRAFT NORMALLY BASED AT ST. JOHN'S	REGION ATLANTIC	AIRCRAFT ISSUED WITH: ☒ CERTIFICATE OF AIRWORTHINESS ☐ FLIGHT PERMIT
MAKE, MODEL AND TYPE APPROVAL/FAA CERT. NO. CESSNA 1 A185F	SERIAL NO. 3A24	TIME SINCE NEW 18503193	AIRCRAFT PURPOSE: ☒ PRIVATE ☐ COMMERCIAL ☐ STATE
TIME MAKE AND MODEL CONTINENTAL	SERIAL NOS. 1563787	TIME SINCE OVERHAUL 1351:05	LIST AIRWORTHINESS DIRECTIVES COMPLETED ON AIRCRAFT SINCE LAST C.C.I. PROCEDURE: CF-68-4 79-25-07 CF-76-24 80-06-05 79-08-03
COPIER MAKE AND MODEL MC CAULEY	SERIAL NOS. 1746712	TIME SINCE OVERHAUL 155:25	AIRCRAFT TIME SINCE NEW ON: 1ST JAN. THIS YEAR 1324:25 1ST JAN. LAST YEAR 782:30
SINCE LAST C.C.I. AIRCRAFT HAS BEEN OPERATED ON: ☐ SKIS ☒ FLOATS	MANUFACTURER EDD	MODEL 2790	
IF REGISTERED OWNER IS PRIVATE OPERATOR AND AIRCRAFT IS OR HAS BEEN LEASED TO COMMERCIAL OPERATOR(S) ENTER HOURS FLOWN BY COMMERCIAL OPERATOR(S)			

CERTIFICATION	(1) I CERTIFY I HAVE INSPECTED THIS AIRCRAFT IN COMPLIANCE WITH THE CONDITION AND CONFORMITY INSPECTION PROCEDURE PRESCRIBED IN THE ENGINEERING AND INSPECTION MANUAL AND THE AIRCRAFT IS AIRWORTHY OR SERVICEABLE, WHICHEVER IS APPLICABLE. NOTE: FOR ULTRA-LIGHT AIRCRAFT THIS CERTIFICATION MAY BE SIGNED BY THE OWNER IN LIEU OF AN AME OR APPROVED INSPECTOR. * APPLIES TO AIRCRAFT ISSUED WITH A FLIGHT PERMIT.	(2) I CERTIFY THAT I HAVE FLOWN THIS AIRCRAFT AND ITS PERFORMANCE, FLYING QUALITIES, FUNCTIONS OF CONTROLS, POWERPLANT, AND LANDING GEAR, ETC., WERE EQUIVALENT TO THE STANDARD OF THE TYPE. NOTE: CERTIFICATION 2 SHALL BE MADE WITHIN SEVEN (7) CONSECUTIVE DAYS AFTER CERTIFICATION 1.
	SIGNATURE OF AME OR APPROVED CO. INSPECTOR <i>Tom Halliday</i>	AME/CO. NO. 360

AZTEC AVIATION

AZTEC AVIATION

hereby certify that I have inspected this aircraft and that its performance, flying qualities, functions of controls, powerplant, and landing gear, etc., are in accordance with the Engineering and Inspection Manual and the aircraft is released for Return to Service.	I hereby certify that I have flown this aircraft and its performance, flying qualities, functions of controls, powerplant, and landing gear, etc., were equivalent to the standard of the type.
Signed: <i>Tom Halliday</i> Date: Aug 15, 1981	Signed: <i>Tom Halliday</i> Date: Aug 14, 1981

at saddle bell crank	certify that all applicable requirements of the Engineering and Inspection Manual have been met and the aircraft is released for Return to Service.
Signed: <i>Tom Halliday</i> Date: Feb 17/82	Signed: <i>Tom Halliday</i> Date: Feb 17/82

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1415	30	NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
May 30/82	1	05	1414	35	
31	1	20	1417	55	
June 1/82	1	05	1419	00	
2	1	20	1420	20	
6	2	35	1422	55	
12	1	55	1424	50	
26	1	55	1426	45	
July 1/82	2	05	1428	50	
5	1	10	1430	00	
6	1	05	1431	05	
8	1	10	1432	15	
18	1	30	1433	45	
31	1	05	1434	50	
Aug 5/82		55	1435	45	
Sept 5/82	1	30	1437	15	
6	1	30	1438	45	
Sept 7		30	1439	15	
8	2	40	1441	55	
Sept 16/82					Compass Swing arrived out. Current DEFT ELT PN: 05-01-000 SN: 2141 installed Batley replacement May 1985 Vacuum filter replaced Left water rudder pins worn. New Tail now right assy new returning right float 2 holes inboard str Oil changed Shell W80
Sept 20/82		15	1442	10	
25	2	30	1444	40	
26		50	1445	30	
29	2	35	1448	05	
			1448	05	CARRIED FORWARD

ENGINEERING RECORD

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

achung

357° E - 89° S - 180° W - 270°

27° 120-119° 210-216° 300-299°

58° 150-149° 240-241° 350-329°

is installed - re brushed

I & bulb installed

repaired

100th msp

AZTEC AVIATION

"I certify all applicable requirements in the Engineering and Inspection Manual have been met and the aircraft is determined to be SERVICEABLE" FOR TEST FLIGHT

ARM/02087

Sept 20/82

Date

AZTEC AVIATION

"I hereby certify that I have flown this aircraft and that its performance, flying qualities and functioning of controls, engine, landing gear, etc. are equivalent in the standards of the type."

Date Sept 20/82

Signed [Signature] Pilot

AZTEC AVIATION

"I certify all applicable requirements in the Engineering and Inspection Manual have been met and the aircraft is determined to be AIRWORTHY"

Sept 20/82
ARM 02087

Sept 20/82

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1448	05	
Oct 12/82		30	1448	35	
Nov 2/82	2	50	1451	25	
Mar 5/83					HF Radios PN: AIR COM SSR 10/1 complexer PN: CU 10/60 removed Weight + Balance amended as
			1451	4	
March 6/83	14	6	1466	0	
12		6	1466	6	
13		8	1467	4	
17		5	1467	9	
21		8	1468	7	
Mar 23/83		5	1469	2	
Sept 9					Vacuum pump replaced w/ 3
Sept 10	1	2	1470	4	
11	1	4	1471	8	
Sept 13					Head starter installed PN: MC 1 Battery changed
Sept 13/83	3	0	1475	4	
14	4	1	1479	5	
Sept 20/83					Oil changed Shell #1 Mineral 80 #1 cylinder removed & sent to for repair. #6 cylinder removed & glazed & both cylinders reinstalled & Engin E.C.I. removed & sent for re Fuel leak under floor at right & Also brake linings linings rep Left brake line cracked new Left & right Main door service Compass diving can
			1479	5	CARRIED FORWARD

ENGINEERING RECORD

18

INSPECTION, REPAIRS & REPLACEMENT ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.		SIGNATURE	LICENCE NUMBER
Tennis enland Helicopters cessary		I certify that all applicable airworthiness requirements stated in the Engineering & Inspection Manual have been met in respect of the work done and the aircraft is released for Return to Service	
Mar 5/63		Tom Halliday	QAMM 102887
by S. Stewart yzm 141386 as per Journey Log		Tom Halliday	QAMM 102887
by yzm 287 657 as per Journey Log		Tom Halliday	QAMM 102887
As per rep installed 2 consecutive it repaired installed fuel & nitrogen	I hereby certify I have flown this aircraft and its performance flying qualities & function of controls, Power Plant, Landing gear, etc are equivalent to standards of type J.M. Davis	I certify I have inspected this aircraft in compliance with Conditions & Requirements inspection procedure prescribed in the Engineering & Inspection Manual & it is Airworthy Spt 26/63 Tom Halliday	QAMM 102887

continued to next page

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1479	5	
Sept 26/83					106 hr insp completed out
Sept 26/83	1	2	1480	7	
Sept 28/83					HF radio PN: 55B 10/60 SN: 81-50 Antenna coupler CU 10/60 installed in aircraft Refer to original Weight & Balance dated 12-08-81
Nov 11/83	2	25	1483	10	
Dec 3/83		40	1483	50	
16	1	40	1485	30	
Jan 23/84					Rept I ELT reinstalled and functionally tested
May 12/84	1	05	1486	35	
13	2	05	1488	40	
June 8/84		55	1489	35	
15	1	05	1490	40	
17	1	15	1491	55	
25	1	25	1493	20	
July 12/84		15	1493	35	
22	1	30	1495	05	
23		10	1495	15	
26		20	1495	35	
Aug 5	1	15	1496	50	
9	1	05	1497	55	
22		30	1498	25	
			1498	25	CARRIED FORWARD

ENGINEERING RECORD

19

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

I certify that all applicable requirements
stated in the Engineering and Inspection
Manual have been met and the aircraft is
determined to be airworthy.

Signature of ATE *T. Hall*

Licence No. *102887*

Date

Sept 26/83

I certify all applicable requirements
stated in the E & I Manual have
been met in respect of the work
done and the aircraft is released
for Return to Service
Sept 26/83 T. Hall 102887

I certify all applicable airworthiness
requirements stated in the E & I
Manual have been met in respect
of the work done and the aircraft
is released for Return to Service
Jan 23/84 T. Hall 102887

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1498	25	
Aug 30 /84					Rockers cover gaskets replaced # 2, 4 + 3 cylinders
Sept 9 /84	1	35	1500	00	
16	2	15	1502	15	
21	1	40	1503	55	
Sept 22 /84					Oil changed Shell w80 Oil pump gasket replaced # 3, 4 + 2 cylinders rocker cover gasket replaced Oil cooler gasket replaced. Left + right gear case legs removed and new bushings installed. Legs reinstalled. Left + right gear case Shimmy dampeners removed disassembled and new rings + seals installed. Dampeners serviced with fluid and reassembled and reinstalled. Left + right main gear brake linings replaced. Left + right main case serviced with fluid + air. Propeller removed + overhauled Prop installed McCauley D2A34CSB-C SN: 1074 Compass Suncor Checked
May 12 /85	1	25	1505	20	
Aug 14	2	15	1507	35	
July 2	1	35	1509	10	
27		20	1509	30	
29		30	1510	00	
31	2	15	1512	15	
Aug 16 /85		10	1512	25	
					CARRIED FORWARD

ENGINEERING RECORD

20

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

I certify all applicable
requirements stated in the E &
I manual have been met in
respect of the work done & the
aircraft is released for return
to Service
T. Halliday
CAM
10/557

I certify I have flown this
aircraft and its performance
flights qualities, functioning
of controls, Power Plant
Landing gear, etc are
equivalent to the standard
of the type

I certify I have inspected this
aircraft in compliance with
Conditions & Conformity procedures
prescribed in the E & I manual
and it is determined to be
airworthy
Sgt 22/54
T. Halliday
CAM
10/557

100h insp

I certify that all applicable requirements
stated in the Engineering and Inspection
Manual have been met and the aircraft is
determined to be airworthy.

Signature of AME

CAM

Licence No. 102837

Date

Sgt 23/54

D-557 E-89 3-180 W-270
030-27 120-119 210-210 300-299
060-55 150-149 240-240 330-329

20/21

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1512	25	
17		30	1512	55	
SEPT. 13/85	1	35	1514	30	
21	3	05	1517	35	
22	5	15	1522	50	
23	4	30	1527	20	
Sept 23/85			1527	20	CC inspection completed this date with the condition & conformity Engineering & Inspection Manual
					I certify I have flown the functions of controls including the standard of the type
24	2	35	1529	55	
25	2	25	1532	20	
27	2	25	1534	45	
30	5	30	1540	15	
Oct. 1. 85		46	1540	55	
2	2	25	1543	20	
3	2	50	1546	10	
4	2	40	1548	50	
5	4	15	1553	10	
Oct. 6/85			1553	10	50 hr inspection oil w-100 muffler replaced CPO-100 filter plugs cleaned in the Engineering & Inspection Manual
Oct. 7. 85	2	40	1555	50	
12	2	45	1558	35	
13	3	15	1561	50	
14		15	1562	05	
18	1	50	1563	55	
20	2	45	1566	40	
23	1	40	1568	20	
					removed from water for water storage
APR. 13. 86	1	00	1569	20	
					CARRIED FORWARD

ENGINEERING RECORD

21

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

I certify I have inspected this aircraft in compliance
with the procedure as prescribed in the
and the aircraft is airworthy

[Signature]

24.07

1211856

aircraft and its performance, flying qualities and
power plant and landing gear are equivalent to

[Signature]

24.07

replaced 4 exhaust stacks and repaired heater hoses
& gapped. I certify all applicable requirements stated
have been met and the aircraft is airworthy

[Signature]

24.07

1211856

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1569	20	
APR 18 86	1	05	1570	25	
19	2	15	1572	40	
24		30	1573	10	
25		15	1573	25	
27		15	1573	40	
30		30	1574	10	
MAY 1 86		50	1575	00	
4		25	1575	25	
5	1	40	1577	05	
9		15	1577	20	
11		10	1577	30	
12	1	45	1579	15	
13		30	1579	45	
16		45	1580	30	
17		20	1580	50	
20		10	1581	00	
21		30	1581	30	
23	1	00	1582	30	
25	1	00	1583	30	
27		25	1583	55	
28	1	30	1585	25	
June 1/86	1	40	1587	05	
6		35	1587	40	
13	1	30	1589	10	
16	2	30	1591	40	
22		25	1592	05	
25		20	1592	25	
Sept 7/86			1592	25	100 hrs inspection & CCI inspection accessories replaced. T at time at installation. 169.50 since I certify all applicable manuals have been met and I certify that the condition of the Engine & Inspectors manual is
					CARRIED FORWARD

[illegible]

TRANSPORT CANADA		TRANSPORTS CANADA		AIRCRAFT CONDITION AND CONFORMITY INSPECTION (C.C.I.) REPORT		DATE OF ISSUE OF C.C.I. AIRCRAFT REPORT	
NATIONALITY REGISTRATION MARKS				AIRCRAFT REGISTRATION MARKS		DATE OF ISSUE OF C.C.I. AIRCRAFT REPORT	
CANADIAN - G-BYKE				STEPHENVILLE		28	
AIRCRAFT MAKE, MODEL AND TYPE APPROVAL (FAA CERT NO)				3A24		1 MO	
G-BYKE				185-03153		09	
ENGINE MAKE AND MODEL				563787		YR 82	
CONTINENTAL				1527:20			
10-560-D				1527:20			
PROPELLER MAKE AND MODEL				789482			
M CANLEY				83:25			
DOR34C58-0							
SINCE LAST C.C.I. AIRCRAFT HAS BEEN OPERATED ON:				☐ 80% ☒ FLIGHTS		MAKE/ACTIVITY 1597-0750	
IF REGISTERED OWNER IS PRIVATE OPERATOR AND AIRCRAFT IS OR HAS BEEN LEASED TO COMMERCIAL OPERATOR(S) ENTER HOURS FLOWN BY COMMERCIAL OPERATOR(S)				CURRENT CALENDAR 1597-0750		MONTH 1597-0750	
LAST CALENDAR				1597-0750		AIRCRAFT TIME SINCE NEW ON 151 JAN THIS YEAR 151 JAN LAST YEAR	
(1) I certify I have inspected this aircraft in compliance with the condition and conformity inspection procedure prescribed in the engineering and inspection manual and the aircraft is airworthy or serviceable, whichever is applicable.				1597-0750		1503:55	
NOTE: For amateur-built aircraft this certification may be signed by the owner in lieu of an AIE or approved inspector.				1597-0750		1454:9	
(2) I certify that I have flown this aircraft and its performance, flying qualities, functions of controls, powerplant, and landing gear, etc., were equivalent to the standard of the type.				1597-0750		1454:9	
NOTE: Certification 2 shall be made within seven (7) consecutive days after certification 1.				1597-0750		1454:9	
APPROVED BY INSPECTOR				DATE OF FLIGHT 1597-0750		LICENSE NO 1597-0750	
SIGNATURE OF PILOT				DATE OF FLIGHT 1597-0750		SIGNATURE OF PILOT 1597-0750	

Engine Complete with mount and all removal. 1592155; Engine S/N 115309R. T1014 factory re-manufacture.
As per the stated in the Engine & Inspection the aircraft is airworthy.
In conformity inspection procedure as prescribed in Jan completed and the aircraft is airworthy.

420896	420896
420896	420896
420896	420896

AIR TIME AND ~

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD					
Sept 7/86			1592	25	Campress Surg. N 30 60 2 120 357 27 58 85 119 I certify that I have inspected the controls that were affected by the I certify I have flown the functions of controls including standard of the type
SEPT. 7. 86	20		1592	45	
SEPT. 21. 86			1592	45	Weight & Balance Completed.
Oct 12/86	40		1593	25	
13	55		1594	20	
16	30		1594	50	
17	10		1596	00	
18	30		1596	30	
19	1 05		1596	35	
20	10		1596	45	
21	25		1597	10	
24	10		1597	20	
26	25		1598	45	
MAR. 26/87			1597	45	Complete engine surfaces removed rear trim chain replaced new. LH All tail surfaces reinstalled & re-rigged. throttle and prop controls adjusted. Engine control ball and bolts replaced & pump installed. Directional gyro replaced blocks adjusted. Alternator Belt Flap hinges tightened R.H hinge re-riveted. down latch light switch cleaned & adjusted compound. Prop top RPM adjusted to I certify all applicable requirements have been met and the aircraft is I certify I have inspected this aircraft affected by the work completed.
			1597	45	
					CARRIED FORWARD

ENGINEERING RECORD

23

INSPECTION, REPAIRS & REPLACEMENT

SIGNATURE

LICENCE
NUMBER

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

150	5	210	240	0	300	330
149	180	210	240	270	299	329

aircraft for conformance to the type of engine

work accomplished. #1 *[Signature]* 42M 896. #2 *[Signature]*
aircraft and its performance, flying qualities and
power plant and landing gear are equal to the
[Signature]
[Signature] 42M 896.

for trim jack repairs. Both trim jacks removed.
Trim jack new screw, barrel and bearing replaced.
New ~~throttle~~ throttle and mixture cables. Mixture,
Idle mixture and full throttle mixture adjusted
comply with AD 86-24-07. New Rayair vacuum
Tachometer replaced. Float cables RH to latching
replaced. Fwd trim wheel roll pin replaced. Cowl
RH cowl flap push rod shield repaired. RH float
All electrical fittings in floats treated with Dow Corning DC4
2850 RPM on take off.

stated in the Engineering Inspection Manual have
released for return to service

for the type of engine and flight controls that were

#1 *[Signature]* 42M 896 #2 *[Signature]*

[Signature] 42M 896.

[Signature]

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1597	45	
2 May 87		15	1598	00	
3 May 87		15	1598	15	
5 May 87		30	1599	45	
10 May 87		40	1599	25	
16 May 87		20	1599	45	
17 May 87	2	0	1601	45	
21 May 87		10	1601	55	
23 May 87		15	1602	10	
24 May 87		15	1602	25	
26 May 87		20	1602	45	
27 May 87		20	1603	05	
30 May 87		15	1603	20	
31 May 87		15	1603	35	
2 June 87		30	1604	05	
3 June 87		30	1604	35	
4 June 87	1	40	1606	15	
5 June 87		15	1606	30	
6 June 87		15	1606	45	
8 June 87	2	25	1609	10	
9 June 87	1	20	1610	30	
12 June 87		35	1611	05	
13 June 87	1	25	1612	30	
16 June 87		20	1612	50	
17 June 87	1	20	1614	10	
18 June 87	2	10	1616	20	
19 June 87		20	1616	40	
21 June 87		10	1616	50	
22 June 87		10	1617	00	
23 June 87	2	15	1619	15	
24 June 87		20	1619	35	
25 June 87	1	10	1620	45	
3 July 87		15	1621	00	
4 July 87		40	1621	40	
8 July 87		20	1622	00	
9 July 87		30	1622	30	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1622	30	
11 July 87		10	1622	40	
12 July 87		15	1622	55	
13 July 87	1	15	1624	10	
17 July 87		55	1625	05	
19 July 87		10	1625	15	
21 July 87		25	1625	40	
22 July 87		40	1626	20	
23 July 87		50	1627	10	
24 July 87		40	1627	50	
29 July 87		25	1628	15	
2 Aug 87	2	55	1630	30	AD
3 Aug 87		40	1631	50	
5 Aug 87		20	1632	10	
6 Aug 87	1	25	1633	35	
7 Aug 87	1	35	1635	10	
8 Aug 87		45	1635	55	
9 Aug 87	01	50	1636	45	AD
14 Aug 87		40	1637	25	
16 Aug 87		20	1637	45	
17 Aug 87		40	1638	25	
20 Aug 87					50 lbs inspection 4 w. CCI. 4 w. oil at
					I certify that all applicable requirements
					have been met and the aircraft is safe
20 Aug 87					I certify that the condition and conform
					aircraft and the aircraft was altered
20 Aug 87					I hereby certify that I have flown
					qualities and functions of counter
					equivalent to the standard of the
20 Aug 87		20	1638	45	
21 Aug 87	1	20	1640	05	
22 Aug 87	1	15	1641	20	
23 Aug 87		15	1641	35	
24 Aug 87		20	1641	55	
25 Aug 87		50	1642	45	
28 Aug 87	1	05	1643	50	CARRIED FORWARD

COMPASS SWING

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1643	50	
29 Aug 87		25	1644	15	
30 Aug 87		20	1644	35	
1 Sept 87	1	00	1645	35	
10 Sept 87	1	55	1647	30	
11 Sept 87		40	1648	10	
12 Sept 87	1	00	1650	10	
13 Sept 87		40	1650	50	
14 Sept 87		40	1651	30	
15 Sept 87		30	1652	00	
16 Sept 87	2	10	1654	10	
17 Sept 87	1	15	1655	25	
18 Sept 87	1	20	1656	45	
19 Sept 87	2	35	1659	20	
20 Sept 87	4	10	1663	30	
21 Sept 87	1	10	1664	40	
22 Sept 87					Also serviced New Brake lining installed
					I certify that all applicable airworthiness
					inspection manual have been met and is
			1664	40	released for return to service
22 Sept 87	1	10	1665	50	
23 Sept 87		55	1666	45	
24 Sept 87	2	10	1669	55	
25 Sept 87	1	50	1670	45	
26 Sept 87	1	35	1672	20	
27 Sept 87	2	30	1674	50	
28 Sept 87		30	1675	20	
29 Sept 87		25	1675	45	
30 Sept 87		25	1676	10	
1 Oct 87		50	1677	00	
31 Oct 87					4/ wing with LH FUEL CELL DRAIN MODIFICATION
					PARTS REPAIRED + SUPPLIED BY BEL AIR LA
					I certify that all applicable airworthiness
					inspection manual have been met in res
					done -> I have conducted an inspection for conf
					CARRIED FORWARD affected by the work acco

ENGINEERING RECORD

26

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

requirements stated in the Engineering and
part of the work done and the aircraft is

John Pauling

2 mm
200144

TAKEN: 4 WAS TIP INSTALLED 4 AIR FROM ENSTALLER
NTIEN AVIATION INC. (ORIGINAL FLAP & FUEL CELL INSTALLED)

These requirements stated in the Engineering and
of the work done and the aircraft is released for return to service to meet
to the type of the flight control that were
loaded:

#1

#2

John Pauling

2 mm
200144

John Pauling
Herb B. Field
APR 11 1980

LEBLANC INSTRUMENTS

BOX 235, MALTON POSTAL STATION, MISSISSAUGA, ONT. L4T 3B6
TELEPHONE 677-2770

A.I. 99

DOT APP No

NOMENCLATURE DIRECTIONAL GYRO

PART No. 14262-001-13 MODEL or TYPE 4000 B-12

MAKE EDO - AIRE

SERIAL No 51376 D

NEW — OVERHAULED ✓ REPAIRED —

PREVIOUS CERTIFICATION N/A

The material, part, or component identified hereon has been inspected and tested, and is certified airworthy.

DATE April 20, 1988

Inspector's Signature, Stamp

SERVICEABLE

GRACEFIELD AVIATION

CORD

1 AS REQUIRED FOR COMPLETE

22 May 88	20	1678	10	
23 May 88	25	1679	35	
24 May 88	25	1680	00	
28 May 88	10	1680	10	
29 May 88	10	1680	20	
2 June 88	1	30	1681	50
3 June 88		30	1682	20
4 June 88	1	30	1683	50
24 June 88	1	0	1684	50
26 June 88		25	1685	15
3 July 88		40	1685	55
5 July 88		50	1686	45
7 July 88		25	1687	10
8 July 88	Time corrected: 1687:10: 100h. Inspection C/A R/more			
	AD: CF 68-4, 84-10-01			
	NOTE: SEAT RAILS HAVE			
	PER OPTION 2 OF			
	AD CF 87-13 DR			
	A/C PLACARDED			
	E.L.T. checked PER PERFORMANCE TEST			
	I certify that all applicable equipment			
	and the aircraft is determined to			
8 JULY 88	15	1687	25	
14 JULY 88	30	1687	55	
16 JULY 88	35	1687	30	
17 JULY 88	30	1689	00	
19 JULY 88	25	1689	25	
22 JULY 88	25	1689	50	
25 JULY 88	25	1690	15	
30 JULY 88	1	65	1691	20

CARRIED FORWARD

Buyer
Name
10670

ND

ENGINEERING RECORD

USE 100-1000 PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE

	HRS.	MIN.	HRS.	MIN.	
8988 BROUGHT FORWARD			1691	20	
31 JULY		20	1691	40	
1 AUG 88		40	1692	20	
5 AUG 88		15	1697	35	
5 AUG 88		30	1693	05	
7 AUG 88		10	1693	15	
7 AUG 88		20	1693	35	
11 AUG 88	1	00	1694	35	
12 AUG 88		30	1695	05	
AUG 19/88			1695	05	SEAT RAILS installed SEAT RAILS " new SEAT ROLLERS ROLLERS part 1554-1 AD 84-26-02
21 Aug 88			1695	05	LYMAN TIRE REPLACED ALL NEW A/C D 54-10-CIRI CARRIAGE AT COMPASS SWING C/L N 351/ 30 27/ W 270/ 300 299/ 350 324/ Return C.I. 9/4. I certify that all applicable reg been met and the aircraft is I certify that the conditions exist this aircraft and the aircraft I hereby certify that it has been of qualities and functions of a equivalent to the standard of
21 Aug 88		15	1695	20	
23 Aug 88		35	1695	55	
26 AUG 88		10	1696	05	
CARRIED FORWARD					

AIR TIME AND

DATE 1988	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1696	05	
27 AUG		10	1696	15	
28 AUG		35	1696	50	
8 SEPT		50	1697	40	
9 SEPT	1	15	1698	55	
10 SEPT 88		50	1699	45	
11 SEPT 88	1	20	1701	05	
12 SEPT 88		20	1701	25	
13 SEPT 88		20	1701	45	
14 SEPT 88		20	1702	05	
15 SEPT 88	1	45	1703	50	
17 SEPT 88	2	30	1706	20	
18 SEPT 88		50	1707	10	
19 SEPT 88		25	1707	35	
20 SEPT 88		35	1708	10	
21 SEPT 88	1	25	1709	35	
23 SEPT 88	1	30	1711	05	
24 SEPT 88	1	20	1712	25	
26 SEPT 88	1	20	1713	45	
27 SEPT 88		25	1714	10	
28 SEPT 88		25	1714	35	
29 SEPT 88		25	1715	00	
30 SEPT 88		25	1715	25	
1 OCT 88	1	45	1717	10	
2 OCT 88		20	1717	30	
4 OCT 88	1	55	1719	25	
6 OCT 88		30	1719	55	
7 OCT 88	1	25	1721	20	
8 OCT 88	1	15	1722	35	
9 OCT 88	1	25	1724	00	
10 OCT 88		35	1724	35	
11 OCT 88	1	00	1725	35	
12 OCT 88		40	1726	15	
15 OCT 88	2	10	1728	25	
16 OCT 88		20	1728	45	
17 OCT 88		40	1729	25	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1729	25	
21 OCT 88		15	1729	40	
22 OCT 88		30	1730	10	
5 May 89					50th inspection c/w * Oil changed (SHELL) Replaced on #344, aft main engine Rep Lesson Damage Kit 3A 182-83 Prod Identify what all applicable inspections met and the
MAY 6/89	1	00	1730	50	
MAY 5/89		40	1730	50	
MAY 6/89	1	00	1731	50	
MAY 10/89		30	1732	20	
MAY 13/89		40	1733	00	
MAY 17/89		35	1733	35	
MAY 19/89		40	1734	15	
MAY 21/89		25	1734	40	
MAY 22/89	1	30	1736	10	
MAY 30/89		15	1736	25	
MAY 30/89		15	1736	40	
JUNE 3/89		15	1736	55	
JUNE 4/89		15	1737	10	
JUNE 9/89		50	1738	00	
JUNE 11/89		10	1738	10	
JUNE 14/89	2	00	1740	10	
JUNE 15/89	1	20	1741	30	
JUNE 16/89		15	1741	45	
JUNE 17/89		16	1741	55	
JUNE 21/89		25	1742	20	
JUNE 23/89		30	1742	50	
JULY 7/89		55	1743	45	
JULY 9/89	1	00	1744	45	
JULY 13/89		40	1745	25	
JULY 14/89		35	1746	00	
20 July 89					ANNUAL INSPECTION c/w * Final Exp Compass Swing: AD CF 48-4, CF 87-15 CARRIED FORWARD FOR 11/30/60/40/20/150 STEER 38/27/58/51/110/140/

10 - assigned: S/Chenard & Gappel Prop Inst.
87-20-03 RI, 84-10-01 RI CF 87-10 c/w
S/210/240/w/300/330//
84/210/240/270/299/329//

AIR TIME-AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1746	00	Altitude 811-8103 Rejected.
20 July 89					I certify that all applicable requirements have been met and the aircraft is
3 AUG 89		45	1746	45	
4 AUG 89		20	1747	05	
7 AUG 89		35	1747	40	
20 AUG 89	1	00	1748	40	
21 AUG 89		50	1749	30	
22 AUG 89		10	1749	40	
23 AUG 89	1	40	1751	20	
27 AUG 89	2	30	1751	50	
28 AUG 89		30	1752	20	
28 AUG 89	1	20	1753	30	
29 AUG 89		50	1754	20	
1 SEPT 89		55	1755	15	
3 SEPT 89		10	1756	25	
4 SEPT 89		15	1755	40	
6 SEPT 89		40	1756	20	
7 SEPT 89		55	1757	15	
8 SEPT 89	1	55	1759	10	
10 SEPT 89	1	10	1760	20	
11 SEPT 89		55	1761	15	
13 SEPT 89	2	00	1763	15	
14 SEPT 89		40	1765	55	
15 SEPT 89		15	1764	10	
16 SEPT 89	1	15	1765	25	
17 SEPT 89		50	1766	15	
18 SEPT 89	1	45	1768	00	
19 SEPT 89	1	00	1769	00	
21 SEPT 89		50	1769	50	
22 SEPT 89		40	1770	30	
23 SEPT 89		30	1771	00	
24 SEPT 89		35	1771	35	
25 SEPT 89	1	30	1773	05	
26 SEPT 89		25	1773	30	
					CARRIED FORWARD

ENGINEERING RECORD

31

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

stated in the Engineering and Inspection manual
determined to be satisfactory



[Handwritten signatures and licence numbers in the right column, including names like Thompson, H. B., and others.]

AIR TIME AND

DATE 1989	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1775	30	
28 SEPT 89	1	30	1775	00	
30 SEPT 89		50	1775	50	
1 OCT 89	1	30	1777	20	
2 OCT 89		25	1777	45	
3 OCT 89		20	1778	05	
4 OCT 89		25	1778	30	
5 OCT 89		20	1778	50	
6 OCT 89		50	1779	40	
7 OCT 89		30	1780	10	
8 OCT 89		50	1781	00	
10 OCT 89		25	1781	25	
11 OCT 89		50	1782	15	
12 OCT 89		40	1782	55	
13 OCT 89	1	25	1784	20	
19 OCT 89		35	1784	55	
20 OCT 89		15	1785	10	
21 OCT 89		15	1785	25	
24 OCT 89		30	1785	55	
28 OCT 89		15	1786	10	
29 OCT 89		30	1786	40	
30 Oct 89					50 In. inspection & oil changed. S/P. at pad replaced. all Bearings half replaced
					I have conducted an inspection for that was effected by the work above
30 Oct 89					I certify that all applicable requirements aircraft is determined to be air
9 Jan 90					prop. Manual for inspection by Mr. Prop installed after inspection by Mr. Richard Induction air filter removed P.A. & The Maintenance Service above with applicable instructions at flight day for
19 Jan 90		10	1786	50	
					CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1786	40	
13 Apr 90		10	1786	50	
20 Apr 90		20	1787	10	
21 Apr 90	1	00	1788	10	
22 Apr 90		40	1788	50	
10 May 90		40	1789	30	
13 May 90	1	10	1790	40	
15 May 90	1	45	1792	30	
25 May 90		30	1793	00	
21 May 90		25	1793	25	
2 Jun 90	*	35	1794	20	
3 Jun 90		20	1794	40	
8 Jun 90		15	1794	55	
9 Jun 90		15	1795	10	
10 Jun 90		25	1795	35	
14 Jun 90		35	1796	10	
15 Jun 90		40	1796	50	
20 Jun 90		30	1797	20	
29 Jun 90		50	1798	10	
30 Jun 90		20	1798	30	
1 Jul 90		15	1798	45	
2 Jul 90		25	1799	10	
6 Jul 90		25	1799	35	
8 Jul 90		25	1800	00	
13 Jul 90	1	15	1801	15	
14 Jul 90		15	1801	30	
15 Jul 90		55	1802	25	
18 Jul 90		30	1802	55	
20 Jul 90	1	05	1804	00	
24 Jul 90			1804	10	ANNUAL INSPECTION c/w 31P Check AP: CP 90-03-87-20-00-R1 CF 87-
					I certify that all applicable requirements in the E & T Manual have been met and the aircraft is determined to be
			1804	10	CARRIED FORWARD

[illegible]

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1304	10	
25 July 90		55	1305	05	
31 July 90		25	1305	30	
1 Aug 90		25	1305	55	
5 Aug 90		55	1306	50	
9 Aug 90		25	1307	15	
14 Aug 90		45	1308	00	
15 Aug 90		15	1308	15	
19 Aug 90		35	1308	50	
21 Aug 90	1	15	1310	05	
23 Aug 90		50	1310	55	
30 Aug 90		20	1311	15	
31 Aug 90		10	1311	25	
1 Sept 90		10	1311	35	
3 Sept 90		45	1312	20	
4 Sept 90		30	1312	50	
5 Sept 90		25	1313	15	
6 Sept 90		25	1313	40	
7 Sept 90	1	40	1315	20	
8 Sept 90	1	05	1316	25	
9 Sept 90		40	1317	05	
11 Sept 90		25	1317	30	
12 Sept 90		30	1318	00	
13 Sept 90		15	1318	25	
14 Sept 90	1	20	1319	45	
15 Sept 90		25	1320	10	
16 Sept 90	1	25	1321	35	
18 Sept 90	1	00	1322	35	
19 Sept 90		25	1323	00	
20 Sept 90	1	25	1324	25	
22 Sept 90	1	45	1326	10	
24 Sept 90		45	1326	55	
25 Sept 90		40	1327	35	
26 Sept 90		40	1328	15	
27 Sept 90		25	1328	40	
28 Sept 90		30	1329	10	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1829	10	
29 Sept 90	1	20	1830	30	
30 Sept 90		25	1830	55	
2 Oct 90		30	1831	25	
5 Oct 90		15	1831	40	
7 Oct 90		20	1832	00	
11 Oct 90		25	1832	25	
14 Oct 90		25	1832	50	
24 Oct 90		35	1833	25	
26 Oct 90		15	1833	40	
27 Oct 90		20	1834	00	
29 Oct 90		20	1834	20	
3 Nov 90		30	1834	50	
6 Nov 90					50 hr Inspection 4/6 Oil changed all new Proprietary installed I certify that all applicable hours have met and the case is
July 5/91	0	50	1835	40	
July 7/91		50	1836	30	
July 13/91	1	00	1837	30	
July 15/91		30	1838	00	
July 16/91		35	1838	35	
July 18/91		15	1838	50	
July 18/91		40	1839	30	
July 19/91		35	1840	05	
July 28/91	1	10	1841	15	
July 29/91	1	00	1842	15	
Aug 3/91		20	1842	35	
Aug 4/91		20	1842	55	
9 Aug 91		25	1843	20	
10 Aug 91	2	10	1845	30	
11 Aug 91		25	1845	55	
12 Aug 91	2	10	1846	05	
14 Aug 91		55	1849	00	
19 Aug 91	1	05	1850	05	
21 Aug 91	1	00	1851	05	CARRIED FORWARD

١٩

١٩

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1851	05	
24 Aug 91	2	00	1853	05	
27 Aug 91	1	00	1854	05	
7 Sept 91			1854	05	Annual Inspection C/U. Compressor 2 54-26-02, CF 90-03, (N-357) (30° (240°-240°) (U-278) (300°-240°) (330° The maintenance described above has applicable standards of airworthiness.
SEPT 11		50	1854	55	
SEPT 16/91		40	1855	35	
SEPT 20/91	1	30	1857	05	
SEPT 22/91	1	05	1858	10	
SEPT 25/91	1	50	1860	00	
OCT 5/91		50	1860	50	
OCT 6/91		10	1861	00	
OCT 6/91		15	1861	15	
OCT 8/91		50	1862	05	
OCT 12/91		80	1863	25	
OCT 16/91		50	1864	15	
OCT 18/91		50	1865	05	
OCT 23/91	1	00	1866	05	
OCT 26/91		70	1866	25	
OCT 27/91	1	40	1868	05	
OCT 31/91		40	1868	45	
MAY 22/92		40	1869	25	
MAY 30/92		10	1869	35	
MAY 31/92	2	00	1871	35	
JUN 15/92	1	25	1873	00	
JUN 12/92	2	05	1875	05	
JUN 22/92	1	05	1876	10	
JUN 24/92		20	1876	30	
AUG 7/92		40	1877	10	
AUG 8/92	1	00	1878	10	
AUG 21/92	1	05	1879	15	
AUG 29/92	1	20	1880	25	
					CARRIED FORWARD

ENGINEERING RECORD

36

INSPECTION, REPAIRS & REPLACEMENT ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.	SIGNATURE	LICENCE NUMBER
ND 7/14 CF 57-10, CF 57-15, 57-2003R1 (60°-55°) (90°-89°) (120°-119°) (150°-149°) (S-180°) (210°-210°S 9°) S/P C Level + g.p.d. performed in accordance with the		
	Just Dubing 1100144	
	Geo. Baughman 110680	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	
	Geo. Baughman "	

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1880	25	
SEPT 15/92			1892	16	PROP GOVERNOR INST THIS
SEPT 25/92			1893	4	OVH STARTER DRIVE INST
OCT 8/92			1904	2	TOTALS BROUGHT FORWARD
OCT 27/92			1904	2	STC #3A 637GL INSTALLED
NOV 4/92			1904	2	
			PROX.	2	CARRIED FORWARD

AIR TIME AND

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD			1904	2	
NOV. 6/92	.6		1904	8	
APR. 24/93	1.4		1906	2	
MAY 1/93	3.0		1909	2	
MAY 2/93	2.0		1911	2	
MAY 15/93	5.8		1917	0	
MAY 22/93	1.2		1918	2	
MAY 29/93	1.8		1920	0	
MAY 30/93	2.0		1922	0	
JUNE 5/93	2.0		1924	0	
JUNE 12/93	1.2		1925	2	
JUNE 21/93			1925	2	
/					
JUNE 21.93	1.6		1925.8		NEW TACK - 0 - 1925.8 N. A.F.
					INSTALL TACK. P-1000 to STC SAS 823 NM & TNL
			1925.8		
/					
					CARRIED FORWARD

ENGINEERING RECORD

38

INSPECTION, REPAIRS & REPLACEMENT
ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

LICENCE
NUMBER

1000 ANA WB Ammend Aspen Branch ^{AKA} #7186
DOT App 10-74

THE MAINTENANCE DESCRIBED ABOVE HAS
BEEN PERFORMED IN ACCORDANCE WITH
APPLICABLE STANDARDS OF AIRWORTHINESS
EXAM 2101 A.M. 10-74

AIR TIME AND

[illegible]

ENGINEERING RECORD

INSPECTION, REPAIRS & REPLACEMENT

ENTRIES. DRAW A DIAGONAL LINE THROUGH ANY UNUSED LINES IN DATE AND TIME COLUMNS.

SIGNATURE

ENGINE
NUMBER

☐ WEIGHT AND BALANCE
MASS ET CENTRAGE

☐ INDEPENDENT CONTROL CHECK
VERIFICATION INDEPENDANTE DES COMMANDES

☐ LOG BOOK ENTRIES
INSCRIPTIONS AU CARNET D'AVIATION

A 571207.9 AFTER IMMERSION IN FRESH
PER 24-0045 FORM ATTACHED ENGINE
IAN AERO ENGINES-W.O. #3743

UKEY D2A34C58-NO, SIN 730698 (297.7 HRS IN
OVED FROM C-GQIP.

ETC. REMOVED-REPLACED WITH SERVICEABLE
CHECK CARRIED OUT-SATISFACTORY

HARDWARE, ALL CONTROLS DUAL INSPECTED.

RT 359A TRANSPONDER, ARC MODEL RT 308C NAVCOM,

4B INDICATOR, ~~ARC~~ R 546A ADF AND INDICATOR

FROM INSTRUCTANTS - COMPASS SWING.

PROG INST AMENDED - FORM 24-0045 ATTACHED

INDEPENDENT CHECK OF ^{FLIGHT} ~~AND ENGINE~~ CONTROLS

I CERTIFY THE STATIC/PRESSURE SYSTEMS

CARRIED OUT, DATE DEC. 5/94

INSPECTED AND TEST IN COMPLIANCE

SIGN *[Signature]* LIC. No. *[Signature]* 21

SIGN *[Signature]* LIC. No. *[Signature]*

DUAL *[Signature]* IR. N312C-290155

ER AS PER AVIONICS INSTALLATION PROCEDURES
SA 91-21 *[Signature]*

THE MAINTENANCE DESCRIBED ABOVE
HAS BEEN PERFORMED IN ACCORDANCE
WITH THE APPLICABLE STANDARDS OF
AIRWORTHINESS

[Signature] 32



CONFORMITY CERTIFICATE / CERTIFICAT DE CONFORMITÉ

REPAIR OR MODIFICATION / RÉPARATION OU MODIFICATION

INSTRUCTIONS

FOR INSTRUCTION, SEE AIRWORTHINESS MANUAL ADVISORY 575.219. - POUR LES INFORMATIONS, CONSULTER LA CIRCULAIRE CONSULTATIVE AU MANUEL DE NAVIGABILITÉ 575.219.
PRINT OR TYPE - DACTYLOGRAPHIER OU ÉCRIRE EN LETTRES MOULÉES

1. AIRCRAFT AÉRONEF	MAKE - CONSTRUCTEUR CESSNA		MODEL - MODÈLE A185F
	SERIAL NO. - N° DE SÉRIE 185-03193		REGISTRATION MARKS - MARQUES D'IMMATRICULATION C-GYKF
2. OWNER PROPRIÉTAIRE	NAME - NOM SALVAIR		ADDRESS - ADRESSE R.R. #1 BEAVERTON, ONT. L0K 1A0
	3. UNIT IDENTIFICATION IDENTITÉ DE L'UNITÉ	UNIT - UNITÉ AS ABOVE	MANUFACTURER - CONSTRUCTEUR AS ABOVE
		MODEL - MODÈLE AS ABOVE	SERIAL NO. - N° DE SÉRIE AS ABOVE
* USE A SEPARATE FORM FOR EACH UNIT BEING CERTIFIED - UTILISER UN FORMULAIRE SÉPARÉ POUR CHAQUE UNITÉ CERTIFIÉE			
5. CONFORMITY STATEMENT DÉCLARATION DE CONFORMITÉ	I CERTIFY THAT THE WORK DETAILED ON THE REVERSE SIDE OF THIS SHEET HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH APPROVED DATA SPECIFIED THEREIN.  SIGNATURE (AUTHORIZED PERSON - PERSONNE AUTORISÉE) R. VODAREK ADDRESS - ADRESSE Orillia Aviation Limited R.R.#6, Lake St. John Airport Orillia Ontario L3V 6H6		JE CERTIFIQUE QUE LE TRAVAIL DÉCRIT AU VERSO DE CE FORMULAIRE A ÉTÉ EFFECTUÉ SELON LES MÉTHODES HOMOLOGUÉES QUI Y SONT MENTIONNÉES. M166621 AME LICENCE OR AMO APPROVAL NO. N° DE LICENCE DU TEA OU D'APPROBATION DE L'AMO DEC. 5/94 DATE M2,4,5,7 E21,22,23 S31,32,33 CATEGORY - CATÉGORIE
	6. CERTIFICATION		THE MAINTENANCE REQUIRED TO INSTALL THIS COMPONENT ON THE AIRCRAFT STATED ABOVE HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.  SIGNATURE (AUTHORIZED PERSON - PERSONNE AUTORISÉE) R. VODAREK ADDRESS - ADRESSE Orillia Aviation Limited R.R.#6, Lake St. John Airport Orillia Ontario L3V 6H6
7. FOR DEPARTMENT OF TRANSPORT OR APPROVED MAINTENANCE ORGANIZATION USE RÉSERVÉ AU MINISTÈRE DES TRANSPORTS OU AUX ORGANISMES DE MAINTENANCE AGRÉÉS	CERTIFICATION OF AERONAUTICAL PRODUCTS BEING RETURNED TO FOREIGN CUSTOMERS.		CERTIFICATION DE PRODUITS AÉRONAUTIQUES RETOURNÉS AUX CLIENTS D'ORIGINE ÉTRANGÈRE.
	AIRWORTHINESS OR AUTHORIZED INSPECTOR INSPECTEUR AUTORISÉ OU DE NAVIGABILITÉ		REGION/DISTRICT OR ORGANIZATION RÉGION/DISTRICT OU ORGANISATION

WEIGHT AND BALANCE OR OPERATING LIMITATION CHANGES SHALL BE ENTERED IN THE APPROPRIATE AIRCRAFT RECORDS. A MODIFICATION MUST BE COMPATIBLE TO ALL PREVIOUSLY INCORPORATED MODIFICATIONS TO ASSURE CONTINUED CONFORMITY WITH THE APPLICABLE AIRWORTHINESS REQUIREMENTS.

LES CHANGEMENTS DE MASSE ET CENTRAGE OU DE LIMITES D'UTILISATION DOIVENT ÊTRE TRANSCRITS DANS LES DOSSIERS APPROPRIÉS DE L'AÉRONEF. UNE MODIFICATION DOIT ÊTRE COMPATIBLE AVEC LES MODIFICATIONS PRÉCÉDEMMENT INCORPORÉES POUR ASSURER LA CONFORMITÉ AUX NORMES DE NAVIGABILITÉ APPLICABLES.

8. DESCRIPTION OF WORK ACCOMPLISHED

(IF MORE SPACE IS REQUIRED ATTACH ADDITIONAL SHEETS - IDENTIFY WITH AIRCRAFT NATIONALITY AND REGISTRATION MARKS AND DATE WORK COMPLETED.)

DESCRIPTION DES TRAVAUX EXÉCUTÉS

(AU BESOIN, UTILISER DES FEUILLES SUPPLÉMENTAIRES - INDICER SUR CHAQUE FEUILLE, LES MARQUES D'IMMATRICULATION DE L'AÉRONEF ET LA DATE À LAQUELLE LES TRAVAUX ONT ÉTÉ EFFECTUÉS)

1. AIRCRAFT INSPECTED AS PER AMA 571.207.9 AFTER IMMERSION OF AIRCRAFT IN FRESH WATER.
2. BOTH WINGS REPAIRED AS PER ATTACHED 24-0045 FORM FROM AMO #168-92, DATED MAY 24/94.
3. ENGINE IMMERSION INSPECTED BY CANADIAN AERO ENGINES W.O. #3743, DEC. 16/93, 24-0045 FORM ATTACHED.
4. PROPELLER REPLACED WITH SERVICEABLE MCCAULEY D2A34C58-NO, SERIAL NO. 730698, 297.9 HRS. IN SERVICE, OVERHAULED MAY 12, 1993, REMOVED FROM C-GQIP.
5. ALL INSTRUMENTS, SWITCHES, RELAYS, ETC. REMOVED, REPLACED WITH SERVICEABLE UNITS REMOVED C-GCAN, PILOT/STATIC CHECK CARRIED OUT SATISFACTORY.
6. AIRCRAFT REASSEMBLED USING NEW HARDWARE, ALL CONTROLS DUAL INSPECTED, FUEL SYSTEM LEAK CHECKED, OK.
7. ALL AVIONICS REMOVED, ARC MODEL RT-359A TRANSPONDER INSTALLED PER CESSNA INSTALLATION MANUAL #D4519-13-RAND-1200-8/73, ARC MODEL RT308C NAV/COM INSTALLED PER CESSNA INSTALLATION MANUAL #D4516-13-RAND-1200-7/73, ARC MODEL RT328T WITH IN514B INDICATOR INSTALLED PER CESSNA INSTALLATION MANUAL #D4555-13-RAND-1400-8/75 AND ARC MODEL R546A ADF AND INDICATOR INSTALLED PER CESSNA INSTALLATION MANUAL #D4508-13-RAND-650-2/73.
8. AIRCRAFT WEIGHT AND BALANCE/EQUIPMENT LIST AMENDED.

AVIONICS ABOVE INSTALLED IN ACCORDANCE WITH THE FOLLOWING SPECIFIED DATA:

AC43-13-1A CHAPTER 11 SECTION 3 (WIRE TYPE, SIZES, TERMINALS ETC.)
AC43-13-1A CHAPTER 11 SECTION 7 (WIRE ROUTING, CLAMPING ETC.)
AC43-13-1A CHAPTER 11 SECTION 2 (EQUIPMENT INSTALLATION)
AC43-13-1A CHAPTER 5 & 7 (HARDWARE & MATERIALS)
AC43-13-2A CHAPTER 2 & 3 (RADIO & ANTENNA INSTALLATION)
AC43-13-2A CHAPTER 1 PARAGRAPH 2 & 4 THRU 12 (STRUCTURAL DATA, STATIC LOADS, MATERIALS, FABRICATION, FASTENERS, PROTECTION, PROVISIONS FOR INSPECTION, WEIGHT AND BALANCE, EFFECTS ON SAFE OPERATION, CONTROLS AND INDICATORS, PLACARDS)

AIRWORTHINESS MANUAL

POST INSTALLATION PROCEDURES:

AIRCRAFT WEIGHT AND BALANCE/EQUIPMENT LIST
ELECTRIC LOAD ANALYSIS CALCULATED AND FOUND WITHIN LIMITS
ALL AVIONICS GROUND AND FLIGHT TESTED
FORM 24-0045 COMPLETED
COMPASS SWING CARRIED OUT

☒ WEIGHT AND BALANCE
MASSE ET CENTRAGE

☒ INDEPENDENT CONTROL CHECK
VÉRIFICATION INDÉPENDANTE DES COMMANDES

☒ LOG BOOK ENTRIES
INSCRIPTIONS AU CARNET D'AÉRONEF

☒ ELECTRICAL LOAD ANALYSIS
CALCUL DES CHARGES ÉLECTRIQUES

☒ TEST FLIGHT
ESSAI EN VOL

☒ ADDITIONAL SHEETS ARE ATTACHED
FEUILLES SUPPLÉMENTAIRES JOINTES

8. DESCRIPTION OF WORK ACCOMPLISHED

(IF MORE SPACE IS REQUIRED ATTACH ADDITIONAL SHEETS - IDENTIFY WITH AIRCRAFT NATIONALITY AND REGISTRATION MARKS AND DATE WORK COMPLETED.)

DESCRIPTION DES TRAVAUX EXÉCUTÉS

(AU BESOIN, UTILISER DES FEUILLES SUPPLÉMENTAIRES - INDICER SUR CHAQUE FEUILLE, LES MARQUES D'IMMATRICULATION DE L'AÉRONEF ET LA DATE À LAQUELLE LES TRAVAUX ONT ÉTÉ EFFECTUÉS.)

RIGHT WING:

Disassembled, inspected for damage, installed in jig and the following parts replaced new:

0523406-4	Aft Spar Outboard
0523541-53	Stringer Lower
0523541-55	Stringer Lower
0523541-57	Stringer Lower
0722180-84	Skin Leading Edge, Outboard

Top centre, top aileron bay and lower centre skins replaced new fabricated from 2024 T3 .020 Lot No. 563491.

LEFT WING:

Disassembled, inspected for damage, installed in jig and the following parts replaced new:

0523400-95	Channel Inboard Rear Spar
0523406-5	Aft Spar Outboard
0523541-54	Stringer Lower
0523541-60	Stringer Lower
0523541-58	Stringer Lower
0722180-39	Leading Edge Skin Inboard
0721401-5	Spar Channel Forward Inboard
0422229-11	Fitting Rear Spar - 2 required

Lower centre and lower tank skins replaced new fabricated from 2024 T3, Lot No 563491.

All parts etched and primed with zinc chromate before assembly.

Leading edge skins on both wings installed as per Cessna Service Manual D 2067-13, Structural Repair Section 17-42 Fig :17-10.

All work carried out as per AC 43.13-1A, Chapter 2, Section 3, Parts 96, 97, 99 and 100. MS20470AD and MS20426AD rivets used throughout.

END

☐ WEIGHT AND BALANCE
MASSE ET CENTRAGE

☐ ELECTRICAL LOAD ANALYSIS
CALCUL DES CHARGES ÉLECTRIQUES

☐ INDEPENDENT CONTROL CHECK
VÉRIFICATION INDÉPENDANTE DES COMMANDES

☐ TEST FLIGHT
ESSAI EN VOL

☐ LOG BOOK ENTRIES
INSCRIPTIONS AU CARNET D'AÉRONEF

☐ ADDITIONAL SHEETS ARE ATTACHED
FEUILLES SUPPLÉMENTAIRES JOINTES

Transport
CanadaTransports
Canada

Aviation

Aviation

CONFORMITY CERTIFICATE CERTIFICAT DE CONFORMITÉ

REPAIR OR MODIFICATION RÉPARATION OU MODIFICATION

INSTRUCTIONS

FOR INSTRUCTION, SEE AIRWORTHINESS MANUAL ADVISORY 575.219. - POUR LES INFORMATIONS, CONSULTER LA CIRCULAIRE CONSULTATIVE AU MANUEL DE NAVIGABILITÉ 575.219.
PRINT OR TYPE - DACTYLOGRAPHIER OU ÉCRIRE EN LETTRES MOULÉES

1. AIRCRAFT AÉRONEF	MAKE - CONSTRUCTEUR Cessna Aircraft Co.		MODEL - MODÈLE A185 F	
	SERIAL NO. - N° DE SÉRIE 18503193		REGISTRATION MARKS - MARQUES D'IMMATRICULATION C-GYKF	
2. OWNER PROPRIÉTAIRE	NAME - NOM		ADDRESS - ADRESSE	
3. UNIT IDENTIFICATION IDENTITÉ DE L'UNITÉ	UNIT - UNITÉ Left & Right Wing	MANUFACTURER - CONSTRUCTEUR As Above		4. TYPE OF WORK - GENRE DE TRAVAIL ☐ MODIFICATION ☒ REPAIR RÉPARATION
	MODEL - MODÈLE As Above	SERIAL NO. - N° DE SÉRIE As Above		
* USE A SEPARATE FORM FOR EACH UNIT BEING CERTIFIED - UTILISER UN FORMULAIRE SÉPARÉ POUR CHAQUE UNITÉ CERTIFIÉE				
5. CONFORMITY STATEMENT DÉCLARATION DE CONFORMITÉ	I CERTIFY THAT THE WORK DETAILED ON THE REVERSE SIDE OF THIS SHEET HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH DATA APPROVED OR SPECIFIED BY THE MINISTER, THE SOURCE OF WHICH IS ALSO INDICATED ON THE REVERSE SIDE.		JE CERTIFIE QUE LE TRAVAIL DÉCRIT AU VERSO DE CE FORMULAIRE A ÉTÉ EFFECTUÉ SELON DES DONNÉES QUI ONT ÉTÉ APPROUVÉES OU SPÉCIFIÉES PAR LE MINISTRE, ET DONT LA SOURCE EST ÉGALEMENT INDICUÉE AU VERSO.	
	SIGNATURE <i>D.P. Jewson</i> (AUTHORIZED PERSON - PERSONNE AUTORISÉE)		A.M.O. # 168-92 A.M.E. LICENCE OR A.M.O. APPROVAL NO. N° DE LICENCE DU TEA OU D'APPROBATION DE L'AMO	
	ADDRESS - ADRESSE R. R. # 3 Bracebridge, Ont. P1L 1X1		DATE MAY 24 / 92 CATEGORY - CATÉGORIE S	
6. CERTIFICATION	THE MAINTENANCE REQUIRED TO INSTALL THIS COMPONENT ON THE AIRCRAFT STATED ABOVE HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.		LA MAINTENANCE REQUISE POUR INSTALLER LE COMPOSANT SUR L'AÉRONEF MENTIONNÉ CI-HAUT A ÉTÉ EXÉCUTÉE CONFORMÉMENT AUX NORMES DE NAVIGABILITÉ APPLICABLES.	
	SIGNATURE (AUTHORIZED PERSON - PERSONNE AUTORISÉE)		A.M.E. LICENCE OR A.M.O. APPROVAL NO. N° DE LICENCE DU TEA OU D'APPROBATION DE L'AMO	
	ADDRESS - ADRESSE		DATE CATEGORY - CATÉGORIE	
7. FOR DEPARTMENT OF TRANSPORT OR APPROVED MAINTENANCE ORGANIZATION USE RÉSERVÉ AU MINISTÈRE DES TRANSPORTS OU AUX ORGANISMES DE MAINTENANCE AGRÉÉS	CERTIFICATION OF AERONAUTICAL PRODUCTS BEING RETURNED TO FOREIGN CUSTOMERS.		CERTIFICATION DE PRODUITS AÉRONAUTIQUES RETOURNÉS AUX CLIENTS D'ORIGINE ÉTRANGÈRE.	
	AIRWORTHINESS OR AUTHORIZED INSPECTOR INSPECTEUR AUTORISÉ OU DE NAVIGABILITÉ		REGION DISTRICT OR ORGANIZATION RÉGION DISTRICT OU ORGANISATION	
				STAMP / DATE - ESTAMPILLE / DATE

AIR TIME AND

DATE BROUGHT FORWARD	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR COMPLETE
	HRS.	MIN.	HRS.	MIN.	
1995 AUG 8			1937	6	PREVIOUSLY INSTALLED ERO. M LH S/N 420, RH S/N 419 - HYDRAULIC SYSTEM RE - BRAKES SERVICED W - NEW 3/32 SS 7x19 + UP/DOWN CONTROL - GEAR CYCLED WITH
					I have conducted an inspection for conformance to the type of the Flight/Powerplant Controls that were affected by the work accomplished. <i>M. R. Davis me49337</i>
AUG 8/95	1	0	1938	6	
AUG 9/95	2	5	1941	1	
AUG 11/95	6	1	1947	2	
AUG 12/95	3	9	1951	1	
AUG 13/95	1	0	1952	1	
16	8	1/2	1960	9	
3	0	9	1961	8	
23	2	1	1963	9	
25	2	8	1966	7	
30	1	0	1967	7	
OCT 01/95	1	0	1968	7	
MAR 05/96			1968.7		A/C Given annual / 200 hr inspection Aft, RH inter cylinder brkt rep various wires, leads and lines in throttle/mixture control brkt (tang) boost pump microswitch adjuster mixture control rod end replaced throttle/mixture & prop controls r RH fuel scot hose replaced muffler half clamps repaired & reinst Aft motor mounts/tabs & bolts repaired Spinner washers added for proper fit up Lit forward exhaust heat deflector re
(Track 5-96	42.90		(1968.7)	T.T.	
					CARRIED FORWARD

ed

**AVTRONICS RADIO TECHNOLOGY(1993) INC.**3385R, De l'Aéroport, Aéroport de Mascouche, Mascouche, QC J7H 3C1
TEL: (514) 474-7377 • FAX: (514) 474-7376

D.O.T. APPROVAL N° AMO 10-90

Nomenclature:

ELT Transmitter

Manufacturer:

NARCO

Type/Model:

ELT-10

Part N°:

ELT-10

Serial N°:

17496

Total Time:

Work Order:

2040Overhaul ☐Repair ☐Modification ☐Removal ☐Tested ☒

Previous certification:

C-G-YKF Theman

I certify that the maintenance stated has been performed in accordance with the requirements of the airworthiness manual and the item hereon is approved for return to service.

DATE

2/96

NAME OF AUTHORIZED INSPECTOR

Details of outstanding work and other pertinent information

LIC. N°/STAMP

MAINTENANCE RELEASE

RECORD

YES AS REQUIRED FOR COMPLETE

ed with 20W50 m
nd strap installed
rt brkt replaced
nose rerouted
gen. replaced

approved seat stops installed, comp
amphibian float gear, indicators and
aileron brkt (2) & balance (1) cables
brakes bled, new 6.00 x 6 tires &
stabilizer trim wheel, rh roll pin re
RH door hinge pin replaced
elevator "down" cable replaced, sy
LH/RH seat roller washers replaced
belly drains (2) aft, replaced, aft LH

CARRIED FORWARD

JOURNEY - ROUTE		CREW - ÉQUIPAGE	RECORD OF TIME - FICHE DE TEMPS					
1. DATE	2. POINT OF DEPARTURE AND DESTINATION POINT DE DÉPART ET DESTINATION	3. NAME/S - NOM/S	4. UP QUITTE LE SOL À	5. DOWN PRISE DE CONTACT	6. AIR TIME TEMPS DANS LES AIRS	7. FLIGHT TIME TEMPS DE VOL	8. TOTAL AIR TIME SINCE MANUFACTURE TEMPS AIR TOTAL DEPUIS SA CONSTRUCTION	9. TOT NUMBER OF ON BI NOMB. PERSONNE:
1996								
TOTAL BROUGHT FORWARD TOTAL REPORTÉ							1968.7	NUMBER NOMBRE
03/13/96	Brew-IAG	P. Muehler			.7	.8	1969.4	
03/13/96	IAG-Clark	P. Muehler			.7	.8	1970.1	
03/13/96	Clark-SchuTure	P. Muehler			3.0	3.1	1973.0	
03/13/96	SchuTure-Texasman	P. Muehler			3.0	3.1	1976.0	
03/14/96	Texasman-Hinwister	P. Muehler			1.5	1.6	1977.6	
03/14/96	Hinwister-MFE	P. Muehler			2.8	2.9	1980.4	
TRANSFER LOGBOOK #4								

DATE 10-24-00 REG. NO. N185WG ACFT
TIME 0292.7 WO # 58881 I CERTIFY
THAT THE AUTOMATIC ALTITUDE REPORTING
EQUIPMENT AND ATC TRANSPONDER SYSTEM
INTEGRATION TEST REQUIRED BY FAR
91.411 HAS BEEN PERFORMED AND MEETS
THE TOLERANCES SPECIFIED IN FAR 43,
APPENDIX E

INSP. Chester E. Hupley

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

DATE 10-24-00 REG. NO. N185WG ACFT.
TIME 0292.7 WO # 58881 I CERTIFY
THAT THE TRANSPONDER TEST &
INSPECTION REQUIRED BY FAR 91.413 HAS
BEEN PERFORMED & MEETS THE
REQUIREMENTS OF PART 43, APPENDIX F.
XPDR MODEL RT-359A SN 3613
XPDR MODEL NA SN NA
INSP. Chester E. Hupley

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

DATE 10-24-00 REG. NO. N185WG ACFT.
TIME 0292.7 WO # 58881 I CERTIFY
THAT THE ALTIMETER & STATIC SYSTEM
CHECKS REQUIRED BY FAR 91.411 & FAR
43, APPEND. E HAVE BEEN PERFORMED.
ALTIMETER MFG UNITED MODEL 5934P1
SN 65050 CERTIFIED TO 20,000 FT.
DATE 10-24-00 INSP. Chester E. Hupley

TRADEWIND TURBINES FAA

REPAIR STATION TUDR675K



ARTEX AIRCRAFT SUPPLIES, INC.
14405 KAY RD. NE Aurora, OH 41002
(503) 678-7329 800-547-8961

JDC BOOK ENTRY OCT-2002

S.L.T. BATTERY
REPLACEMENT DATE NOV-2004



The Standard

AIRCRAFT LOG

ASA-SA-1

DATE 19 <u>96</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4-3	0077.3		2003.1	COMPLY WITH CESSNA 100HR INSPECTION AND WAS DETERMINED TO BE AIRWORTHY Michael N. Bennehan AP300480399
I FIND THAT THE AIRCRAFT MEETS THE REQUIREMENTS FOR THE CERTIFICATION REQUESTED AND HAVE ISSUED A STANDARD AIRWORTHINESS CERTIFICATE DATED <u>April 3, 1996</u> THE NEXT ANNUAL INSPECTION IS DUE <u>May 1, 1997</u> <u>Anthony C. Pascucci</u> ANTHONY C. PASCUCCI DAR-74-FS-SW				

© ASA 1993

DATE 19 <u>96</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be e Facility. (See back
5-10				INSTAL 1 INDICATED STEP 33
05-16-97	99.2		2025	
AD9701-13	N/A	Not inst.		Complie'd according D check 1 car inspected it was detan condition
ELT Battery Due 6/99				

ctions, Tests, Repairs and Alterations

d with Name, Rating and Certificate Number of Technician or Repair
for other specific entries.)

4 CESSNA 100HR INSPECTION
DETERMINED TO BE AIRWORTHY
Bureau AP300480399

THE REQUIREMENTS FOR THE CERTIFICATION
STANDARD AIRWORTHINESS CERTIFICATE
ANNUAL INSPECTION IS DUE Mar 1 1992

Anthony C. Pascucci
ANTHONY C. PASCUCCI
-74-FS-SW

DATE 19 <u>96</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
5-10				INSTALL 1 in GLIDE SLOPE Rec, Replaced INDICATOR, CORRECTED WEIGHTS + BAL, SEE 337 THIS DATE RPT SR BR227261K Kenneth Lind
05-16-97 99.2			2025	
AD9701-13 N/A - Not inst.				Complied with Annual inspection in accordance with FAR +3 cyclical D check list.
				ELT Battery Due 6/99
				I certify That this Aircraft has been inspected 11/97 on annual inspection and was determined to be airworthy Condition Anthony C. Pascucci AP226361A

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE Tach.	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11-20-97			1234.0	Installed strobe light Kit AH 156-0003 Wack Reflowed 1/4w transistors Instructions. Dated 7-20-95. AH130-0023 See FAA 337 Dated 11-25-97. Angelo C. Pascucci AP 456832331
Revised 10-17-98				Latest w/ Bal. Equipment Dated May 10, 1996. Revised as follows. original w/ Airy moment 2012.1 58.58 77619.90 Stab light 3.2 134.08 Total 2015.3 38.6 77753.98 May w/ 3350.0 w/ Sub Load 1234.7
Anthony C. Pascucci AP 172624				

© ASA 1996

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be Facility. (See back)
10-15	148.3		2074.1	certify the inspected in- inspection & airworthy con- Signature: [Signature] AP 1606 Tech 148 certify the inspected in- inspection & airworthy con- Signature: [Signature]

10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

id with Name, Rating and Certificate Number of Technician or Repair
s for other specific entries.)

strobe light Kit AH 156-0003
used 1/16w Mon-Gibson
s. Dated 7-20-95. AH 130-0023
17 Dated 11-25-97.
new AP 456833331

1. Bal. Equipment Detail
6. Revised as follows.

	1st Arm	moment
12.1	58.58	77619.90
3.2		134.08
015.3	38.6	77753.88
550.0	1000.00	13144.7

DATE 19 <u>98</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10-15	148.3		2074.1	certify that this aircraft/engine has been inspected in accordance with 100 hours/annual inspection and was determined to be in airworthy condition Signature <u>Mark Jenkins</u> Data <u>10-15-98</u> <u>AMP 1606 2074.1</u> <u>148.3 7.79F 2074.1</u>
				certify that this aircraft/engine has been inspected in accordance with 100 hours/annual inspection and was determined to be in airworthy condition Signature <u>Paul M. Davis</u> Data <u>10-15-98</u> <u>AMP 54518721 IA</u>

DATE 19 <u>99</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8-20	187.3			
AIRFRAME 08/20/99 AIRCRAFT NO.: N185WG MODEL: CESSNA 185 ACTT: 2113.1 Work Order #: 8853 ADJUSTED CARGO LATCH MECHANISM AS REQUIRED. DOOR LOCK OPS O.K. THIS AIRFRAME OR ENGINE IDENTIFIED ABOVE WAS REPAIRED AND/OR INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF REPAIRS ARE ON FILE AT THIS REPAIR STATION UNDER WORK ORDER NO. 8853. DATE: 08/20/99 Signed <u><i>Anthony Prats</i></u> Anthony Prats McCREERY AVIATION CO., INC FAA REPAIR STATION NO. CRSHLFR716E McAllen, TX 78503				

© ASA 1993

DATE 19 <u>99</u>	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be Facility. (See back)
11-5				Removed on wh lubed a New EIT
Date <u>11-5-99</u>		Hobbs Time <u>2113.1</u>		
Act Time <u>2143.0</u>				
Engine Time S.M.O.H. <u>722.6</u>				
to certify that this <u>AIRCRAFT</u>				
has been inspected in accordance with a/an				
<u>100 hr</u>				inspection and
was determined to be in airworthy condition.				
AF <u>1106341</u>				
Signature <u><i>Michael J. London</i></u>				

Inspections, Tests, Repairs and Alterations
 with Name, Rating and Certificate Number of Technician or Repair
 other specific entries.)

ACTT: 2113.1
 Work Order #: 8853

REQUIRED. DOOR LOCK OPS O.K.

ABOVE WAS REPAIRED AND/OR INSPECTED IN
 ACCORDANCE WITH FAA REPAIR STATION REGULATIONS AND WAS DETERMINED TO BE
 WORTHY FOR RETURN TO SERVICE. PERTINENT
 THIS REPAIR STATION UNDER WORK ORDER NO.

McCREERY AVIATION CO., INC
 FAA REPAIR STATION NO. CRSHLFR716E
 McAllen, TX 78503

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11-5-99				Removed main gear Tines & reversed on wheels lubed repacked bearings. lubed all controls. END
Date 11-5-99	Hobbs Time 217.2			New EIT Due Date Nov 01
Act Time 2143.0				Date 11-5-99 Hobbs Time 217.2 Tach
Engine Time S.M.O.H. 722.6				Act Time 2143.0
I certify that this Aircraft				Engine Time S.M.O.H. 722.6
has been inspected in accordance with a/an				I certify that this Aircraft
100 hr inspection and				has been inspected in accordance with a/an
was determined to be in airworthy condition.				QAN/64 inspection and
AF 1106341				was determined to be in airworthy condition.
Signature Mike A. Landon				AP 454548521 IA
				Signature Captain M. Trevino

DATE 2000 10	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10-03	286.2			C/W 100 HR Inspection per Cessna 185 MM. Re-packed all wheel bearings, checked brakes (v.b.), lubed tailwheel, Replaced two rubber trim tube pulleys with new of same kind, in tail, lubed all controls, All A/C lights ops check good. Identify that ECT date due Dec '01 ops check ok, cleaned fuel screens no contaminants found. I certify that this airframe has been inspected in accordance with a 100 HR. Inspection and found to be Airworthy at this time. C/W 91-207 (d) <i>John A. Roland</i> <i>Jim Treanor</i> A/P 465879180

© ASA 1993

DATE 10	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be Facility. (See bac
				Date <u>10-03</u>
				Act Time <u>2</u>
				Engine Time S.
				I certify that this
				has been inspected
				<u>ANNUE</u>
				was determined
				AP <u>454548</u>
				Signature <i>[Signature]</i>

s, Tests, Repairs and Alterations

Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

tion per Cessna 185 MM. Re-packed
and brakes (v.m.), lubed tailwheel,
trim tabs pilloys with new of same kind,
wls, All A/C lights ops check good.
date due Dec '01 ops check ok, cleaned
minutes found. I certify that this
cted in accordance with a 100 H.R.
to be Airworthy at this time.

Joan R. Roland
A.P. 465879180

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date <u>10-03-00</u> Hobbs Time <u>286.2</u>
				Act Time <u>2212.0</u>
				Engine Time S.M.O.H. <u>791.6</u>
				I certify that this <u>Act</u>
				has been inspected in accordance with a/an
				<u>ANNUAL</u> inspection and
				was determined to be in airworthy condition.
				AP <u>454548521</u> IA
				Signature <u>Agustin M. Trevino</u>

DATE	REC
19	TACH
	TIME

DATE 10-24-00 REG. NO. N115W6 ACFT
TIME 0293.7 WO # 5881 I CERTIFY
THAT THE AUTOMATIC ALTITUDE REPORTING
EQUIPMENT AND ATC TRANSPONDER SYSTEM
INTEGRATION TEST REQUIRED BY FAR
91.411 HAS BEEN PERFORMED AND MEETS
THE TOLERANCES SPECIFIED IN FAR 43
APPENDIX E.
INSP. [Signature]

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

DATE 10-24-00 REG. NO. N115W6 ACFT
TIME 0293.7 WO # 5881 I CERTIFY
THAT THE TRANSPONDER TEST &
INSPECTION REQUIRED BY FAR 91.413 HAS
BEEN PERFORMED & MEETS THE
REQUIREMENTS OF PART 43, APPENDIX F
XPDR MODEL RT359A SN 3613
XPDR MODEL 4th SN N/A
INSP. [Signature]

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

DATE 10-24-00 REG. NO. N115W6 ACFT
TIME 0293.7 WO # 5881 I CERTIFY

THAT THE ALTIMETER & STATIC SYSTEM
CHECKS REQUIRED BY FAR 91.411 & FAR
43, APPEND. E HAVE BEEN PERFORMED.
ALTIMETER MFG UNITED MODEL 5334 P1
SN 6505U CERTIFIED TO 20000 FT.
DATE 10-24-00 INSP. [Signature]

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description (Entries must be Facility. (See ba
11-4-00	0294.4			- Removed
				Tires + Tubes - installed optionally
				wheel Bays. Replaced All Brake
				hairs my - Black & serviced Brakes
12-08-00	Tach 297.2			Installed &
				Equipment list Revised - Current Weight + Bal

TRADÉWIND TURBINES

FAA REPAIR STATION TUDR675K

and C
15.)

DATE 10-24-00 REG. NO. N185WG ACFT.

TIME 0293.7 WO # 35881 I CERTIFY

WHAT THE ALTIMETER & STATIC SYSTEM

CHECKS REQUIRED BY FAR 91.411 & FAR

3, APPEND. E HAVE BEEN PERFORMED.

ALTIMETER MFG VV1760 MODEL 5234 P1

MODEL 212111
CERTIFIED TO 30000 FT.
IN 65050

DATE 10-24-00 INSP. *[Signature]*

DATE 10-27-88 INSP. 10001
TRADEWIND TURBINES

TRADEWIND TURBINES

FAA REPAIR STATION TUDR675K

[illegible]

with Name, Rating and Certificate Number of Technician or Repair
(or other specific entries.)

RAFT LOG TACH:312.2 TTAf:2238.0
annual check list and FAR 43 appx.D
usually and dimensionally, no defects noted,
LT function test, no defects noted, due at
Interment air filter, quarter air filter, induction
cowl flap cables, exhaust heater muff, all
of same kind, insp. control yoke visually
ion taken, repaired fuel crossover fitting
alled STC SA00432SE and SA2586NM
wintering sys. See 337 this time and date.
. GAMI fuel inj. Sys. See 337 this time and
el bearings. I certify this aircraft has been
condition.END.

Tech Installed this date
2nd Hours:

[illegible]

ns, Tests, Repairs and Alterations

(Name, Rating and Certificate Number of Technician or Repair
ther specific entries)

96 AXEL NUTS ON MAIN
CED with NORMAL NUTS TO
INSTALLATION OF PLASTIC WHEEL
ER STC #SA01224AT By
ed Merchants - 2620 NORTH
E, VERO BEACH, CA 32960
of weight + BALANCE CHANGE
Billey J Haley JA-ATP 47328007

Description of Inspections, Tests, Repairs and Alterations				
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back page for specific entries.)				
DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	
10-17-01	0.0			Removed All existing Avionics and associated wiring. Installed new complete Avionics Package, Gyrco System, Auto-Pilot, Starscope system and replaced Pilot Instrument Panel with Direct Replacement. Re-painted Panel. GPS system installed and certified for IFR Use. FAA approved F.M.S. created this date. Repaired or replaced Fuel Gauges, Tach, oil Temp Gauge, CHT. Installed new PAI-700 Compass. A/C re-weighed at this time. Ref we # 3037 and Forms 337 this date.
				# 711 CR506CR893K

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
I certify that the altimeter & static system tests required by F.A.R. Part 91.411 have been performed. The altimeter was tested to <u>29.200</u> feet on date <u>10-18-01</u> Signature <u>[Signature]</u> FAA CRS OECR <u>83K</u>				ATC TRANSPONDER TESTS REQUIRED BY FAR 91.413 WERE: PERFORMED AND COMPLY WITH FAR 43, APP.F, ON MODEL <u>83703284</u> <u>CTX327</u> SN <u>185W6</u> CORRESPONDENCE CHECK REF. 91.217N DETAILS ON THIS INSPECTION ON FILE UNDER THIS REPAIR STATION ON W/D <u>3037</u> <u>[Signature]</u> <u>10-18-01</u> SIGNATURE DATE FAA CRS OECR <u>83K</u>

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be entered Facility. (See back pages)
3-7-02	85.7		2273.7	Replaced RH?
8-30-02	64.9		2302.9	Replaced V6
	SIN 4441			CD Wright At PI
2-28-03				Installed Gull G-35 Final ops & eval. Also 11604306 and inst 13AR0004. Final of

Inspections, Tests, Repairs and Alterations
with Name, Rating and Certificate Number of Technician or Repair
or other specific entries.)

TRANSPONDER TESTS REQUIRED BY FAR 91.413 WHERE:
INFORMED AND COMPLY WITH FAR 43, APP.F, ON MODEL
TX327 SN 83703284
RESPONSE CHECK REF. 91.217N 185WG
TAILS ON THIS INSPECTION ON FILE UNDER THIS

AIR STATION ON W/D 3037

SIGNATURE
CPS OECR 833K

10-16-01
DATE

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
3-27-02	35.7		2273.7	Replaced RH Fuel Drain Valve Assy COWright 1710103TA
8-30-02	64.9		2302.9	Replaced Vacuum Pump with Holly Aero Rebuilt 212CW COWright A/P 1710103
	SIN 4441			
2-28-03				Installed Gull G-35 battery ser # G-02070065. Final ops good. Also removed RCA 26Ak-2 ser # 11604306 and installed RCA 26Ak-2 ser # 13AR0004. Final ops good.

DATE 19 ____	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
-----------------	---------------------------	-------------------	-----------------------------	---

23 OCTOBER 2002 TACH: 75.5 A.F.T.T.: 2313.5
N185WG CESSNA A185F S/N: 18503193

ANNUAL INSPECTION COMPLETED THIS DATE IAW FAR 43 APPENDIX D. CHECKED AND LUBRICATED ALL CONTROLS, CABLES AND PULLEYS. INSPECTED ALL SURFACES AND STRUCTURES. REPLACED GARTER FILTER. REPLACED BRACKETT AIR FILTER ELEMENT. CLEANED, INSPECTED AND GREASED WHEEL BEARINGS. INSTALLED NEW ELT BATTERY-NEXT DUE NOV 2004. INSP ELT IAW FAR 91.207D-NEXT DUE OCT 2003. INSTALLED BAS SHOULDER HARNESS KIT IAW STC SA2067NM (SEE FORM 337 THIS DATE). INSTALLED PPONK KIT IAW STC SA2918NM (SEE FORM 337 THIS DATE). INSTALLED NEW FLAP AND SEAT ROLLER KITS. REPLACED BRAKE DISCS AND TORQUE PLATES. REPLACED BOTH TIRES W/ 8.00-6-6PR AND BALANCED WHEEL ASSY'S. RE-ALIGNED LANDING GEAR. REPLACED CO-PILOT SEAT RECLINE ACTUATOR W/NEW. DYNAMIC BALANCED PROPELLER TO .03 IPS USING CHADWICK VIBREX 2000. C/W SEB 01-3 CONTROL YOKE INSP (LUBED AND APPLIED CORROSION-X). NEXT DUE TACH 175.5. C/W AD 87-20-03 R2 SEAT TRACKS BY INSPECTION NEXT DUE OCT 2003. C/W AD 2000-06-01 FUEL STRAINER STANDPIPE INSP- NO FURTHER ACTION NECESSARY. C/W AD 91-15-04 PROPELLER HUB INSP-NO LEAKS/CRACKS. NEXT DUE TACH: 175.5 C/W SEB 98-2 SHOULDER HARNESS ATTACH POINT INSPECTION, NEXT DUE TACH: 175.5. C/W AD84-10-01R1 FUEL TANK BLADDER INSP- NO DEFECTS NOTED. NO FUTRTHRE ACTION NECESSARY. AD 2002-07-01 N/A-LISTED PARTS NOT INSTALLED. NO FURTHER ACTION NECESSARY. UPDATED WEIGHT AND BALANCE SHEET FOR 337'S AND WITH REAR SEATS REMOVED. I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND HAS BEEN FOUND AIRWORTHY FOR RETURN TO SERVICE.

JEFF BITTNER A&P484949660, IA

Jeff Bittner

Abilene Aero Inc.
2850 Airport Blvd.
Abilene TX 79602
915-677-2601

N# 185WG

Date: 08-29-2003 HM/TAC: 203.3

Installed O/H alternator P/N DOFF10300J S/N D
ground run ops check ok.--END--

George Withers

This repair approved for return to service AP450828487

Inspections, Tests, Repairs and Alterations

(Filled with Name, Rating and Certificate Number of Technician or Repair
person for other specific entries.)

APPENDIX D. CHECKED AND LUBRICATED ALL
FACES AND STRUCTURES. REPLACED GARTER
LEADED, INSPECTED AND GREASED WHEEL
V 2004. INSP ELT IAW FAR 91.207D-NEXT DUE OCT
SA2067NM (SEE FORM 337 THIS DATE). INSTALLED
E). INSTALLED NEW FLAP AND SEAT ROLLER KITS.
ED BOTH TIRES W/ 8.00-6-6PR AND BALANCED
CO-PILOT SEAT RECLINE ACTUATOR W/NEW.
TWICK VIBREX 2000. C/W SEB 01-3 CONTROL YOKE
CH 175.5. C/W AD 87-20-03 R2 SEAT TRACKS BY
EL STRAINER STANDPIPE INSP. NO FURTHER
INSP-NO LEAKS/CRACKS. NEXT DUE TACH: 175.5
ECTION, NEXT DUE TACH: 175.5. C/W AD84-10-01R1
FURTHER ACTION NECESSARY. AD 2002-07-01 N/A-
NECESSARY. UPDATED WEIGHT AND BALANCE SHEET
THIS AIRCRAFT HAS BEEN INSPECTED IAW AN
Y FOR RETURN TO SERVICE.

Abilene Aero Inc.
2850 Airport Blvd.
Abilene TX 79602
915-677-2601

Inspections, Tests, Repairs and Alterations

(Filled with Name, Rating and Certificate Number of Technician or Repair
person for other specific entries.)

NF: 185WG

WO#: 6961

Date: 08-29-2003 HM/TAC: 203.3

Installed O/H alternator P/N DOFF10300J S/N D080084
ground run ops check ok.-END-

George Williams
This repair approved for return to service AP450828487

id with Name, Rating and Certificate Number of Technician or Repair
s for other specific entries.)

with red rods and hubs. Secure and deep.
Replace Lt ~~and~~ Fuel vent Aft Clump.
20-D3-R2, check ELT and batteries
1, Scrup and dunnies (ie Fuel Caps and Vents).

I CERTIFY THAT THIS AIRLIFT HAS BEEN
INSPECTED IN ACCORDANCE WITH A Hand
INSPECTION AND WAS DETERMINED TO BE IN
AIRWORTHY CONDITION. 
14452205305

[illegible]

with Name, Rating and Certificate Number of Technician or Repair
or other specific entries.)

8 ser # 3198, removed
ed with PN 90122-B,
L. Also sent S-Tec
trailer out to factory
rived and re-installed.
ound.

for
Air One Systems
CRS OECR 893K

[illegible]

LOG BOOK ENTRY			
A/C REG: <u>185WB</u>		A/C S/N: <u>18503193</u>	
DATE <u>11/23/05</u>	A/C TOTAL TIME: <u> </u>	HOUR METER: <u>104.3</u>	
W/O NO: <u>408</u>	ENGINE(S) TOTAL TIME <u> </u>	S.M.O.H. <u> </u>	
R/R both main tires - R/R all brake linings. Resealed K/I brake cylinder. Bled. Traded Aircraft Service Center Work Order <u>408</u> Thy Nguyen AP2834077			

ized with Name, Rating and Certificate Number of Technician or Repair
es for other specific entries.)

Made all necessary connection and rigged controls. d with new from PHT, Tulsa OK. Installed Airwolf installation. Installed Horizon Digital Tachometer, on. Installed new Gill G35D battery. Serviced en-Dynamic balanced propeller in accordance with

an annual inspection and was determined airworthy.

[illegible]

19	TACH TIME	FLIGHT	TIME IN SERVICE	Description of inspections, tests, repairs and alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4/1/06	127.0		2697.0	OPENED AIRFRAME FOR ANNUAL INSPECTION. REMOVED MUFFLER FOR OVERHAUL. INSTALLED REPAIRED MUFFLER FROM GREEN COUNTRY AIRCRAFT EXHAUST, TULSA OK. PRESSURE CHECKED (COCK). SERVICED BATTERY, CLEANED STARTER CONTACT TERMINAL LUGS. REPAIRED CHAFED HOLE IN ENGINE BREATHER. LUBRICATED FIREWALL SHUTOFF CABLE JACKED AIRCRAFT, SERVICED WHEEL BEARINGS. REPLACED TAXI LIGHT. COMPLIED WITH AD 87-20-05 R2, SEAT TRACK INSPECTION, WITHIN LIMITS AT THIS TIME. PITOT STATIC SYSTEM CHECKED BY CAMTRONICS, TULSA OK. SEC

© ASA 1993

DATE 19	RECORDING TACH TIME	FLIGHT	TOTAL TIME IN SERVICE	Description Entries must be Facility. (See ba
4/1/06	127.0		2697.0	ENTRY F ELT OPE DUE A TARU 4 THAT IS T HAS BEE AN ANN AIRBOR SEC N

Inspections, Tests, Repairs and Alterations

Endorsed with Name, Rating and Certificate Number of Technician or Repair Facility for other specific entries.)

1. AIRFRAME FOR ANNUAL INSPECTION.
2. WHEEL FOR OVERHAUL. INSTALLED
3. FUEL FROM GREEN COUNTRY AIRCRAFT
4. TUSA OK. PRESSURE CHECKED COCK.
5. BATTERY. CLEANED STARTER CONTACT
6. G.S. REPAIRED CHAFED HOLE IN ENGINE
7. LUBRICATED FIREWALL SHUTOFF CABLE
8. CRAFT, SERVICED WHEEL BEARINGS.
9. SKILLIGAT. COMPLIANT WITH AD
10. 22, SEAT TANK INSPECTION, WITHIN
11. THIS TIME. PITOT STATIC SYSTEM
12. / CAM TRUNKS, TUSA OK, SEE

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4/1/06	127.0		2697.0	ENTRY FOR THIS CERTIFICATION. CHECKED ELT OPERATION, CHECK OK. ELT BATTERY DUE AT DEC. 06. CHECK ALL ADS TARU 4-1-06. ALL IN COMPLIANCE AT THIS TIME. I CERTIFY THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED AIRWORTHY. W. H. L. #A144170808
				SEE TRANSPONDAL TEST CERT'S NEXT PAGE →

© ASA 1993

TALKING
TIME.

FLIGHT

TIME IN SERVICE

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

7-15-2006 150.4 N185WG A185F s/n 18503193 Aircraft Log

Replaced alternator battery cable terminal.

Replaced right forward cowl camloc receptacle.

Functional test good.

Signed Julius H. Cottrell A&P3021948

Leslie H Chatham Jr.

Durango Jet Center w/o# 06-1088

Date: 7/21/2006, Aircraft: N185WG, Type: 185, Hobbs: 0.0,

Tach: 162.8, Total Time: 0.0, Engine - Type: , S/N: , Time:

0.0, Prop Type: , S/N: , Time: 0.0

Installed new tail wheel spring and attaching parts. Clean, inspect, and lubricate tail wheel casting assembly. END. WO 3506.

Robert Didiisse A&P561944988

McCall Aviation Inc.

300 Deinhard Lane, McCall, ID 83638

© ASA 1993

DATE _____

48

2896

4.400

RECORDING
TACH
TIME

FLIGHT

TOTAL
TIME IN
SERVICE

Description of
Entries must be en
Facility. (See back

REPAVED TAX

WITH NEW

2

used with Name, Rating and Certificate Number of Technician or Repair
ges for other specific entries.)

 A&P3021948
Durango Jet Center w/o# 06-1088

Type: 185, Hobbs: 0.0,
Type: , S/N: , Time:

aching parts. Clean,
g assembly. END. WO

Quidna

[illegible]

19	TACH TIME	FLIGHT	TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Tradewind Aircraft Service Center 4025 Tradewind St Amarillo, TX 79118
				N185WG S/N 18503193 Tach: 191.80 10/12/06
				Installed fuel caps per MONARCH AIR INC. S.T.C. # SA2381CE, drawing # FC-100 date rev. B 8-22-2000. Weight and balance is negligible. Caps S/N 0693, 0694, 0695, and 0696. Form 337 filed.
				Tradewind Aircraft Service Center
				Work Order 657 Fly Ryan AP2834077IA

© ASA 1993

DATE	19	A/C REG: N185WG
DATE 1-31-07		A/C TOTAL TIME:
W/O NO: 733		ENGINE(S) TOTAL TIME
Defueled LEFT W. TANK COVER. Found & R. ReInstalled cover & R. check Good. Lubed & Cable		
 A4P448708414		

Inspections, Tests, Repairs and Alterations

(Filled with Name, Rating and Certificate Number of Technician or Repairman for other specific entries.)

Service Center

1 St

118

S/N 18503193

10/12/06

INC. S.T.C. # SA2381CE,
100. Weight and balance is
ad 0696. Form 337 filed.

a Center

AP2834077IA

DATE

19

LOG BOOK ENTRYA/C REG: N185WGA/C S/N: 18503198DATE 1-31-07

A/C TOTAL TIME:

HOUR METER: 222.75W/O NO: 733

ENGINE(S) TOTAL TIME

S.M.O.H.

Defueled Left Wing removed Inboard
TANK COVER. Found & Replaced LEAKING GASKET
ReInstalled cover & Refueled wing LEAK
CHECK GOOD. Lubed & Adjusted HAT DOOR
Cable

AP448708414

Tradewind SERVICE CENTER

19	TACH TIME	FLIGHT	TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Tradewind Aircraft Service Center 4025 Tradewind St Amarillo, TX 79118
				N185WG S/N 18503193 Tach: 191.80 10/12/06
				Installed fuel caps per MONARCH AIR INC. S.T.C. # SA2381CE, drawing # FC-100 date rev. B 8-22-2000. Weight and balance is negligible. Caps S/N 0693, 0694, 0695, and 0696. Form 337 filed.
				Tradewind Aircraft Service Center
				Work Order 657 fly Ngnn AP2834077IA

© ASA 1993

DATE 19	A/C REG: N185WG	
	DATE 1-31-07	A/C TOTAL TIME:
	W/O NO: 733	ENGINE(S) TOTAL TIME
	Defueled Left Wing TANK COVER. Found & Ref ReInstalled Cover & Ref. CHECK Good. Lubed & Cable	
	AP448708414	

7A

Inspections, Tests, Repairs and Alterations
Recorded with Name, Rating and Certificate Number of Technician or Repair
Agent for other specific entries.)

Service Center
101 St
9118

S/N 18503193
10/12/06

INC. S.T.C. # SA2381CE,
300. Weight and balance is
and 0696. Form 337 filed.
Service Center

AP2834077IA

LOG BOOK ENTRY			
DATE		A/C REG: <u>N185WG</u>	
19		A/C S/N: <u>18503198</u>	
DATE	A/C TOTAL TIME	HOUR METER	
<u>1-31-07</u>		<u>222.75</u>	
W/O NO:	ENGINE(S) TOTAL TIME	S.M.O.H.	
<u>733</u>			
<u>Defueled Left Wing removed Inboard</u> <u>TANK COVER. Found & Replaced LEAKING GASKET</u> <u>Reinstalled cover & Refueled wing LEAK</u> <u>check Good. Lubed & Adjusted HEAT DOOR</u> <u>Cable</u>			
<u>AP448708414</u>			

Trademark SERVICE CENTER

Inspections, Tests, Repairs and Alterations

Endorsed with Name, Rating and Certificate Number of Technician or Repair
Pages for other specific entries.)

nd Street

13193
2.75


Applied with lamp
1 section 6. Lamp
first.

Hydley

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4-17-2007	225.76		2795.81	Annual Inspection Completed.
				C/N AD 87-20-03 R2 SEAT/RAIL INSP.
				C/N AD 91-15-04 PAR F NO LEAKS
				NOTED. R+R BATTERY G-35 SIN 602306
				455 INSTALLED. REPLACED LH UPPER
				DOOR HINGE. REPLACED BOTH RH DOOR
				HINGES. REMOVED BATTERY CABLE
				FROM BATTERY RELAY TO STARTER
				RELAY. REPLACED BOTH FUEL VENT
				VALVES. REPLACED ALTERNATOR.
				P/N D0FF103005 SN D080084 REMOVED
				DNI D0FF103005 SN G122707 Installed

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Adjusted Throttle Switch for Boost Pump operation. Plumbed + Installed ALT. STATIC SOURCE + STATIC SYSTEM LEAK CHECK SAT. Replaced Induction Air Filter. Replaced Instrument Air Filters. Replaced LH Fuel Bladder P/N 3030-3 S/N CR1129 Installed. Replaced RH Fuel Bladder P/N 3030-4 S/N CR1155 Installed. Both Fuel Cells now PMA Cells from FFC.

© ASA 1993

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Entries must be Facility. (See back pages for other specific entries.)
				Certify that this aircraft has been inspected and found to be in determined to be in Airworthy condition.
				Date 4-17-07
				Total recorded time 2795.81
				Signed  Cert.

Inspections, Tests, Repairs and Alterations

(with Name, Rating and Certificate Number of Technician or Repair Facility. See back pages for other specific entries.)

Throttle Switch for
operation. Plumbed +
A/T. Static source +
stem leak check SAT.
duct on Air filter.
Strawm Air filters.
+ Fuel bladder P/N 3030-3
Installed. Replaced RH
air P/N 3030-4 SN CR1155
Both Fuel cells new
from FFL.

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Certify that this aircraft has been inspected in accordance with Annual inspection and was determined to be in Airworthy condition.
				Date <u>4-17-07</u>
				Total recorded time <u>2795.81</u> hours
				Signed <u>[Signature]</u> Cert. No. <u>44870414 IA.</u>
				Trademark Aircraft Service Center
				Work Order <u>779</u>

AIRWORTHINESS DIRECTIVE COMPLIANCE RECORD

Aircraft, Engine, Propeller, or Appliance/Comp. Make Cessna Model A185E Ser. No. 18503R3

AD Number	Subject	Date and Hours of Compliance	Method of Compliance	ONE-TIME RECURRING	Next Comp. Due Date/Hours	Authorized Signature and Number
77-12-08	Power Hoo Reser.	11-5-99	N/A SN.			
83-17-06	Aileron balance ^{Weights}	11-5-99	N/A no st.c.			
88-22-06	Aileron hinge pin	11-5-99	N/A SN			
* 86-19-11	Fuel Tanks	11-5-99	P/C/W + fuel drain			
86-24-07	eng. controls	11-5-99	P/C/W			
* 87-20-03R3	seal Tracks	11-5-99	visual inspection OK			
87-20-04	Fuel System	11-5-99	P/C/W			
93-24-15	inst. light dimming	11-5-99	N/A S./N.			
98-16-04	Angle STIFFener	11-5-99	N/A no mod			
98-23-02	wheel/skis	11-5-99	N/A no skis			
99-09-17	Angle STIFFener	11-5-99	N/A nowing extensions			
	Continental	10-5-20-D			175309R	
* 77-05-04	Eng. insp.	11-5-99	visual/operational			
* 77-13-22	crankcase	11-5-99	N/A SN.			
79-05-09	oil, press, rel, val, hou	11-5-99	N/A SN			
80-4-04	cyl. assem.	11-5-99	N/A			
* 81-24-06	Fuel pump	11-5-99	N/A			
* 86-13-04R3	cyl. assem.	11-5-99	P/C/W			
87-14-02	starter adapter	11-5-99	P/C/W			
88-03-06	oil Filter	11-5-99	N/A no Filter			
88-17-03	starter adapter	11-5-99	P/C/W			
91-19-03	oil Filter	11-5-99	N/A no Filter			
93-08-17	oil Pickup Tube	11-5-99	P/C/W			
93-10-02	cyl inspection	11-5-99	P/C/W			
93-16-15	Fuel pump drive shaft	11-5-99	P/C/W			
* 95-03-14	engine mount brackets	11-5-99	N/A SN & mod.			
95-21-15	engine	11-5-99	N/A no Fuel			
97-26-17	crankshaft	11-5-99	Due at overhaul			
98-01-08	exhaust roller rocker	11-5-99	N/A no roller rocker			
98-17-11	crankshaft/cracks	11-5-99	N/A no rework			
99-09-17	crankshaft	11-5-99	N/A no new crank			
	McCawley	D2434C58-NO			730698	
97-13-17	blade act. pins	11-5-99	P/C/W			
97-16-01	blade act pins	11-5-99	P/C/W			
91-15-04	Threaded Ret. Hubs	11-5-99	P/C/W			



INSTRUMENT OVERHAUL SVC OF SAN DIEGO, INC.

1981 N. Marshall Avenue El Cajon, Ca 92020

FAA REPAIR STATION: CB3R417L

Ph # (619) 449-5565 Fax # (619) 449-0687

CESSNA A185F N185WG

UPGRADED CWS 430 TO CWS 430W. Serial 97102179. Removal 6.456. Installed 6.475.

REMOVED MX20 MFD. INSTALLED GMX200 IN ITS PLACE ACCORDING TO STC# SA01692SE. INSTALLED GDL69 ACCORDING TO STC #SA01487SE. SEE FAA FORM 337 THIS DATE. INSTALLED FAA APPROVED FLIGHT MANUAL SUPPLEMENT IN AIRPLANE FLIGHT MANUAL THIS DATE. WEIGHT AND BALANCE DATA REVISED. FUNCTIONAL TEST GOOD.

SIGNATURE:

John Ross

DATE:

7/26/2007

ian or Repair

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of
19				Entries must be en Facility. (See back)
	23250			Removal 50
				SA 2500 ser
				Fluxgate
				and all ap
				and instal
				date for
	23250			Removal 8
				Serviceable R
				S-TRC 644
				had overha
				good.

Flight check performed
All checks good
Name *[Signature]*
Certificate # 2898445 ATP

7 SAN DIEGO, INC.

San Diego, Ca 92020

3R417L

9) 449-0687

2179. Removal 6456. Installed 6475.

✓ ITS PLACE ACCORDING
ORDING TO STC #SA01487SE.
AA APPROVED FLIGHT
MANUAL THIS DATE.
FUNCTIONAL TEST GOOD.

TE: 7/26/2007

ian or Repair

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
	23250			Removal SW 3308 ser # 3198 and installed SW 3500 ser # 1785. Used existing gyro and fluxgate. All work done IAW instructions and all applicable FAR's. New EAS approved and installed in AL. See form 337 this date for details.
Flight check performed All checks good. Name <u>[Signature]</u> Certificate # <u>2898445 ATP</u>				CRS OECR893K Air One Systems
	23250			Removed PCA 26AK-2 ser # 13C0177 and installed serviceable PCA 26AK-2 ser # 13AR0004. Removal S-Tec 6444-1 kinetic gyro ser # 1107D and had overhauled. Re-installed. Ops check good.

19 TACH TIME FLIGHT TIME IN SERVICE Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

ATC TRANSPONDER TESTS REQUIRED BY FAR 91.413 WERE PERFORMED AND COMPLY WITH FAR 43, APP.F. ON MODEL

67K327 S/N 83703284

CORRESPONDENCE CHECK REF. 91.217 N 185W6

DETAILS ON THIS INSPECTION ON FILE UNDER THIS

REPAIR STATION W/O 4811

8-7-07

SIGNATURE DATE

FAA CRS OECR893K

DUE 8-7-09

I CERTIFY THAT THE ALTIMETER & STATIC SYSTEM TESTS REQUIRE BY F.A.R. PART 91.411 HAVE BEEN PERFORMED. THE ALTIMETER WAS TESTED TO 20,000 FEET ON DATE 8-7-07

SIGNATURE
 FAA OECR893K

DUE 8-7-09

DATE RECORDING TACH TIME TODAY'S FLIGHT TOTAL TIME IN SERVICE Description
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

N185W6

9/20/2007

Tach. 239.7

Tradewind Aircraft Service Center WO# 99

Removed Monarch fuel caps previously installed

date. Weight change is negligible.

Brent G. Smith A&P41504

Tradewind Aircraft



Inspections, Tests, Repairs and Alterations

(Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility for other specific entries.)

I CERTIFY THAT THE ALTIMETER & STATIC SYSTEM TESTS REQUIRE BY F.A.R. PART 91.411 HAVE BEEN PERFORMED. THE ALTIMETER WAS TESTED TO 20,000 FEET ON DATE 8-7-07

SIGNATURE [Signature]
FAA OECR893K

DUE 8-7-09

DATE 19__	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				<u>N185WG Airframe Logbook Entry</u>
				9/20/2007
				Tach. 239.7
				Tradewind Aircraft Service Center WO# 927
				Removed Monarch fuel caps previously installed on 10/13/2006. See FAA form 337 this date. Weight change is negligible.
				<u>[Signature]</u>
				Brent G. Smith A&P4150464321A
				Tradewind Aircraft  Service Center

19	TACH TIME	FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10-8-07	241.75			Removed Ak550-6 Converter ser # 476888 and installed new Ak550-6 Converter ser # ⁽⁴⁷⁶⁹⁴⁵⁾ 476945. Mounted in same location. Used existing plug. Final ops check good. <i>[Signature]</i> AirOne Systems CRSUECR893K
12-05-07	Tach: 254.22			Resealed fuel strainer w/new O-RINGS. No leaks noted. <i>[Signature]</i> AS175603014

© ASA 1993

Tradewind Aircraft Service Center, 4025 Tradewind
Amarillo, TX 79118, 806-373-7129
CRS# 19WR939K

A/C Reg: N-185WG

Date: 1/18/08

WOM: AV50984

Performed Garmin Software Service Bulletin 0740 Rev A on GN POH with new AFMS PN 190-00356-03 Rev A.

A/C S/N: Tach: 260.3

[Signature]
Jeremy R. Micha

Inspections, Tests, Repairs and Alterations

(Recorded with Name, Rating and Certificate Number of Technician or Repair
Entries for other specific entries.)

550-6 Converter ser # 476888 and
u Ak550-6 Converter ser # 476945
same location. Used existing
1 ops check good. *OK for*
AirOne Systems
CR50ECR893K

254.22. Resealed
no O-RINGS. No leaks

4517560361A

DATE

19__

Tradewind Aircraft Service Center, 4025 Tradewind Street,
Amarillo, TX 79118, 806-373-7129
CR5# 19WR939K

A/C Reg: N-185WG

Date: 1/18/08

WOP: AV50984

Performed Garmin Software Service Bulletin 0740 Rev A on GNS430W. Updated
POH with new AFMS PN 190-00356-03 Rev A.

A/C S/N: 18503193

Tach: 260.3

Jeremy R. Michaels

Inspections, Tests, Repairs and Alterations


(Recorded with Name, Rating and Certificate Number of Technician or Repair
Entries for other specific entries.)

lorsed with Name, Rating and Certificate Number of Technician or Repair
ages for other specific entries.)

18503193
97

andel for LED
good.

May

[illegible]

Tradewind Aircraft Service Center WO# 1486
Replaced left hand strobe light flash tube. Cleaned terminal and ground on flashing beacon
dummy resistor and flasher.

Tradewind Aircraft
Service Center

Tach 377.46

Removed left hand aileron and sent to Williams Airmotive to replace outboard skins because of hangar rash. Painted to match and checked balance. Balance is within limits. Reinstalled aileron on aircraft. Operational check O.K.

Brent G. Smith A&P4150464321A

[illegible]

GASA 1993

to replace outboard skins
ice. Balance is within limits.

DATE 19 <u>98</u>	A.D. NUMBER	TOTAL TIME IN SERVICE	Airworthiness Directives Chronological Listing of Compliance and Method of Compliance
10-15	96-12-07	2074.1	Bendix mags not installed
	77-01-13		No hoses replaced in Time period
	77-26-57		Engine has VFR Crankshaft
	98-01-08		No roller rocker arms installed
	87-20-07/13		seat Tracks visual inspection (serviceable)
			Bracket air Filter visual inspection (serviceable)

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
				TOTALS brought forward from previous page

* Started Airframe Logbook #5

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 2975.1 Hrs. TTAF, 405.0 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned/Treated battery box corrosion & serviced Aircraft Main Battery, serviced brakes w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. Wash Aircraft exterior & cleaned interior, sub-floors and tail/wing inside sections.

Performed the following Maintenance:

- Removed MP/FF Instr and re-installed after clean & calibration (see WO# 2829 dated 4-26-2010) P/N 6331, S/N 98891
- Adjust Throttle Switch & Emergency Fuel & Idle flow IAW SK210-154A
- Set all flight control travel position settings and cable tension to the manufacturers specifications
- Removed Battery Box corrosion to include Exterior Belly Skin aft of outflow tube and treated surfaces A/R
- Reworked several JPI Probe installation items
- Rigged all engine control cables for Prop, Mixture & Throttle. Rigged outside air vent controls
- Added additional clamping to Main Battery Cable in aft cabin
- Added chafing material A/R engine compartment, High Temp RTV baffle gaps as needed
- Painted bare metal and treated minor corrosion on Engine Mount. Replaced cushion clamps as needed
- Trim Pilots door and align as needed. Adjust/Align Latch mechanism and replace door seal with new
- Replaced R.H Cowl Flap with new Cessna S-S hinge assy
- Cleaned gascolator & replaced O-rings
- Replaced misc Nutplates, Fasteners as needed

Replaced the following parts with new:

- P/N E-01, S/N 062838 ACK, ELT
- P/N MC0760135-106 Cable, S/S Tailwheel Steering (2ea)
- P/N S1819-3 Rod-Ends, Aileron (4ea)
- P/N BA8103-1 Air Filter
- P/N RAB-3-5-1 reg Filter, (cabin)
- P/N GE4509, R.H Landing Lamp
- P/N S1938-3-68.00 Abrasion Boot, Leading Edge Horizontal Stabilizer (owner supplied mfg date 02-01-03)
- P/N R581574 Door Seal, Pilot Cabin Door
- P/N S2088-3 Throttle Switch, Emergency Boost
- P/N 0752014-15 Hinge, S/S, R.H Cowl Flap
- P/N 1650044-1 Duct, Engine Air Intake
- P/N 16050-2 ACS Diode (ref: AD 93-05-06 & ACS SB92-01 Rev.D)

Installed BAS Pull Handle IAW STC SA3812NM see 337 dated 26-Apr-2010

Performed 12 month ELT inspection in accordance with FAR 91.207. Battery replacement next due Mar 2016

AD 86-19-11, Contaminated Fuel, Complied with part (b), inserted Pilot Operating-Preflight appx in POH


AD 87-20-03 rev. 2, Part II. (C), (a) 1-7 complied with Seat Track inspection. Next due May-2011

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Installed Diode, Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru **FAA B.W. 2010-09**

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.

 John M Efinger IA 2676

7-May-10

--	--	--

TOTALS—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
				TOTALS brought forward from previous page

N185WG Airframe Logbook Entry

12/22/2010

Tach. 457.32

Tradewind Aircraft Service Center WO# 1874

Replaced cabin heat muff with new muff from Cessna. Replaced landing light.



Brent G. Smith A&P4150464321A

**N185WG Engine Logbook Entry**

12/22/2010

Tach. 457.32

Tradewind Aircraft Service Center WO# 1874

Replaced # 4 cylinder bottom spark plug. Cleaned #4 cylinder fuel injector. Run up O.K.



Brent G. Smith A&P3523167



2-21-11 Tach: 466.68: Replaced faulty fuel level sending unit in LH tank with new transmitter PN# McD726110-1 and new gaskets # \$1588-1 and \$1588-2.
 Fueled tank; no leaks noted & ops. satisfactory. *Capt. Carby 35030791A*

N185WG Engine Logbook Entry

10/27/2010

Tach. 448.45

Tradewind Aircraft Service Center WO# 1833

Changed oil and filter. Serviced with Aeroshell 15W50 oil. Pulled oil sample. Checked filter for metal. No metal noted. Run up and leak check O.K.



German Bolivar A&P281418



SUB-TOTALS this page

TOTALS—Carry forward to next page

Airframe Logbook #5

This Logbook Starts from time period 7-May-2010 @
2975.1 Total Time Airframe

Note: Previously removed Mechanical Tach Horizon
"0" TACH installed @ A/F - 2570.05

**AIRFRAME
MAINTENANCE
RECORDS**

Registration No. N185WG

Serial No. 18503193

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3045.2 Hrs. TTAF, 475.13 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned/Treated battery box corrosion & serviced Aircraft Main Battery, flushed brake system w/5606, Adj Tail Tire pressure to 65 PSIG/Main 30 PSIG. Wash Aircraft exterior & cleaned interior, sub-floors and tail/wing inside sections.

Performed the following Maintenance:

- Replaced aged Brake line to caliper w/ 303-3 hose
- Replaced CAT hose R.H Wing Fillet panel area with SCAT 4 & SCAT 5 As needed.
- Replaced misc Nutplates, Fasteners as needed

Replaced the following parts with new:

- P/N 301-111-421, Goodyear, Flight Special II 8.00 X 6, 6-PLY (2ea) & 700/800X6 Tubes (2ea)
- P/N 0705044-1 Tank Switching, P/N 0705004-1 Flap Operation & P/N 0705184-1 Max Pwr & FF Placards
- P/N 9200-000-A MaxPulse Landing Light Control
- P/N BA8103-1 Air Filter
- P/N PLED1T, Taxi-Lamp & PLED1L, Landing Lamp
- P/N K0750161-89M Knisley Welding Muffler assy

Installed Parmetheus LED Lamps IAW STC SA02212AK & Max Pulse IAW STC SA01861SE. See 337 dated 21-May-2011

Performed 12 month ELT inspection in accordance with FAR 91.207, Battery replacement next due Mar 2016

AD 86-19-11, Contaminated Fuel, Complied with part (b), verified Pilot Operating-Preflight appx in POH


AD 87-20-03 rev. 2, Part II. (C), (a) 1-7 complied with Seat Track inspection. Next due May-2012

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2011-09

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

21-May-2011

19 Nov 11

REPAIRED BATTERY WITH 12V CONCORDE CB RG-35A/C

SER # 40470743

Supplies, owner

Date 11/28/11 Reg. No. N185WG Acft.

Time TACH 514.32 Wot AV52148 I certify that the Altimeter, Static & Transponder checks required by FAR's 91.411, Part 43 Appendix E & 91.413, Part 43, Appendix F have been performed. The Altimeter has been tested to 17,000 Ft.

#1 Altimeter: Make Aspen Model EFD 1004 SN 3391

#2 Altimeter: Make United Model 5934PI SN 65454

#1 Transponder: Model CTK 327 SN 83743284

#2 Transponder: Model SN

Signature

Tradewind Aircraft Service Center
FAA Repair Station 19WR939K

Tradewind Aircraft Service Center, 4025 Tradewind Street,
Amarillo, TX 79118, 806-373-7129
CRS# 19WR939K

A/C Reg: N-185WG

A/C S/N: 18503193

Date: 12/02/2011

Tach: 514.32

Wot: AV52148

Performed Aspen service bulletin SB2011-05 and tech note 2011-10. ESV op checked ok.

Jeremy R. Michaels

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3099.8 Hrs. TTAF, 529.76 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned/Treated battery box corrosion & serviced Aircraft Main Battery, flushed brake system w/5606, Adj Tail Tire pressure to 65 PSIG/Main 30 PSIG. Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- Repaired S-Duct with replacement .040 thk 2024 Panel section adjacent to exhaust shroud due to cracking
- Tightened Wing leveler Bridal Cable tension
- Cleaned Stall Horn screen, OP's check
- replaced Co-Pilots coil cord
- Treated Belly Skins aft of Battery vent tube & touch-up paint as needed
- repaired broked CD player wiring connections
- replaced Bracket Air Filter BA8103-1
- Replaced misc Nutplates, Fasteners as needed

AD 2011-10-09, Seat Track Inspection per (g) items 1 thru 10 C/W. No Defects noted. Next due Jun-2013 / 629.76 hrs

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2012-11

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger A/P 267630558

7-Jun-2012

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

Performed the following maintenance on Cessna N185WG @ 3100.4 Hrs. TACH

Removed INOP A/P Wing Servo P/N 0105-5-R9, S/N 14869 & found (4ea) Screws for motor in body cover. Sent to S-Tec for repairs.


Re-installed same after repair. Ref 8130-3 dated 21-Jun-2012 under WO# R000071915



John M Efinger A/P 267630558

28-Jun-2012

Completed 12 month ELT inspection per FAR 91.207, Battery, next Due Date Mar-2016



John M Efinger A/P 267630558

7-Jun-2012

No Use

SUB-TOTALS this page

TOTALS—Carry forward to next page

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

D/

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ **3146.5 Hrs. TTAF, 576.42 Hrs. Tach Time**

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned/Treated minor corrosion spots fwd R.H tunnel area, serviced Aircraft Main Battery, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 30 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Cleaned Jackscrews & Lubricated with Cor-X, Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- replaced L & R.H Tail Spring Belcranks P/N 0712309-16 (2ea)
- tightened Stabilizer Trim Cable tension
- replaced Muffler Clamps P/N 0750161-22 (2ea) & 0750161-24 (2ea)
- replaced Alternator lower/fwd mount bushings P/N J-9534-20 (2ea)
- Replaced Alt Belt P/N S2416-1-31.0
- repaired #1 Intake Coupling heat Shield
- replaced Bracket Air Filter BA8103-1
- replaced misc Fasteners as needed

Installed Service Kit SK185-27 Jackscrew Access Cover

Completed 12 month ELT inspection per FAR 91.207, Battery, next Due Date Mar-2016

AD 2011-10-09, Seat Track Inspection par (g) items 1 thru 10 C/W. No Defects noted. Next due Jun-2014 / 796.42 Tach

*** Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours**

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2013-13

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

2-Jul-2013

Date 12-17-13 Reg. No. N-185WG Acft.
 Time TAA: 0594 Wo# AV52678 I certify that the
 Altimeter, Static & Transponder checks required by FAR's 91.411, Part 43
 Appendix E & 91.413, Part 43, Appendix F have been performed. The Altimeter has
 been tested to 17,000 Ft.
 #1 Altimeter: Make AS24 Model EED 1000 SN 3391
 #2 Altimeter: Make Unk Model 5934P1 SN 65050
 #1 Transponder: Model GTX 327 SN 83703284
 #2 Transponder: Model N/A SN N/A
 Signature 

Trade Wind Aircraft Service Center
 FAA Repair Station 19WR939K

SUB-TOTALS this page

TOTALS—Carry forward to next page

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3187.1 Hrs. TTAF, 617.0 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned Aircraft Main Battery compartment, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 60 PSIG/Main 30 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Cleaned Jackscrews & Lubricated with Moly-B grease, Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- removed and replaced Firewall Blanket
- (2ea) doubler repairs L & R.H Firewall retainer for torn dzues fastener holes
- repaired P-lead wiring at Magneto side with new terminals & ground points
- replaced misc nutplates as needed

Installed the following new Parts:

- P/N S1168-2-0084 Manifold Pressure Hose
 - P/N S1168-2-0164 Fuel Pressure Hose
 - P/N S1167-6-0270 Fuel to Engine Pump Hose
 - P/N S1236C4-0134 Vapor Return Line
 - P/N Fabricated (2ea) 303-4 Fuel lines Fuel Pump to Fuel Control
 - P/N RAD9-18-1 Central Vac Filter, RAB3-5-1 Regulator Filter
 - P/N MC345-085-7 Propeller Control
 - Airtex Firewall Blanket
 - RA1K1-6-10, 90 deg outlet fitting Vac Pump & MS9134-01 Gasket
 - CEET & SCAT Hose as needed Engine & Aft Firewall areas
 - misc. small hardware, clamps, O-rings, fasteners, rivnuts & cotter-pins as-needed
- Completed 12 month ELT inspection per FAR 91.207, Battery, next Due Date Mar-2016

AD 2011-10-09, Seat Track Inspection per (g) items 1 thru 10 C/W. No Defects noted. Next due Sep-2015/ 837.0 Tach

** Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours*

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2014-18

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.

John M Efinger I/A 267630558

12-Sep-2014

N185WG Airframe Logbook Entry

Palo Duro Aircraft Services

Date 8/13/2015 Tach Time 651.56

WO 50569

Replaced Voltage Regulator Installed P/N VR600 S/N H-L102083.

Ground run and checked charging system, ops checks good.

James E. Whatley

James E. Whatley A&P 3613323IA

SUB-TOTALS this page

TOTALS—Carry forward to next page

DATE _____

Efinger Aviation & Maintenance
 554 Aviator Drive, Ft. Worth TX. 76179-5434

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3225.6 Hrs. TTAF, 655.58 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned Aircraft Main Battery compartment, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Cleaned Jackscrews & Lubricated with Moly-B grease, Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- removed Holly Aero Vac Pump 212CW S/N 4441 & installed New RAPCO P/N RA216CW, S/N B33036
- installed new Suction Gauge P/N 3-200-12, S/N S/N C3289
- replaced Vac System hose behind Instrument Panel w/ MIL-6000 A/R
- replaced (4ea) P/N B100142-1 Fuel Filler Seals
- replaced (2ea) Upper Engine Mount to Firewall Bolts P/N AN6-24A & (2ea) AN363-624 Nut
- misc. small hardware, clamps, O-rings, fasteners, rivnuts & cotter-pins as-needed

Completed 12 month ELT inspection per FAR 91.207, Battery, next Due Date Mar-2016

AD 2011-10-09, Seat Track Inspection par (g) items 1 thru 10 C/W, No Defects noted. Next due Sep-2016/ 875.58 Tach

* Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2015-18

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

17-Sep-2015

Efinger Aviation & Maintenance
 554 Aviator Drive, Ft. Worth TX. 76179-5434

I Certify that this Aircraft Cessna S/N 18503193, N185WG, A185F has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3255.6 Hrs. TTAF, 685.5 Hrs. Tach Time

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned Aircraft Main Battery compartment, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Cleaned Jackscrews & Lubricated with Moly-B grease (AS-33), Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- removed Mod RCA11A-16B DG S/N 41C0004 and re-installed after O/H by Century Inst Corp ref WO #K152616 on 7-Oct-16
- MN1300 ELT Batteries replaced expires Dec 2025
- replaced Sump Jar Co-Pilots side P/N S1258-1. Added L-Bracket, WDG Clamp & spacer for attachment
- replaced (2ea) P/N U0712500-18 Jackscrew Boots
- replaced (8ea) APS66-10500 Brake Linings
- repaired R.H fwd upper Cowling lip by replacement of previous sheet-metal doubler due to excess wear
- replaced S1258-1 Sump Bottle Co-Pilots side panel area. Added 90 deg bracket & clamping to secure installation
- removed Tail Wheel Assy and replaced with Owner Supplied serviceable part. Cleaned & re-assembled prior installation.
- misc. small hardware, clamps, O-rings, fasteners & cotter-pins as-needed

Completed 12 month ELT inspection per FAR 91.207, next Due Date Oct-2017

AD 2011-10-09, Seat Track Inspection par (g) items 1 thru 10 C/W, No Defects noted. Next due Oct-2017/ 905.5 Tach

* Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2016-21

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

26-Oct-2016

SUB-TOTALS this page


TOTALS—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
				TOTALS brought forward from previous page

Form 44 (rev 4)

I certify that the altimeter and static system tests required by § 91.411 and the transponder tests, including data correspondence, required by § 91.413 have been performed and found to comply with 14 CFR part 43, Appendices E and F.

#1 Altimeter Make/Model: United 5934-P-1 S/N: J5060 Transponder Make/Model: Garmin GTX-327 S/N: 83703824
 #2 Altimeter Make/Model: n/a S/N: n/a Encoder Make/Model: Sandia SAE5-35 S/N: 524
 The altimeter(s) were tested to 20K feet on 10/26/2016 Data correspondence was tested to 20K feet on 10/26/2016
 The static system was leak tested on 10/26/2016

Signature:  Date: 10/26/2016

NR: N185WG
WOM: W18-155

North Texas Avionics
 732 Aviator Drive, Fort Worth, TX 76179
 (817) 422-2714 FAA CRS F91R502X

N185WG

Serial No: 18503193

Model: A185F

TACH: 706.32

Efinger Aviation & Maintenance
 554 Aviator Drive, Ft. Worth TX. 76179-5434

I Certify that this Cessna has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3276.4 Hrs. TTAF.

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Cleaned Aircraft Main Battery compartment, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections. Cleaned Jackscrews & Lubricated with Moly-B grease (AS-33), Applied Corrosion-X to all moving control joints, pulleys moving parts & spot treated areas as needed.

Performed the following Maintenance:

- Replaced all Aft Windows with GLAP supplied products
- Replaced Interior with Selkirk supplied products. See 337 dated 18-May-2018 for details
- Installed Mountain Wave Aviation Aft Baggage Cargo Net
- replaced fuel splice hose w/new clamps above headliner on Co-Pilots Fwd/R.H Cabin
- misc. small hardware, clamps, O-rings, fasteners & cotter-pins as-needed

Replaced the following parts with new:

- P/N RCS-300-1 Rosen Visor System
- P/N MIL-6000-1/2 Splice Hose
- P/N W-2073, W-1001-250 (2ea), W-1011 (2ea), W-1012 (2ea) Windows
- P/N SA55-70, SA55-71, SA55-72, SA55-73, SA55-84, SA59-03, SA55-100A Cabin Interior Kit
- P/N SA55-85 Headliner
- SCS Carpet Aft Extended Baggage Floor

Installed Soundex Insulation throughout main Cabin Areas. Materials meet FAR 23.856 / FAR 25.856 Part II requirements. Material Supplied Certs inserted in Aft Records

Completed Aircraft re-weigh. L=882, R=880, T=171. Empty Weight 1,969.0, CG=39.15. Useful Load 1,381.0

Completed 12 month ELT inspection per FAR 91.207 (d), Battery Due Date Dec 2025

AD 2011-10-09, Seat Track Inspection per (g) items 1 thru 10 C/W. No Defects noted. Next due May 2019/ 926.32 Tach

* Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2018-10

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558
 25-May-2018

SUB-TOTALS this page

TOTALS—Carry forward to next page

CAMPUS AVIONICS SERVICES

A/C N# N32EK MAKE: CESSNA MODEL: 180 F S/N: 18051264
 TACH: TTIS: CURRENT DATE: 8/8/2019

Description of work performed:

REMOVED GTX-327 transponder. INSTALLED GTX-345 Transponder with GAE-12 Encoding device. Installation in accordance with AML STC GTX-345 SA01714WI. INSTALLATION MANUAL GTX-345 190-00734-10 rev.12, Jan 2019. The aircraft Equipment List and Weight and Balance was updated. The electrical load was computed to be less than 80% of the alternator output. The aircraft compass was checked, no adjustment was necessary. See CAMPUS AVIONICS Work order 4301 this date.
 Peter Heffley, CAMPUS AVIONICS SERVICES CRS # OWLR426L

08/08/2019
 GAE-12

I CERTIFY THAT A DATA CORRESPONDENCE CHECK PER FAR SECTION 91.217 (a) (2), (3) HAS BEEN COMPLETED
 CAMPUS AVIONICS SERVICES # OWLR426L

08/08/2019 UNITED 5934P-1 3/4 J5060

I CERTIFY THAT ALTIMETER AND STATIC SYSTEM TESTS REQUIRED BY FAR SECTION 91.411 HAVE BEEN PERFORMED. THE ALTIMETER WAS TESTED TO 20,000 FEET ON 8-8-2019. THE ALTIMETER IS WITHIN TOLERANCES SPECIFIED IN FAR 43 APPDX. E.
 CAMPUS AVIONICS SERVICES CRS # OWLR426L

08-08-2019
 GTX-345

I CERTIFY THAT ATC TRANSPONDER TESTS REQUIRED BY FAR SECTION 91.413 HAVE BEEN PERFORMED. THE TRANSPONDER IS WITHIN TOLERANCES SPECIFIED IN FAR PART 43 APPENDIX F AND PARAGRAPH C APPENDIX E.
 CAMPUS AVIONICS SERVICES # OWLR426L

Tech Aero Avionics, LLC 2080 Skylane Hangar E4 Denton, TX 76207 CRS# JYJR029Y
 LOG ID# 3338 29-August-2019 WO# 5516/1
 N185WG S/N 18503193 CESSNA A185F TACH 737.2

Pg 1 / 1

**** ITEM # 5516-1 GMX 200 SOFTWARE UPDATE ****

DISCREPANCY: GMX 200 SOFTWARE UPDATE

ACTION: UPDATED GMX 200 SOFTWARE TO VERSION 2.14 IAW STC SERVICE BULLETIN 1517 REV A.

THE AIRCRAFT IDENTIFIED ABOVE WAS REPAIRED IAW CURRENT FAA REGULATIONS AND IS HEREBY APPROVED FOR RETURN TO SERVICE.

Trevor Smith
 JYJR029Y TREVOR SMITH

8-29-19
 Date

8-8-19 I CERTIFY THAT ALTIMETER AND STATIC SYSTEM TESTS REQUIRED BY FAR SECTION 91.411 HAVE BEEN PERFORMED. THE ALTIMETER WAS TESTED TO 20,000 FEET ON 8-8-2019. THE ALTIMETER IS WITHIN TOLERANCES SPECIFIED IN FAR 43 APPDX. E.
 CAMPUS AVIONICS SERVICES CRS # OWLR426L

SUB-TOTALS this page

TOTALS—Carry forward to next page

N185WG

Serial No: 18503193

Model: A185F

TACH: 734.43

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

I Certify that this Aircraft has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3304.5 Hrs. TTAF,

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Inspected Aircraft Main Battery compartment; serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections.

Performed the following Maintenance:

- Reworked wiring WX-500, GDL-69A, GNS-430, GMX-200 as needed to correct communication issues between various equipment. Stowed un-used wiring and activated features in equipment as-needed. Cleaned-up loose wiring and partial un-used wire as-found. Repaired several bad wiring connections as-found GMX-200 & GNS-430 connectors.
- Replaced Alternator Mount bushings P/N J9534-20 (2ea)

AD 2011-10-09, Seat Track Inspection per (g) items 1 thru 10 C/W. No Defects noted. Next due Sept 2020/ 954.43 Tach

* Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours


AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

AD2019-01-02, Aspen EFD 1000 MFD, N/A per installation. Not configured for ADSB currently

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2019-17

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

1-Sep-2019

N185WG

Serial No: 18503193

Model: A185F

TACH: 755.98

Efinger Aviation & Maintenance
17917 Hwy 377 S, Cresson, TX. 76035

I Certify that this Aircraft has been inspected with an Annual Inspection in accordance with FAR 43, appx. "D" & the 50, 100 & 200 hr. inspections per the Manufacturers Maintenance Manual @ 3326.0 Hrs. TTAF,

Performed the following Service: Re-packed wheel bearings, lubricated all hinge points & lubricated all moving parts beneath sub-floor. Inspected Aircraft Main Battery compartment, serviced brake master cylinders w/5606, Adj Tail Tire pressure to 65 PSIG/Main 26 PSIG. , Wash Aircraft exterior & cleaned interior, removed all minor debris from sub-floors and tail/wing inside sections.

SEL-55-01 Stabilizer Inspection. Complied with Items 11-12. No defects noted

* Next due 500 hrs or 5 years, whichever occurs first.

AD 2011-10-09, Seat Track Inspection per (g) items 1 thru 10 C/W. No Defects noted. Next due Sept 2021/ 975.98 Tach

* Note: AMOC L115W-11-986 dated 5-Dec-2011 extend inspection interval to 220 hours

AD 93-05-06, ACS SB92-01, Cessna SEB 91-5 Ignition Switch Inspection. Next due 4650.0 TTAF

This Airframe & it's Accessories comply with all applicable AD's thru FAA B.W. 2020-18

(See complete AD summary report 6-May-2010).

This Aircraft was determined to be in an Airworthy Condition for return to service.



John M Efinger I/A 267630558

1-Sep-2020

SUB-TOTALS this page

TOTALS—Carry forward to next page

DATE:

Tech Aero Avionics, LLC 2080 Skylane Hangar E4 Denton, TX 76207 CRS# JYJR029Y
 LOG ID# 3991 28-September-2022 WO# 6247/1
 N185WG S/N 18503193 CESSNA A185F TACH 787.8

Pg 1 / 1 IORK

**** ITEM # 6247-1 MULTIPLE SQUAWKS ****

DISCREPANCY: GMX 200 CONFIG ERROR, GNS 430W DOES NOT RECEIVE FUEL FLOW DATA FROM EDM 700

ACTION: REPLACED DEFECTIVE GMX 200 CONFIGURATION MODULE WITH NEW, AND RECONFIGURED GMX 200. FOUND #2 GNS 430W RS-232 INPUT SHORTED TO GROUND. TRACED SHORT TO IMPROPER SPLICE. REWORKED WIRING TO RESTORE FUEL FLOW DATA TO GNS 430W FROM EDM 700. REPLACED DETERIORATING COAX CABLE FROM EACH COM RADIO TO COM ANTENNAS, AND MULTIPLE NAV COAX CABLES WITH NEW. VERIFIED PROPER OPERATION OF ALL AFFECTED SYSTEMS. PERFORMED COMPASS SWING IAW AC 43.13-18, CHAPTER 12, SEC 3, PAR 12-37.

UPDATED GTX 345 SOFTWARE TO VERSION 2.60 IAW STC SERVICE BULLETIN 2152 REV AND ADSB SOFTWARE TO VERSION 3.22 IAW STC SERVICE BULLETIN 2175. REPLACED GTX 345 AFMS (190-00734-15) WITH REV 5, DATED JUNE 16, 2021.

THE ALTIMETER AND STATIC SYSTEMS HAVE BEEN TESTED IAW APPENDIX E OF FAR 43, AS REQUIRED BY FAR 91.411. TESTED ASPEN EFD1000 PFD P/N A-05-110-00 S/N 3391 AND STBY ALTIMETER P/N 5934P-1 S/N J5060 TO AN ALTITUDE OF 20,000 FT. THE GAE 12 ALTITUDE ENCODER P/N 011-03080-01 S/N 3T6012333 WAS TESTED FOR ACCURACY. TESTED GTX 345 TRANSPONDER P/N 011-03302-00, S/N 3EG026419 IAW APPENDIX F OF FAR 43, AS REQUIRED BY FAR 91.413.

THE AIRCRAFT IDENTIFIED ABOVE WAS REPAIRED IAW CURRENT FAA REGULATIONS AND IS HEREBY APPROVED FOR RETURN TO SERVICE.

JYJR029Y TREVOR SMITH

Date

SUB-TOTALS this page

TOTALS—Carry forward to next page







Millennium Engine™

Engine Maintenance History

SUPERIOR
AIR PARTS, INC.

**621 South Royal Lane, Suite 100
Coppell, Texas 75019-3805
972 - 829 - 4600**

DATE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
POWERMASTER AIRCRAFT ENGINES		9027 S. Airport Way Jones/Riverside Airport Tulsa OK 74132 918-299-0269 FAA CRS # P46R287Y
Engine Overhaul Record Superior Millennium Engine		
<u>Engine Make: Continental</u>		<u>Model: IO-520D</u>
<u>Serial Number: 175309-R</u>		<u>PAE Work Order # 2271</u>
<u>Date of Overhaul: 12-15-2004</u>		<u>Total Time: SMOH "0"</u>
This entry certifies that this engine has been overhauled to manufacturers new part tolerances. This engine was disassembled, cleaned, inspected, overhauled and tested in accordance with TCM manual # X30039A. New parts count exceeds that set forth in TCM Service Bulletin 97-6, Mandatory Replacement Parts. All AD's and TCM mandatory service bulletins have been complied with.		
The following accessories were overhauled and installed on this engine at the time of overhaul:		
<u>Component</u>	<u>Part Number</u>	<u>Serial Number</u>
LH Magneto:	6310	04040203
RH Magneto:	6310	03121852
Fuel Injection System:	649052A6	
Fuel Pump:	646212-23A7	B04IA264R
Flow Divider:	631351-17A1	C04IA255R
Control Valve:	639715A18	A04IA241R
Oil Cooler:	639171	G04-40720-2
Propeller Governor:	C290D3J/79	753428
New Major PMA component parts: Superior Millennium Cylinders, SN-52-M03-28912, 28921, 28915, 28897, 28900, 28920.		
The engine and accessories identified above were inspected and overhauled in accordance with current Federal Aviation Regulations and were found airworthy for return to service. Details of this overhaul are on file at this repair station under Work Order # 2271.		
Signature		 FAA CRS #P46R287Y William R. Cunningham

DATE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
POWERMASTER AIRCRAFT ENGINES		9027 S. Airport Way Jones/Riverside Airport Tulsa OK 74132 918-299-0269 FAA CRS # P46R287Y
Engine Installation Engine Annual Inspection		
Date: 12-15-2004 N185WG SN: 18503193 IO-520D SN: 175 Tach Time "0" Airframe TT 2570.05 TSMOH "0"		
Installed IO-520D, SN-175309-R after major overhaul. Made all necessary connections and rigged controls. During installation the following new parts were installed: 1 complete hose kit from PHT, Tulsa OK. Cessna Mixture control cable. Serviced engine with 10QTS Phillips 20W50. Airwolf remote oil filter.		
Previously installed Gamijectors were retained: GAMI Nozzles, SE09217SC.		
Engine test ran and leak checked. Performed fuel system setup per TCM SID97-3A. Dynamically balanced propeller per ACES Propeller manual. Final Balance, .08IPS. Performed test flights; all systems function properly at this time.		
 William R. Cunningham AP4417238081A		
I certify this engine has been inspected in accordance with an annual inspection and was determined to be airworthy.		
 William R. Cunningham AP4417238081A		
Tradewind Service Center 4025 Tradewind Street Amarillo, TX 79118 806-373-7129 LOG BOOK ENTRY		
A/C REG: 185WG DATE: 04/12/05 W/O NO: 00211		ENGINE TIME: 25.6 TTAF: 2595.65
CHANGED OIL AND FILTER. SERVICED WITH A/S 15W50. COMPLETED 25 HR INSPECTION.		
Tradewind Aircraft Service Center Work Order <u>211</u>		 A&P 2058389

DATE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
4-17-07	225.76	Annual Inspection Completed This Date. Compression #1 70/80 #2 68/80 #3 67/80 #4 68/80 #5 70/80 #6 70/80 TOOK OIL SAMPLE, CUT & INSPECTED OIL FILTER. Added with 1qts Phillips X/C 20/50. Ground run for LEAK & OPS SATISFACTORY Certify that this engine has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in Airworthy condition. Date <u>4-17-07</u> Tradewind Aircraft Service Center Total recorded time <u>225.76</u> hours Work Order <u>779</u> Signature <u>[Signature]</u> Cert. No. <u>448708414IA</u>

N185WG Engine Logbook Entry


1/18/2008

Tach. 260.23

Tradewind Aircraft Service Center WO# 1025

Changed oil and filter. Serviced with Phillips X/C 20W50 oil. Pulled oil sample. Run up and leak check O.K.

[Signature]
Brent G. Smith A&P4150464321A

N185WG Engine Logbook Entry

4/24/2008


Tach. 270.57 SMOH 270.57



Tradewind Aircraft Service Center WO# 1089

Completed an annual inspection this date. Compression: #1 70/80, #2 72/80, #3 70/80, #4 70/80, #5 74/80, #6 71/80. Cleaned, gapped, tested and rotated spark plugs. Checked magneto timing. Cleaned injector nozzles and reinstalled in correct cylinders. Lubricated mixture control.

I certify that this engine has been inspected in accordance with an annual inspection and was found to be in an airworthy condition.

[Signature]
Brent G. Smith A&P4150464321A



DATE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
	7/25/2008 Tach. 327.97 Tradewind Aircraft Service Center WO# 1169 Changed oil and filter. Serviced with Aeroshell 15W50 oil. Pulled oil sample. Repaired broken shield on alternator positive wire. Run up and leak check O.K.  Brent G. Smith A&P4150464321A 	<u>N185WG Engine Logbook Entry</u>
	5/01/2009 Tach. 359.81 SMOH 359.81 Tradewind Aircraft Service Center WO# 1416 Completed an annual inspection this date. Compression: #1 75/80, #2 70/80, #3 72/80, #4 72/80, #5 74/80, #6 71/80. Cleaned, gapped, tested and rotated spark plugs. Checked magneto timing. Cleaned injector nozzles. Replaced heater inlet flexible hose. I certify that this engine has been inspected in accordance with an annual inspection and was found to be in an airworthy condition.  Brent G. Smith A&P4150464321A 	<u>N185WG Engine Logbook Entry</u>
		NA

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 405.0 Hrs TSMOH, 405.0 Airframe TACH, 2975.1 TTAF

* Oil & Filter change not due at this time. (missing entry 393.38)

Cleaned/Gapped Sparkplugs & installed new M674 Gaskets. Cleaned Fuel Screen in fuel manifold

The following compression readings were taken:

#1. 78 #2. 80 #3. 78 #4. 79 #5. 79 #6. 79

Set the following Fuel Flows IAW TCM SID97-3E:

RPM			Adjust	
600 RPM	Un-metered Spec	9.0-11.0	10.0 PSIG	
2850 RPM		30.0-33.0	32.0 PSIG	
2850 RPM	Metered Spec	17.0-19.4	20.0 PSIG	
	GPH Spec	24.4-26.1	26.6 GPH (JPI F/F)	
			24.0 (Cessna F/F)	

AD 2009-16-03, SAP "Amcast" Cylinder cracks & barrel separation. N/A per P/N installed (see SB06-01 letter in records)
 Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2010-09

John M Efinger A/P 267630558

7-May-10

	TACH	TRANSFERRED ENTRY FROM AIRFRAME LOGBOOK
10-27-10	448.45	OIL/FILTER TRADEWINDS SERVICE CENTER

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 475.13 Hrs TSMOH, 475.13 Airframe TACH, 3045.2 TTAF

Changed Oil & Filter, Added 8 QTS Aeroshell W100 & Camguard. Replaced Champion CH48109-1 filter

Cleaned/Gapped Sparkplugs & installed new M674 Gaskets.

The following compression readings were taken:

#1. 80 #2. 79 #3. 78 #4. 77 #5. 74 #6. 78

AD 2010-11-04, To prevent excessive hydraulic lifter wear. N/A per overhaul date

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2011-09

John M Efinger A/P 267630558

21-May-2011

5 Nov 11		REPLACED OIL DIPSTICK TUBE CUMULATIVE ORIGINAL PART # M321919W00
		REPLACED EXHAUST OIL PAN HEXER PART # EZ441
		Signature, name

DA

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 529.76 Hrs TSMOH, 529.76 Airframe TACH, 3099.8 TTAF

Changed Oil & Filter, Added 8 QTS Aeroshell W100 & Camguard, Replaced Champion CH48109-1 filter
 Inspected filter pleats, No unusual findings. Added TMCamguard to oil. Oil sample taken and provided to Owner
 Cleaned/Gapped Sparkplugs & installed new M674 Gaskets. Installed (5ea) new URHB32E Plugs on bottom row
 Cleaned & reinstalled Fuel Injectors, added metal tape to Muffler Clamping

The following compression readings were taken:

#1. 75 #2. 77 #3. 79 #4. 75 #5. 80 #6. 76

AD 2012-03-06, AvStar Fuel System Servo. N/A per records check of last O.H date

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2012-11

John M Efinger
 John M Efinger A/P 267630558

7-Jun-2012

12MAR13	567TSMOH	CHANGED OIL. REPLACED OIL FILTER CHAMPION CH48109-1.
		9 QTS AEROSHELL W100 + CAMGUARD. SAMPLE TO BUCKSTONE.
		OIL LEAK CHECK NEGATIVE.

Supplund, owner

Efinger Aviation & Maintenance
554 Aviator Dr., Ft. Worth, TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 576.4 Hrs TSMOH, 576.4 Airframe TACH, 3146.5 TTAF

re-positioned double band clamps to fwd intake at cross-over (found on aft wye-duct)

Cleaned/Gapped & rotated Sparkplugs, replaced muffler clamping, adjust Mag timing from 23 to 22 deg BTDC

The following compression readings were taken:

#1. 78 #2. 79 #3. 76 #4. 75 #5. 79 #6. 75

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2013-13

John M Efinger
 John M Efinger A/P 267630558

2-Jul-2013

17JUL14	5955SMOH	CHANGED OIL. REPLACED OIL FILTER CH48109-1.
		9 QTS AEROSHELL W100 + 14oz CAMGUARD. SAMPLE
		TO BUCKSTONE. OIL LEAK CHECK NEGATIVE

Supplund, owner

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 617.0 Hrs TSMOH, 617.0 Airframe TACH, 3187.1 TTAF

Removed Intake Lifters P/N 628488 & Exhaust Lifters P/N 646277 due to minor blemish on several faces during inspection

Re-installed same after Overhaul by Aircraft Accessories ref WO# 226183 dated 25-Jul-14

Re-installed L/H Exhaust with (3ea) SA628260 No-blo gaskets, (12ea) MS20500-428 Nuts after lifter access

Weld repair L/H Exhaust Stack alignment hole and re-drilled to correct muffler shifting at Exhaust Clamp

Removed Fuel System and had Overhaul by Dallas Carb & Inj Service. Ref WO# 4960 dated 4-Aug-14

• P/N 646212-23A7 S/N B04IA264R Fuel Pump

• P/N 631351-17A4 S/N C04IA255R Fuel Manifold

• P/N 639715A18 S/N A04IA241R Throttle Body & Control Assy

Drained Oil & serviced with 8 Qts Aeroshell 100W AD SAE 50 Oil. Added 12.8 Oz TMCamguard to oil, CH48109-1 Filter

Cleaned & reinstalled Fuel Injectors


Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

The following compression readings were taken:

#1. 70 #2. 78 #3. 77 #4. 75 #5. 77 #6. 76

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g) Due at 750 hrs TIS. Next Due @ TACH: 750


Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2014-18



John M Efinger AIP 267630558

12-Sep-2014

13MAR15	639.0	DRAINED OIL & SERVICED WITH 9 QTS AEROSHELL 100 [®]
		AND 14OZ CAMGUARD CH48109-1 FILTER. LEAK CHECK OK.



Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine S/N 175309-R @ 655.58 Hrs TSMOH, 655.58 Airframe TACH, 3225.6 TTAF

Drained Oil & serviced with 8 Qts Aeroshell 100W AD SAE 50 Oil. Added 12.8 Oz TMCamguard to oil, CH48109-1 Filter

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

Replaced Air Filter P/N BA8103-1 with new element

The following compression readings were taken:

#1. 74 #2. 76 #3. 76 #4. 75 #5. 76 #6. 70

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g) Due at 750 hrs TIS. Next Due @ TACH: 750

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2015-18



John M Efinger AIP 267630558

17-Sep-2015

N185WG**Serial No:** 175309-R**Model:** IO-520-D (24)**TACH:** 685.46**TSMOH:** 685.46

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3255.5 TTAF

Drained Oil & serviced with 9 Qts Aeroshell 100W AD SAE 50 Oil. Added 14.4 Oz TMCamguard to oil, CH48109-1 Filter

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

Removed Magneto's and re-installed after 500 Hr Insp. See Select Acft WO# 9532-00 & 9533-00 dated 19-Oct-16 for details

The following compression readings were taken IAW TCM SB03-3: * MO 46 PSIG/80

#1. 75 #2. 78 #3. 74 #4. 70E #5. 78 #6. 75

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g) Due at 750 hrs TIS.

AMOC SB # B14-01 rev. B, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service due Dec 2021

AD 2016-16-12, Cont Motors, ECI Cylinders. N/A per applicability

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2016-21

John M Efinger A/P 267630558

26-Oct-2016

N185WG**Serial No:** 175309-R**Model:** IO-520-D (24)**TACH:** 706.32**TSMOH:** 706.32

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3276.4 TTAF

Drained Oil & serviced with 9 Qts Aeroshell 100W AD SAE 50 Oil. Added 14.4 Oz TMCamguard to oil, CH48109-1 Filter

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

The following compression readings were taken IAW TCM SB03-3: * MO 46 PSIG/80

#1. 70 #2. 74 #3. 75 #4. 74 #5. 73 #6. 69

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g). Initial Insp Cr/W. * Actual Due 750 FHTIS

AMOC SB # B14-01 rev. B, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service due Dec 2021

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2018-10

John M Efinger A/P 267630558

25-May-2018

N185WG**Serial No:** 175309-R**Model:** IO-520-D (24)**TACH:** 734.43**TSMOH:** 734.43

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3304.5 TTAF

Drained Oil & serviced with 9 Qts Phillipss W100 AD SAE 50 Oil. Added 14.4 Oz TMCamguard to oil, CH48109-1 Filter

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

The following compression readings were taken IAW TCM SB03-3: * MO 43 PSIG/80

#1 72 #2 73 #3 77 #4 65 #5 68 #6 69

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g) Initial Insp Cr/W. * Actual Due 750 FHTIS

AMOC SB # B14-01 rev. B, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service due Dec 2021

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2019-17

John M Efinger A/P 267630558

1-Sep-2019

N185WG

D/ **Serial No:** 175309-R
Model: IO-520-D (24)
TACH: 755.98
TSMOH: 755.98

Efinger Aviation & Maintenance
17917 Hwy 377 S, Cresson, TX. 76035

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3326.0 TTAF

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

*The following compression readings were taken IAW TCM SB03-3: * MO 43 PSIG/80*

#1 70 #2 72 #3 67 #4 68 #5 80 #6 68

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (g) Initial Insp C/W . Next Due TACH: 805.98/12-mos

AMOC SB # B14-01 rev. B, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service due Dec 2025

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2020-18

John M Efinger A/P 267630558

4-Sep-2020

N185WG

Serial No: 175309-R
Model: IO-520-D (24)
TACH: 772.1
TSMOH: 772.1

Efinger Aviation & Maintenance
17917 S Hwy 377, Cresson, TX. 76035

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3342.2 TTAF

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

*The following compression readings were taken IAW TCM SB03-3: * MO 43 PSIG/80*

#1 70 #2 75 #3 70 #4 68 #5 78 #6 74

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (h) Insp C/W . Next Due TACH: 822.1/12-mos

AMOC SB # B14-01 rev. B, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service due Dec 2025

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2021-20

John M Efinger A/P 267630558

1-Oct-2021

N185WG

Serial No: 175309-R
Model: IO-520-D (24)
TACH: 788.41
TSMOH: 788.41

Efinger Aviation & Maintenance
17917 S Hwy 377, Cresson, TX. 76035

Performed 25, 50, 100 Hr. Millennium Engine Inspection & 100 requirements IAW FAR 43 Appx.D (d) on Engine installed in Cessna 18503193 @ 3358.5 TTAF

Cleaned/Gapped & rotated Sparkplugs, verified Mag timing 22 deg BTDC

Installed new Air Filter BA8103-1

Drained AA48109 Filter & replenished with 9 Qts Phillips XC20-50 Oil. Added 14.4 Oz TMCamguard to oil. Inspect filter pleats, no abnormal findings

*The following compression readings were taken IAW TCM SB03-3: * MO 43 PSIG/80*

#1 68 #2 72 #3 64 #4 64 #5 76 #6 66

AD 2014-05-29, Cont Motors, SAP Cylinders. Par (h) Insp C/W . Next Due TACH: 838.41/12-mos

AMOC SB # B14-01 rev. E, Global AMOC for AD 2014-05-29, Complied with CMI SB96-12 pt 1-4. Cylinder removal from service 21 years, due Dec 2025

Engine was ground run, leak checked and determined to be in an airworthy condition for return to service. This Engine complies with all applicable AD's thru FAA B.W. 2022-21

John M Efinger A/P 267630558

18-Oct-2022

Book 2



McCAULEYTM

PROPELLER LOGBOOK

INSTA


PROPELLER, LLC

Mike Melanby W.O.# 1530
 Model D2A34CS8-NO Serial # 730698
 Customer Name Tony Roberts

REMARKS

Propeller as per Melanby note
 2415. C/W 58. up to 232.7. no fly by
 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000. 1001. 1002. 1003. 1004. 1005. 1006. 1007. 1008. 1009. 1010. 1011. 1012. 1013. 1014. 1015. 1016. 1017. 1018. 1019. 1020. 1021. 1022. 1023. 1024. 1025. 1026. 1027. 1028. 1029. 1030. 1031. 1032. 1033. 1034. 1035. 1036. 1037. 1038. 1039. 1040. 1041. 1042. 1043. 1044. 1045. 1046. 1047. 1048. 1049. 1050. 1051. 1052. 1053. 1054. 1055. 1056. 1057. 1058. 1059. 1060. 1061. 1062. 1063. 1064. 1065. 1066. 1067. 1068. 1069. 1070. 1071. 1072. 1073. 1074. 1075. 1076. 1077. 1078. 1079. 1080. 1081. 1082. 1083. 1084. 1085. 1086. 1087. 1088. 1089. 1090. 1091. 1092. 1093. 1094. 1095. 1096. 1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108. 1109. 1110. 1111. 1112. 1113. 1114. 1115. 1116. 1117. 1118. 1119. 1120. 1121. 1122. 1123. 1124. 1125. 1126. 1127. 1128. 1129. 1130. 1131. 1132. 1133. 1134. 1135. 1136. 1137. 1138. 1139. 1140. 1141. 1142. 1143. 1144. 1145. 1146. 1147. 1148. 1149. 1150. 1151. 1152. 1153. 1154. 1155. 1156. 1157. 1158. 1159. 1160. 1161. 1162. 1163. 1164. 1165. 1166. 1167. 1168. 1169. 1170. 1171. 1172. 1173. 1174. 1175. 1176. 1177. 1178. 1179. 1180. 1181. 1182. 1183. 1184. 1185. 1186. 1187. 1188. 1189. 1190. 1191. 1192. 1193. 1194. 1195. 1196. 1197. 1198. 1199. 1200. 1201. 1202. 1203. 1204. 1205. 1206. 1207. 1208. 1209. 1210. 1211. 1212. 1213. 1214. 1215. 1216. 1217. 1218. 1219. 1220. 1221. 1222. 1223. 1224. 1225. 1226. 1227. 1228. 1229. 1230. 1231. 1232. 1233. 1234. 1235. 1236. 1237. 1238. 1239. 1240. 1241. 1242. 1243. 1244. 1245. 1246. 1247. 1248. 1249. 1250. 1251. 1252. 1253. 1254. 1255. 1256. 1257. 1258. 1259. 1260. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271. 1272. 1273. 1274. 1275. 1276. 1277. 1278. 1279. 1280. 1281. 1282. 1283. 1284. 1285. 1286. 1287. 1288. 1289. 1290. 1291. 1292. 1293. 1294. 1295. 1296. 1297. 1298. 1299. 1300. 1301. 1302. 1303. 1304. 1305. 1306. 1307. 1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1330. 1331. 1332. 1333. 1334. 1335. 1336. 1337. 1338. 1339. 1340. 1341. 1342. 1343. 1344. 1345. 1346. 1347. 1348. 1349. 1350. 1351. 1352. 1353. 1354. 1355. 1356. 1357. 1358. 1359. 1360. 1361. 1362. 1363. 1364. 1365. 1366. 1367. 1368. 1369. 1370. 1371. 1372. 1373. 1374. 1375. 1376. 1377. 1378. 1379. 1380. 1381. 1382. 1383. 1384. 1385. 1386. 1387. 1388. 1389. 1390. 1391. 1392. 1393. 1394. 1395. 1396. 1397. 1398. 1399. 1400. 1401. 1402. 1403. 1404. 1405. 1406. 1407. 1408. 1409. 1410. 1411. 1412. 1413. 1414. 1415. 1416. 1417. 1418. 1419. 1420. 1421. 1422. 1423. 1424. 1425. 1426. 1427. 1428. 1429. 1430. 1431. 1432. 1433. 1434. 1435. 1436. 1437. 1438. 1439. 1440. 1441. 1442. 1443. 1444. 1445. 1446. 1447. 1448. 1449. 1450. 1451. 1452. 1453. 1454. 1455. 1456. 1457. 1458. 1459. 1460. 1461. 1462. 1463. 1464. 1465. 1466. 1467. 1468. 1469. 1470. 1471. 1472. 1473. 1474. 1475. 1476. 1477. 1478. 1479. 1480. 1481. 1482. 1483. 1484. 1485. 1486. 1487. 1488. 1489. 1490. 1491. 1492. 1493. 1494. 1495. 1496. 1497. 1498. 1499. 1500. 1501. 1502. 1503. 1504. 1505. 1506. 1507. 1508. 1509. 1510. 1511. 1512. 1513. 1514. 1515. 1516. 1517. 1518. 1519. 1520. 1521. 1522. 1523. 1524. 1525. 1526. 1527. 1528. 1529. 1530. 1531. 1532. 1533. 1534. 1535. 1536. 1537. 1538. 1539. 1540. 1541. 1542. 1543. 1544. 1545. 1546. 1547. 1548. 1549. 1550. 1551. 1552. 1553. 1554. 1555. 1556. 1557. 1558. 1559. 1560. 1561. 1562. 1563. 1564. 1565. 1566. 1567. 1568. 1569. 1570. 1571. 1572. 1573. 1574. 1575. 1576. 1577. 1578. 1579. 1580. 1581. 1582. 1583. 1584. 1585. 1586. 1587. 1588. 1589. 1590. 1591. 1592. 1593. 1594. 1595. 1596. 1597. 1598. 1599. 1600. 1601. 1602. 1603. 1604. 1605. 1606. 1607. 1608. 1609. 1610. 1611. 1612. 1613. 1614. 1615. 1616. 1617. 1618. 1619. 1620. 1621. 1622. 1623. 1624. 1625. 1626. 1627. 1628. 1629. 1630. 1631. 1632. 1633. 1634. 1635. 1636. 1637. 1638. 1639. 1640. 1641. 1642. 1643. 1644. 1645. 1646. 1647. 1648. 1649. 1650. 1651. 1652. 1653. 1654. 1655. 1656. 1657. 1658. 1659. 1660. 1661. 1662. 1663. 1664. 1665. 1666. 1667. 1668. 1669. 1670. 1671. 1672. 1673. 1674. 1675. 1676. 1677. 1678. 1679. 1680. 1681. 1682. 1683. 1684. 1685. 1686. 1687. 1688. 1689. 1690. 1691. 1692. 1693. 1694. 1695. 1696. 1697. 1698. 1699. 1700. 1701. 1702. 1703. 1704. 1705. 1706. 1707. 1708. 1709. 1710. 1711. 1712. 1713. 1714. 1715. 1716. 1717. 1718. 1719. 1720. 1721. 1722. 1723. 1724. 1725. 1726. 1727. 1728. 1729. 1730. 1731. 1732. 1733. 1734. 1735. 1736. 1737. 1738. 1739. 1740. 1741. 1742. 1743. 1744. 1745. 1746. 1747. 1748. 1749. 1750. 1751. 1752. 1753. 1754. 1755. 1756. 1757. 1758. 1759. 1760. 1761. 1762. 1763. 1764. 1765. 1766. 1767. 1768. 1769. 1770. 1771. 1772. 1773. 1774. 1775. 1776. 1777. 1778. 1779. 1780. 1781. 1782. 1783. 1784. 1785. 1786. 1787. 1788. 1789. 1790. 1791. 1792. 1793. 1794. 1795. 1796. 1797. 1798. 1799. 1800. 1801. 1802. 1803. 1804. 1805. 1806. 1807. 1808. 1809. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820. 1821. 1822. 1823. 1824. 1825. 1826. 1827. 1828. 1829. 1830. 1831. 1832. 1833. 1834. 1835. 1836. 1837. 1838. 1839. 1840. 1841. 1842. 1843. 1844. 1845. 1846. 1847. 1848. 1849. 1850. 1851. 1852. 1853. 1854. 1855. 1856. 1857. 1858. 1859. 1860. 1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. 1925. 1926. 1927. 1928. 1929. 1930. 1931. 1932. 1933. 1934. 1935. 1936. 1937. 1938. 1939. 1940. 1941. 1942. 1943. 1944. 1945. 1946. 1947. 1948. 1949. 1950. 1951. 1952. 1953. 1954. 1955. 1956. 1957. 1958. 1959. 1960. 1961. 1962. 1963. 1964. 1965. 1966. 1967. 1968. 1969. 1970. 1971. 1972. 1973. 1974. 1975. 1976. 1977. 1978. 1979. 1980. 1981. 1982. 1983. 1984. 1985. 1986. 1987. 1988. 1989. 1990. 1991. 1992. 1993. 1994. 1995. 1996. 1997. 1998. 1999. 2000. 2001. 2002. 2003. 2004. 2005. 2006. 2007. 2008. 2009. 2010. 2011. 2012. 2013. 2014. 2015. 2016. 2017. 2018. 2019. 2020. 2021. 2022. 2023. 2024. 2025. 2026. 2027. 2028. 2029. 2030. 2031. 2032. 2033. 2034. 2035. 2036. 2037. 2038. 2039. 2040. 2041. 2042. 2043. 2044. 2045. 2046. 2047. 2048. 2049. 2050. 2051. 2052. 2053. 2054. 2055. 2056. 2057. 2058. 2059. 2060. 2061. 2062. 2063. 2064. 2065. 2066. 2067. 2068. 2069. 2070. 2071. 2072. 2073. 2074. 2075. 2076. 2077. 2078. 2079. 2080. 2081. 2082. 2083. 2084. 2085. 2086. 2087. 2088. 2089. 2090. 2091. 2092. 2093. 2094. 2095. 2096. 2097. 2098. 2099. 2100. 2101. 2102. 2103. 2104. 2105. 2106. 2107. 2108. 2109. 2110. 2111. 2112. 2113. 2114. 2115. 2116. 2117. 2118. 2119. 2120. 2121. 2122. 2123. 2124. 2125. 2126. 2127. 2128. 2129. 2130. 2131. 2132. 2133. 2134. 2135. 2136. 2137. 2138. 2139. 2140. 2141. 2142. 2143. 2144. 2145. 2146. 2147. 2148. 2149. 2150. 2151. 2152. 2153. 2154. 2155. 2156. 2157. 2158. 2159. 2160. 2161. 2162. 2163. 2164. 2165. 2166. 2167. 2168. 2169. 2170. 2171. 2172. 2173. 2174. 2175. 2176. 2177. 2178. 2179. 2180. 2181. 2182. 2183. 2184. 2185. 2186. 2187. 2188. 2189. 2190. 2191. 2192. 2193. 2194. 2195. 2196. 2197. 2198. 2199. 220

INSTALLATION HISTORY

| Date | Aircraft Model & Registration Number | Engine Serial Number & Position |
|------|--|---------------------------------|
| | <p>Date 9-14-2001 185WG S/N 18503193 PROP LOG S/N 730698 TACH:312.2 TSPOH:0.0
 Removed this prop and overhauled by New Mexico Prop and gov. W.O 1530, reinstalled,
 END.
 Wade Neiswender A&P 527936757 IA
 </p> | |
| | | |
| | | |
| | | |
| | | |

CS8-ND

MAINTENANCE & SERVICE HISTORY

| Date | Total Propeller Time | Time Since Overhaul | Description of Work | Authorized Signatures
Repairman and Station
Certificate Numbers |
|--|----------------------|---------------------|---|---|
| 23 OCTOBER 2002 TACH: 75.5 TSMOH: 75.5 PROP TOTAL: 1813.25
N185WG McCauley D2A34C58-NO S/N 730698 | | | | |
| DYNAMIC BALANCED PROPELLER TO .03 IPS USING CHADWICK VIBREX 2000. I CERTIFY THIS PROPELLER HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND HAS BEEN FOUND AIRWORTHY FOR RETURN TO SERVICE. | | | | |
| JEFF BITTNER A&P484949660, IA <i>Jeffrey C. Bittner</i> | | | | |
| 10-23-03 | | | Check and Service Prop Add Spacers to Spinner (w) 9/15/04 | |
| | | | Hold Inspection Next due Tach 326. | |
| | TACH 226. | | | |
| | SmoH 226. | | | |
| I CERTIFY THAT THIS Prop HAS BEEN INSPECTED IN ACCORDANCE WITH A Annual INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>Jeffrey C. Bittner</i> | | | | |

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE

| Date | Total Propeller Time | Time Since Overhaul |
|----------|----------------------|---------------------|
| 12/15/04 | | |
| | | |
| | | |
| | | |
| 4/1/06 | | |
| | | |
| | | |
| | | |
| | | |

Note: Enter Compliance With All /

HISTORY

MAINTENANCE & SERVICE HISTORY

| | |
|--|---|
| | Authorized Signatures
Repairman and Station
Certificate Numbers |
| CERTIFY THIS PROPELLER
WORTHY FOR RETURN TO | |
| | |
| | |
| | |
| | |
| 2 | C61-15-04 |
| THIS <u>Prop</u> HAS BEEN <u>Q</u>
ACCORDANCE WITH A <u>Manual</u>
D WAS DETERMINED TO BE IN
NDITION <u>Jeffrey Jones</u> | |

| Date | Total Propeller
Time | Time
Since Overhaul | Description of Work | Authorized Signatures
Repairman and Station
Certificate Numbers |
|----------|-------------------------|------------------------|---|---|
| 12/15/04 | | | I CERTIFY THIS PROPELLER HAS BEEN
INSPECTED IN ACCORDANCE WITH AN ANNUAL
INSPECTION + DETERMINED AIRWORTHY
AT PMA 441723808 L. H. R. Co. | |
| 4/1/06 | | | I CERTIFY THIS PROPELLER HAS BEEN
INSPECTED IN ACCORDANCE WITH AN ANNUAL
INSPECTION + DETERMINED AIRWORTHY
AT PMA 441723808 L. H. R. Co. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

MAINTENANCE & SERVICE HISTORY

| Date | Total Propeller Time | Time Since Overhaul | Description of Work | Authorized Signatures
Repairman and Station
Certificate Numbers |
|---|---|---------------------|--|---|
| <p>Propeller has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in <u>airworthy</u> condition.</p> | | | | |
| Date <u>4-17-07</u> | | | <u>Tradewind Aircraft Service Center</u> | |
| | Total recorded time <u>225.76</u> hours | | Work Order <u>779</u> | |
| | | | Cert. No. <u>148708419 IA</u> | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

4/24/2008

Tach. 270.57 TSOH 270.57

Tradewind Aircraft Service Center
Completed an annual inspection
painted blades.

I certify that this propeller has
was found to be in an airworthy

Brent G. Smith
Brent G. Smith
Tradewind Aircraft Service Center

| Date | | |
|------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Note: Enter Compliance With All A

HISTORY


| | Authorized Signatures
Repairman and Station
Certificate Numbers |
|--|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Aircraft Service Center

779

vice Bulletins On Pages 11 & 12

N185WG Propeller Logbook Entry

| | | | | | |
|------|---|--|--|--|----------------------|
| Date | 4/24/2008 | | | | ures
ation
ers |
| | Tach. 270.57 TSOH 270.57 | | | | |
| | Tradewind Aircraft Service Center WO# 1089 | | | | |
| | Completed an annual inspection this date. Inspected hub and attachment. Dressed and painted blades. | | | | |
| | I certify that this propeller has been inspected in accordance with an annual inspection and was found to be in an airworthy condition. | | | | |
| | 
Brent G. Smith A&P4150464321A | | | | |
| |  | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

| Date | Total Propeller Time | Time Since Overhaul | Description of Work | Authorized Signatures
Repairman and Station
Certificate Numbers |
|--|----------------------|---------------------|---|---|
| <u>N185WG Propeller Logbook Entry</u> | | | | |
| 5/01/2009 | | | Tach. 359.81 TSOH 359.81 | |
| | | | Tradewind Aircraft Service Center WO# 1416 | |
| | | | Completed an annual inspection this date. Inspected hub and attachment. Dressed and painted blades. | |
| | | | I certify that this propeller has been inspected in accordance with an annual inspection and was found to be in an airworthy condition. | |
| | | |  | |
| | | | Brent G. Smith A&P4150464321A | |
| | | |  | |

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

554 A

I certify that this Propeller S/N 730698, T
This Propeller has been inspected with an /
Dressed & polished minor nicks & touch-up
This Propeller complies with all applicable /

EI

554 Avi

I certify that this Propeller S/N 730698, TS
This Propeller has been inspected with an An
Dressed & polished minor nicks & touch-up p
This Propeller complies with all applicable AC

Note: Enter Compliance With All A

554 Aviator Dr., Ft. Worth, TX. 76179-5434

I certify that this Propeller S/N 730698, TSOH 861.8 HRS , 529.76 Hrs Airframe TACH, 3099.8 TTAF

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

Dressed & polished minor nicks & touch-up paint A/R

This Propeller complies with all applicable AD's thru FAA B.W. 2012-11.


John M Efinger I/A 267630558

7-Jun-2012

S
N

Efinger Aviation & Maintenance

554 Aviator Dr., Ft. Worth, TX. 76179-5434

I certify that this Propeller S/N 730698, TSOH 908.5 HRS , 576.4 Hrs Airframe TACH, 3146.5 TTAF

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

Dressed & polished minor nicks & touch-up paint A/R

This Propeller complies with all applicable AD's thru FAA B.W. 2013-13.


John M Efinger I/A 267630558

2-Jul-2013

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

Efi
554 Avia

I certify that this Propeller S/N 730698, TSO

This Propeller has been inspected with an An

Dressed & polished minor nicks & touch-up pa

Removed Prop Governor P/N C290D3J/T9 S/

This Propeller complies with all applicable AD

Efin;
554 Aviat

I certify that this Propeller S/N 730698, TSO

This Propeller has been inspected with an Annu

Dressed & polished minor nicks & touch-up pai

This Propeller complies with all applicable AD's

4

99.8 TTAF
Airworthy Condition.


John M Efinger I/A 267630558

7-Jun-2012

4

146.5 TTAF
Airworthy Condition.


John M Efinger I/A 267630558

2-Jul-2013

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434


I certify that this Propeller S/N 730698, TSOH 949.1 HRS , 617.0 Hrs Airframe TACH, 3187.1 TTAF
This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.
Dressed & polished minor nicks & touch-up paint A/R
Removed Prop Governor P/N C290D3J/T9 S/N 753428. Replaced shaft housing O-ring and bench checked @ Byams Propeller.
This Propeller complies with all applicable AD's thru FAA B.W. 2014-18


John M Efinger I/A 267630558

12-Sep-2014

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

I certify that this Propeller S/N 730698, TSOH 987.6 HRS , 655.58 Hrs Airframe TACH, 3225.6 TTAF
This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.
Dressed & polished minor nicks & touch-up paint A/R
This Propeller complies with all applicable AD's thru FAA B.W. 2015-18


John M Efinger I/A 267630558

17-Sep-2015

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434


I certify that this Propeller S/N 730698, TSOH 1017.5 HRS, 685.5 Hrs Airframe TACH, 3255.5 TTAF
This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.
Dressed & polished minor nicks & touch-up paint A/R
This Propeller complies with all applicable AD's thru FAA B.W. 2016-21


John M Efinger VA 267630558
26-Oct-2016

N185WG
Serial No: 730698
Model: D2A34C58-NO
TACH: 706.3
TSOH: 1038.4

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.
Dressed & polished minor nicks & touch-up paint A/R
This Propeller complies with all applicable AD's thru FAA B.W. 2018-10


John M Efinger VA 267630558
25-May-2018

N185WG
Serial No: 730698
Model: D2A34C58-NO
TACH: 734.43
TSOH: 1066.5


This Propeller has been inspected with an Annual
This Propeller complies with all applicable AD's th

N185WG
Serial No: 730698
Model: D2A34C58-NO
TACH: 755.98
TSOH: 1088.0

This Propeller has been inspected with an Annual
This Propeller complies with all applicable AD's th

2
79-5434


TACH, 3255.5 TTAF
in Airworthy Condition.



John M Efinger IA 267630558
26-Oct-2016

aintenance
TX. 76179-5434

in Airworthy Condition.



John M Efinger IA 267630558
25-May-2018

N185WG

Serial No: 730698

Model: D2A34C58-NO

TACH: 734.43

TSOH: 1066.5

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

This Propeller complies with all applicable AD's thru FAA B.W. 2019-17

Efinger Aviation & Maintenance
554 Aviator Drive, Ft. Worth TX. 76179-5434



John M Efinger IA 267630558
1-Sep-2019

N185WG

Serial No: 730698

Model: D2A34C58-NO

TACH: 755.98

TSOH: 1088.0

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

This Propeller complies with all applicable AD's thru FAA B.W. 2020-18

Efinger Aviation & Maintenance
17917 Hwy 377 S, Cresson, TX. 76035



John M Efinger IA 267630558
4-Sep-2020

Serial No: 730698

Model: D2A34C58-NO

TACH: 772.1

TSOH: 1104.2


Efinger Aviation & Maintenance

17917 S Hwy 377, Cresson, TX. 76035

STAPL

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

This Propeller complies with all applicable AD's thru FAA B.W. 2021-20



John M Efinger -IA 267630558

1-Oct-2021

N185WG

Serial No: 730698

Model: D2A34C58-NO

TACH: 772.1

TSOH: 1104.2

Efinger Aviation & Maintenance

17917 S Hwy 377, Cresson, TX. 76035

This Propeller has been inspected with an Annual Inspection & determined to be in an Airworthy Condition.

This Propeller complies with all applicable AD's thru FAA B.W. 2022-21



John M Efinger -IA 267630558

18-Oct-2022