

2917
Cessna[®]



AIRCRAFT LOG
AND MAINTENANCE RECORD

N 73509

SERIAL NO. 17267518



AIRCRAFT LOG AND MAINTENANCE RECORD

Record of Cessna 172M 17267518 N73509
 Make Model Serial Certificate

With Engine Lycoming O-320-E2D L-45899-27A
 Make Model Serial

From _____ 19____ to _____ 19____

Detailing Time From _____ To _____
 Hours Hours

Owner _____

Address _____

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error	Place	Signature	19 ____	
	VOR 1	VOR 2			
					I certify that this aircraft/engine has been
					inspected in accordance with an <u>100%</u>
					inspection and found to be in an airworthy
					condition on this date.
					Houston Aircraft Repair, Inc.
					Date <u>8-17-76</u> Time <u>99.1</u>
					Signed <u>[Signature]</u>
					AED/BA <u>1943822</u>
					REPACKED WHEEL BEARINGS
					GREASED FITTINGS. CHECKED
					ALL PULLEYS & CABLES.

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE 19 ____	REMARKS Enter here general data with reference to "Line" and "Periodic" inspections - Rigging Changes - Alterations - Repairs - Service Letters - and changes in propeller or engine - as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.
Date	Bearing error VOR 1 VOR 2	Place	Signature		
					I certify that this aircraft/engine has been inspected in accordance with an <u>100 hr</u> inspection and found to be in an airworthy condition on this date. <u>11-5-76</u> Houston Aircraft Repair, Inc. Date <u>11-5-76</u> Jack Time <u>199.6</u> Signed <u>[Signature]</u> ASP <u>RP 1929717</u> Checked all cables & Pulleys Repacked wheel bearings Installed New Brake Linings Bleed L/H Brake Installed New ORINGS on primer

AIRCRAFT LOG

DATE	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
					HOURS	10THS	
1-17-77			I certify that this aircraft / engine has been inspected in accordance with 100 HR inspection and found to be in a satisfactory condition this date.				Changed left and right tires, serviced brakes, lubed all pulleys and cables, cleaned air filter.
			Hours of flight this date: 299.8				J. K. Kurland
			Signed: J. K. Kurland				
			ATP 1929017				

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

DATE	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
					HOURS	10THS	
19							
	I certify that this aircraft / engine has been						
	inspected in accordance with an <u>100 hr</u>						
	inspection and found to be in an airworthy						
	condition on this date.						
	Houston Aircraft Repair, Inc.						
	Date <u>4-7-77</u> Tach Time <u>399</u>						
	Signed <u>H.P. Patterson</u>						
	AEPH <u>422564134</u>						
	Removed panels checked pulleys & cables						
	lubricated all hinge points packed wheel						
	bearings serviced battery performed other						
	routine maint						
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE 19 ____	REMARKS Enter here general data with reference to "Line" and "Periodic" inspections - Rigging Changes - Alterations - Repairs - Service Letters - and changes in propeller or engine - as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.
Date	Bearing error VOR 1 VOR 2	Place	Signature		
7-13-77	Tach 0492.4				100 hr completed this date. checked all cables pulleys etc. checked brakes, lines, etc. Installed new seals in nose gear and installed a .006 shim under collar. lubed all hinges, bellcranks, ball joints etc. I certify that this aircraft has been inspected in accordance with an <u>100 hr</u> inspection and found to be in an airworthy condition on this date <u>7-13-77</u> Tach time <u>0492.4</u> <u>Shih T. Shih</u> A P 463049683 <u>CLW AD 74-20-10 Leigh SYSTEM E.L.T. NO Corrosion</u> I certify that this aircraft has been inspected in accordance for <u>AN</u> <u>Annual</u> Inspection and was determined to be in airworthy condition. Date: <u>7-13-77</u> Total Time <u>492.4</u> Signed <u>Kenneth W. Clary</u>

Kenneth W. Clary IA No. 1869239

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

[illegible]

[illegible]

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error	Place	Signature		
	VOR 1	VOR 2		19 ____	
2-23-78	TACH	723.9			REMOVED ALTERNATOR & REPLACED WITH WARD AERO EXCHANGE
					<i>George Crosser</i> AIP 450841163
2-28-78	TACH	947.4			INSTALLED NEW S-25 REBAT BATTERY.
					<i>George Crosser</i> AIP 450841163

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error	Place	Signature	19 ____	Enter here general data with reference to "Line" and "Periodic" inspections - Rigging Changes - Alterations - Repairs - Service Letters - and changes in propeller or engine - as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.
VOR 1	VOR 2				
3-15-78				741.8	Completed 100 hr inspection. Removed all panels and inspected pulleys, cables & bellcranks. Service battery. Repacked all wheel bearings. Cleaned the fuel screens. C/W AD 74-20-10 Found no corrosion in F&T but replaced the batteries. All other AD previously C/W
I hereby certify that this aircraft has been inspected in accordance with FAR 91.25 and is in airworthy condition.				100 hr	Inspected
3-15-78				741.8	Time
Joe Karstetter					Inspection
JAIP 45-7986508					accordance for A/VN
					Signed
					Date:
					and was determined to be in airworthy condition.

Kenneth W. Clay IA No. 1869239

[illegible]

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error	Place	Signature		
	VOR 1	VOR 2		19 ____	
					AIRCRAFT N <u>7350K</u> WITH TRANSPONDER <u>CESNA</u> MODEL <u>—</u> SN. <u>1431</u> HAS BEEN INSPECTED PER FAR 91.177 THIS DATE <u>4-5-79</u> AND MEETS THE REQUIREMENTS OF FAR 91. APPENDIX F. NEXT INSPECTION DUE <u>4-5-81</u> <u>[Signature]</u> <u>361-5</u> SIGNATURE CERTIFICATE NO.
					<u>4-5-79</u> <u>INSTALLED COM 120 & WA ✓</u> <u>[Signature]</u> <u>148140</u>

AIRCRAFT LOG

DATE

FLIGHT
FROM

TO

NATURE OF
FLIGHTDURATION
OF
FLIGHTACCUMULATED
TOTAL
FLYING TIME

HOURS

10THS

SIGNATURE OF
PILOT

19

4-25-79 Tach 923.5 FLT Shark 7 mod 754-190
 SN 161,516. Battery Replacement Date July 1980
 wt. 2.25 lb. lithium batteries not installed
 A.D. 79-05-02 RNA A.D. 74-20-10 Leigh NO
 longer applies. Alvin P. Smith I+A 155 0103

8-29-79 Tach 968.8 C/W A.D. 79-08-03 Cigar
 lighter wire disconnected at the circuit
 breaker I certify that this Aircraft has
 been inspected in accordance with an ANNUAL
 inspection and was determined to be in an
 airworthy condition. Alvin P. Smith I+A 155 0103

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error VOR 1 VOR 2	Place	Signature		
				19 <u>80</u>	Enter here general data with reference to "Line" and "Periodic" inspections - Rigging Changes - Alterations - Repairs - Service Letters - and changes in propeller or engine - as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.
					<i>TACH 1066.2 hrs 10-3</i> <i>Work completed that date, visually inspected cables & pulleys, made visual inspection of Aft bulkhead for cracks also checked five nose bolts, visually checked vertical fin attach brackets for cracks, checked brass turn buckles for cracks, checked main landing gear bulkhead for cracks, serviced battery & brake master cyl. checked steering rods for cracks, repacked wheel bearings, Removed ELT Battery in accordance to AD 79-05-02, Aircraft is restricted to a 25 mile radius of airport until new battery kit is installed.</i> <i>"I certify that this Airframe has been inspected in accordance with a <u>mine</u> inspection and was determined to be in airworthy condition". A. P. Randy L. Kelly #369528035</i>
					Date <u>10-3-80</u> T.T. <u>1066.2</u> <i>"I certify that this Airframe has been inspected in accordance with an Annual Inspection and was determined to be in airworthy condition."</i> AD Notes thru <u>80-9</u> checked as per listed log entries. <i>Kenneth L. Tenpenny</i> KENNETH L. TENPENNY I.A. 1489750

AIRCRAFT LOG

DATE 19 88 81	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
					HOURS	10THS	
			Change engine				
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.							
TOTAL HOURS <u>1179.2</u>				DATE OF INSPECTION <u>10-27-81</u>			
MECHANIC SIGNATURE <u>[Signature]</u>							
GRADE NO. <u>1175126 CA</u>							
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error	Place	Signature		
81	VOR 1 VOR 2			19 ____	
Oct 27, 81					Tach Time 1180.7 hrs Removed following: (ARC RT308C, 1K514, MARCO COM 120, MARCO NAV 11, ARC RT 359A) Installed following (Klug KMA-24 S/N 10471, KX 120R S/N 73176, 73161, K1206 S/N 25440, KT 76A S/N 29013, K1275 S/N 16508, K1209 S/N 9625, K1208 S/N 14758, K1206A S/N 17552) Unit installed per Klug install manuals and AC 43-13 steps 1, 2A, 3. Units installed in existing avionics panels and cockpit shelves. Revised Wt. & Bal and Equipment list to reflect change data. TACH: 1180.7 TRANSPONDER MEETS OR EXCEEDS FAR 91.177 AND AC 43 APPENDIX F THIS DATE. TUCSON AVIONICS INC. FAA CRS 409-14 SIGNED: <i>[Signature]</i> TUCSON, AZ 85706
12/24/81					ELT Batt Due date 8-1-83



TUCSON AVIONICS INC.
 FAA REPAIR STA. 409-14
 1140 E. VALENCIA RD.
 TUCSON, ARIZONA 85706
 602-746-1463

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

[illegible]

AIRCRAFT LOG

DATE	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
					HOURS	IOths	
19 9/1/83	Perham pitot/static test on A/C in accordance with FAR 43 Appendix E and FAR 91 paragraph 91.170. Also test transponder and altitude reporting system in accordance with FAR 43 Appendix F and FAR 91 paragraph 91.177. And have found the above systems serviceable.						John P. Lerner Mike Aronson FAA REP. STA. 409-78
12-1-83	Replace	ELT	Battery	pak	- Due Date 5-1-85		
OCT 1, 1984	TACH TIME	1341.1			I Certify This <u>Copy</u> Has Been Inspected In Accordance With <u>Almond</u> Inspection And Has Been Found To Be In Adequate Condition Max. Endurance of <u>5.5</u> HRS		

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

[illegible]

Based on examination of request and aircraft records I find they comply with the request and have issued a Special Airworthiness Certificate as of this Date-10, 15, 1984.

NM-1150-46 *Henry M. Oline*

AIRCRAFT LOG

VOR Receiver operation checked in accordance with FAR 91.25				DATE	REMARKS
Date	Bearing error		Place		
	VOR 1	VOR 2			
9/20				9/20	arrived Hangar at Santa Paula SZP 71
				TTAC 19528	checked ELT per 91207 D Check - see
					both per AP of I Corp that this aircraft
					has been inspected & AW approved inspection
					and was determined to be in an airworthy
					condition. (over KPS 758288) 1A
11/21-22/07				2007	TTAC 19536 checked ELT per 91207 arrived
					at Santa Paula. No problems. Both
					checked that this aircraft has been inspected
					1 AW approved inspection and was determined to
					be in an airworthy condition. (over KPS 758288) 1A
2/3/08				199.2	INSTALL NEW STENE AVIATION FIBERGLASS
					LANDING GEAR & WING STRUT FAIRINGS & DORSAL F.W.
					INSTALL PLANE PLASTIC, INTERIOR PLASTIC
					EXCEPT ROOF. NO W&B CHANGES.

Tim Quinn AWP 1055843

[illegible]

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

AIRCRAFT LOG

[illegible]

REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections - Rigging Changes - Alterations - Repairs - Service Letters - and changes in propeller or engine - as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

Channel Islands Aviation

305 Durley Avenue

Camarillo, CA 93010

FAA Repair Station DDER146D

Reg: # N73509 Model: Cessna 172M Ser. # 17267518

Date: 07/03/08 Tach: 1981.1

C/W SEB 07-05, removed pilot seat from aircraft and installed secondary seat P/N SK210-174A. Ops check good.

Replaced nose strut bolt with new P/N AN5-50A, all IAW Cessna 172 SM.

All pertinent data on file under WO 14841.

I certify that the above work was accomplished, inspected, found to be airworthy, and is approved for return to service.

Andrew Rouleau

F.A.A. Repair Station #DDER146D

Authorized Inspector

AIRCRAFT LOG

DATE	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
					HOURS	10THS	
12 2 008							
8/1/08	TT 19817		Checked ELT per 9/207D	0 H			
I certify that this aircraft has been inspected in accordance with annual inspection and was determined to be in an airworthy condition John J. Owen APS 71582 8821A							
12 2 008	TT 19817						
get PK 2							
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
1985 tech holds	1356.5 1561.7		I certify this aircraft inspected in accordance with an annual inspection and found airworthy this date. AD 84-26-02 N.A.	Robert C. Mace A&I 2164638
10/10			BASED ON RECORDS I FIND THIS AIRCRAFT MEETS THE REQUIREMENTS OF THE REQUEST & I HAVE ISSUED A SPECIAL AIRWORTHINESS AS OF THIS DATE.	L. M. Allen NH-MISO-46
12/10/85			I HAVE REVIEWED ALL APPLICABLE RECORDS RE THIS MODIFICATION & FIND IT MEETS THE REQUIREMENTS & I HAVE ISSUED A STANDARD AIRWORTHINESS CERTIFICATE. NEXT ANNUAL DUE 10/86	Henry J. M. Allen NH-MISO-46
3/2				

MAINTENANCE RECORD

DATE 19 <u>86</u>	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
3-15	1384	tach	replace vacuum pump & suction line AIRBORNE # 11AA006885	
11/14	1391.0		I certify this aircraft inspected in accordance with an annual inspection and found airworthy this date. AD 86-05-02 N.A. altimeter installed is King KA134 encoder.	
hobbs	1561.0			
ELT battery due 8/1/85			Robert C. Mace ATI 2164638	

MAINTENANCE RECORD

DATE 1986	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
12/21	1408	5	Remove McCauley Propeller Model B2D34C214 serial # 783542	
			Install McCauley Propeller Model B2D34C206 serial # 765860	
3/9/87	1420		Replace engine mounts	
3/11/87 3/26/87	1420		Altimeter recalibrated, transponder (see yellow tag) certified (transponder done by William Hamilton) ^{FAR} 91-171 + 172	Robert C. Mace ATL 2164638
4/24/87	1429		replace D.G. & Clock	

MAINTENANCE RECORD

DATE 19 <u>8</u>	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
10/4	1453.	7	I certify this aircraft inspected in accordance with an annual inspection and found airworthy this date	Robert C. Mac ATI 2164638
			Replace ELT BATT. Due Date 9-89	
10/23/88	1515.0		I certify this aircraft inspected in accordance with an annual inspection and found airworthy this date.	Robert C. Mac ATI 2164638
			O/H alternator, replace L Brake pads, pads Brake Brings.	
12-4	1531		replace D G	

MAINTENANCE RECORD

DATE 1989	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
1-26	1570.1		VOR receiver check TIA #1 = 2° L #2 3° L	Gay J. Sene
7-10	1599.8		25 hr., VOT Check replace windshield	
7-13 11/13/89	1616	0	ELT BATTERY DUE DATE 1-92 I certify this aircraft inspected in accord with an annual inspection on 11/13/89 and found airworthy this date. AD 87-30-03 completed with by annual, rails & holes O.K.	Robert C. Place ATI 2164638

MAINTENANCE RECORD


DATE 19 <u>90</u>	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
10/29 tach	1660		I certify this aircraft inspected in accordance with <u>an annual inspection</u> and found airworthy this date. AD87-20-03 R, complied by visual inspection ^(replaced at 12600)	Robert C. Mace ATI 2164638
			O/H alt, replace prop gear fitting in engine case per AD #	
			replace, landing - Boost switch. replace voltage regulator Battery	
10/28/91	1681.8		I certify this aircraft inspected in accordance with an <u>annual inspection</u> and found airworthy this date. AD87-20-03 R, complied by visual inspection (see next annual)	Robert C. Mace ATI 2164638
9-13-92	1726		25 HR insp	

MAINTENANCE RECORD

DATE 19 <u>93</u>	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
2-6			TACH TIME 1735.3 Total ACFT TIME 1735.3 See back of this book for currency of AD compliance & listing.	I Certify This <u>ACFT</u> has Been Inspected In Accordance With A <u>Annual</u> Inspection And Has Been Found To Be In Airworthy Condition Alex Adodaca A.E.D. 1175126
			RESEAL NOSE GEAR STRUT, replace nosewheel shimmy damper w new Cesna part.	Alex Adodaca 1A
10-4-93	1753		25 HR - replace Battery	

MAINTENANCE RECORD

DATE 19 <i>94</i>	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
2/13	1785	0	I CERTIFY THAT THIS AIRCRAFT WAS INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION AND FOUND TO BE AIRWORTHY. AD 87-20-03R1 Completed by visual inspection methods	<i>James V. [Signature]</i> AP 120389509 IA
1/28/95	1763.0		I certify this aircraft inspected in accord. with an annual inspection and found airworthy this date. AD 87-20-03R2 by visual (not due at annual)	<i>Robert C. Mace</i> AT I 2164638 AP



MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
1995				
10/7/95	TACH	1784.0	I CERTIFY THAT THIS <u>AIRCRAFT</u> HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN <u>AIRWORTHY</u> CONDITION.	<i>Greg M Jones</i> ATP 515409418 IA
			AD 87-20-03R2 By Visual inspection <i>Greg M Jones</i>	
5-1-97	TACH	1847.6	TOTAL TIME 1847.6. COMPLIED WITH AD 87-20-03R2 BY INSPECTION OF SEATS AND SEAT TRACKS. COMPLIED WITH FAR 91.207D. BY INSPECTION AND FUNCTIONAL CHECK OF ELT SYSTEM. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION PER FAR 43 APPENDIX D. DETERMINED TO BE AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.	
July 20, 2000	Tach	1853.1	clean lube & check Bullets Controls & cables. clw Ad 87-20-03R2 Seat rail by insp Ad 84-26-02 by replacing Cassine Air Filter Install new Horns Ring ELT including panel switch This replaces shank 7 which was stolen - no weight or location change. Install 3 new brake linings Install All new Tires & Tubes Repair wheel bearings <i>Thip T Ph</i> ATP 507263671	<i>Ronald Schultz I.A. 1459018</i>

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
			I certify this <u>Airframe</u> has been inspected in accordance with FAR 43 Appendix "D", in accordance with a <u>Annual</u> inspection, and as of this date, return it to service. T.T. <u>1853.1</u> Date <u>July 29, 2000</u> Tach <u>1853.1</u> Signature <u>Michael Z. B. IA # 507263671</u>	
<u>Sept 11, 2001</u> <u>Tach 1900.3</u>			clean lube and check pulleys controls & cables Repack wheel bearings check brakes & Fluid Level C/W Ad 87-20-03 Br S-T rails by insp - <u>Michael Z. B. IA # 507263671</u> INSPECTION AND WAS DETERMINED TO BE IN INSPECTED IN ACCORDANCE WITH CERTIFIED THAT THIS	
			I certify this <u>Airframe</u> has been inspected in accordance with FAR 43 Appendix "D", in accordance with a <u>Annual</u> inspection, and as of this date, return it to service. T.T. <u>1900.3</u> Date <u>Sept 11, 2001</u> Tach <u>1900.3</u> Signature <u>Michael Z. B. IA # 507263671</u>	

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
Oct 28, 01			Remove transponder for repair. Weight and balance not affected	<i>[Signature]</i>
7/2/01			RAMP TESTED TRANSPONDER MODEL <u>KT76A</u> S/N: <u>29013</u> MEET OR EXCEEDS REQUIREMENTS OF FAR PART 43 APPENDIX F. DATE: <u>7/2/01</u> SIGNED <u>[Signature]</u> SONORA AVIONICS INC. DBA SOUTHWEST AVIONICS FAA C.R.S. NYRR723K.	
July 8, 2004			Tach read 1919.6 Clean lube & check pulleys controls and cables BOP Prop see Prop 19 - clw Ad 87-20-03 R-52 trails by ins p Replace heater in T. Ke Hase Choc R & Free up Trim pulleys at rear of Fuselage Flush Fuel system and remove & clean both Fuel Tanks clean all Filters in fuel system Repair crack in right upper part of Firewall Free up Trim pulleys at Extreme rear of Fuselage Reseal nose strut Int. 11 Bracket in Filter Assembly see 337 This date Melvin L. Blaw AdP 507263671	

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
			I certify this <u>Airframe</u> has been inspected in accordance with FAR 43 Appendix "D", in accordance with a <u>Ann 421</u> inspection, and as of this date, return it to service. T.T. <u>1919.6</u> Date <u>July 9, 2004</u> Tach <u>1919.6</u> Signature <u>Mike L. Blum</u> # <u>507263671</u>	
12/27/04			REPLACED BLT BATTERIES TESTED OPERATIONAL <u>Jim Linn</u> ADP 563480709 12/27/04	
1/2/05 1929.8			REMOVED REAR WINDSHIELD, CLEANED FRAME REPLACED WITH CEE BAILEY REAR WINDSHIELD, USED DEALER SUPPLIED GELT & CALKING. <u>Jim Linn</u> ADP 563480708 1/2/05	
195388 TT			I certify that this aircraft has been inspected IAW annual inspection and was determined to be in an airworth condition John Chausen ADP 57158269/14 checked EET per 91207D OK	

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
1/5 2001	1996	7	REMOVE PROPELLER REPLACE ORING & ENGINE SHANK SEALS. INSTALLED NEW BRAKE PADS ON RIGHT. PERFORMED ANNUAL INSPECTION REQUIREMENTS AS PER CESSNA SERVICE MANUAL. CHANGE OIL TO CASTROL A8160 Tim Loring A & P 1455843	
1/6 2010	1996.7		Checked ELT for 9120100 & I certify that this aircraft has been inspected IAW annual inspection and was determined to be in an airworthy condition John Clow A P 571582681 A	
2-9 2011	2007.1		REPL. 57062666 RED NOOVS PLW MC0543015-6. REPL. 14FB-3M RED GWS FOR THROTTLE & PROP CONTROLS. B. L. 10540664625	

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
3 17 11 T12005			Checked ECT per 91207 DOR I certify that this aircraft has been inspected 12W annual inspection and was determined to be in an airworthy condition	John I. Clouse 3440145
4 22 0-12 2519-6T			Checked ECT per 91207 DOR checked seat belt ADOR I certify this aircraft has been inspected 12W annual inspection and was determined to be in an airworthy condition	REPLACED ELT BATT 5-30-2012 John I. Clouse AP571582-CP 3440145-1 1A
			John	
			 GERDES AVIATION SERVICES FAA Approved Repair Station G3RR399J VFR CERTIFICATION TESTS - The ATC Transponder Systems have been tested and inspected per 14 CFR 91.413 and have been found to comply with 14 CFR 43 appendix F. N Number <u>73509</u> Tach/Hobbs <u>2026.7</u> ACTF H: <u>1639.5</u> Date <u>05-23-2012</u> Authorized Signature: <u>Brian Jones</u> P.O. Box 2872 Fullerton CA 92837 Office (714) 525-7545	

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
2013 2014				
7/25/13	39.8		checked City 91270 of Battery 222 6-107 Dental that the aircraft has been inspected 1 A W annual inspection and was determined to be in an airworthy condition John A. Jones AF 3440151A	
4/24/14	2052.8		WROTE AIRFRAME CONDITION REPORT 442 CONTROL TOWER INSIDE REPORTING SYSTEM 4 000000, REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED REMOVED TESTED OK REPIRED WITH MAIN TIRE, MAIN GROUPE AND OVERALL TIRE. SERVICE BRANK CYLINDER WITH 5001 REMOVED REMOVED REMOVED John A. Jones AF 3440151A	



This AIRPLANE
N73509 S/N 17267518
 Has been Inspected and



Determined to be **AIRWORTHY** condition. Per a

ANNULAC inspection. Tach
 Total Time _____ Engine Cylinders #1 72
 #2 72 #3 72 #4 74 #5 _____ #6 _____ #7 _____ #8 _____ #9 _____

William M. Reid
 William M. Reid A&P / I.A. 2691573 Date 20 Jan 2014

Reid Inspection Services

This aircraft has been weighed at A/C and
 checked for W&B Per TCDS and manufactures
 Instructions. Model 172M N 73509 s/n

17267518
 And found to be 1576 empty wt./ C.G. of
42.4

Bill Reid A&P/I.A. Certificate 2691573

Minden Aircraft Repair

2227-A1 Bellanca St., Minden, NV 89423

775-720-1959 jim@mindenaircraftrepair.com

AIRCRAFT "N" NUMBER	MODEL	S/N	TACH TIME	TOTAL TIME
N73509	172M	17267518	2072	2072

Removed existing nose wheel fork and installed a "Landes" fork IAW STC# SA02069AK. Installed a serviceable 40-76A wheel and a 7.00 x 6", 6 ply tire and tube in nose wheel position. Installed 6.00 x 8.00, 6 ply tires on MLG. See 337 form this date. W&B change negligible.

Signed: _____ Date: 7/24/14

Jim Crozier 2897793 A+PIA

MAINTENANCE RECORD

Minden Aircraft Repair

2227-A1 Bellanca St. ,Minden, NV 89423

775-720-1959 jim@mindenaircraftrepair.com

SIGNATURE, CERTIFICATE TYPE & NUMBER


DATE
19__

TIME
HOUR

AIRCRAFT "N" NUMBER	MODEL	S/N	TACH TIME	TOTAL TIME
N73509	172M	17267518	2086	2086

Performed 100 hour/annual service requirements IAW Cessna "Skyhawk" service manual chapter 2. Inspected ELT IAW FAR 91.207d, voltage checked batteries. R+R muffler with a new part from "Knisley Welding". Installed fuel type and quantity placards. Installed aircraft limitations placard. I certify that this aircraft was inspected IAW an annual inspection and found to be airworthy at this time.

SEE SEPARATE LISTING FOR A.D. COMPLIANCES

Signed:  Date: 2/15/15

Jim Crozier 2897793 A+PIA

MAINTENANCE RECORD

DATE 19__	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
4/4/16	2086.8	8	inspected aircraft IAW on annual inspection and was determined to be in airworthy condition Ray Walker AP3280798 IA see AD list	
4/7/16	2086.8		inspected ELT IAW FAR 91.207 Rev D Ray Walker AP3280798	
5/30/16	2086.8		install heater inlet duct Ray Walker AP3280798 install LH left seat track	
9/1/16	2086.9		Install external power plug as per original TCDS & equipment list w/ B change tag Ray Walker AP3280798 Paint Top & part of bottom cowling	

MAINTENANCE RECORD


DATE	TOTAL IN SERVICE HOURS	Minden Aircraft Repair Minden Tahoe Airport KMEV 775-720-1959 jim@mindenaircraftrepair.com	ED SIGNATURE, ICA TYPE NUMBER
19			

AIRCRAFT "N" NUMBER	MODEL	S/N	TACH TIME	TOTAL TIME
N73509	C172M	17267518	2087	2087

Performed 100 hour / annual service requirements IAW Cessna "Skyhawk" service manual. Inspected ELT IAW FAR 91.207D, voltage checked batteries. Cleaned and lubed airframe. I certify that this aircraft has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed:



Date:

6/26/17

Jim Crozier 2897793 A+PLA



FAA CRS NA3R703L
Reno-Stead Airport
4825 Texas Avenue
Reno NV 89506

PH: (775) 972-5540

Date: 8/22/2017; Aircraft: N73509; Type: CESSNA; S/N: 17267518
Transponder has been tested to comply with Appendix F of Part 43 I/A/W FAR 91.413.
Pertinent details of work accomplished on file at this Agency

Signed:



Inspector

Work Order #20631

for AVIATION CLASSICS Ltd.

FAA CRS: NA3R703L



DD/9

Aircraft N# 73509 Tach: 2123.15 Hobbs: _____

Performed Weight and Balance in accordance with AC43.13-1B Chapter 10.

Empty Weight: 1557

Center of Gravity: 36.034

Moment: 56167.4

Date: 6/11/2018 Tech: AMP321289 W.O. 1B-0031

Signed: [Signature]

ACCURATE AERO, LLC • CRS# 74CR304D • PH: (408) 835-4034 Hangar B-1 • Minden,
Nevada 89423

ANCE RECORD

HE WORK PERFORMED

AUTHORIZED SIGNATURE,
CERTIFICATE TYPE
& NUMBER

MAINTENANCE RECORD

DATE _____ TO _____
 19____ HOI **Minden Aircraft Repair**
Minden Tahoe Airport KMEV
775-720-1959 jim@mindenaircraftrepair.com

SIGNATURE, TYPE
 NUMBER

AIRCRAFT "N" NUMBER	MODEL	S/N	TACH TIME	TOTAL TIME
N73509	C172M	17267518	2119.2	2119.2

Performed 100 hour / annual service requirements IAW Cessna "Skyhawk" service manual. Installed a "BAS, Inc." shoulder harness kit IAW STC# SA2067NM, see 337 form this date. Installed "Flight Products, Inc." wing root fresh air vents IAW STC00709CH, see 337 form this date. Installed a firewall battery box from "Atlee Dodge Aircraft Services, LLC" IAW STC# SA02333AK, see 337 form this date. Installed a "Enhanced Flight" battery charger interface cable at external power jack. Installed copper battery cables from "Bogert Aviation" IAW STC SA3531NM, see 337 form this date. Fabricated instrument panel from .080 2024T3 aluminum. Reconfigured instruments for installation of an "Electronics International" MVP-50P installed under STC# SA1988SE, see 337 this date. Replaced existing ELT with an "ACK Technologies Inc" E-04 ELT system IAW Model E-04 Installation manual. Cleaned and lubed airframe. Weighed aircraft and provided a new W&B report. I certify that this aircraft has been inspected IAW an annual inspection and has been found to be airworthy at this time.

New empty weight 1557lbs @ 36.074"


SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed: _____

Date: _____

7/1/18

Jim Crozier 2897793 A+PIA



DATE

10

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMDV
77-720-1000
jim@mindenaircraftrepair.com

Aircraft "N" Number	Model	S/N	Reg. State	Reg. Exp.
N73500	172IV	17257518	CA	CA

Performed 100 hour/annual service requirements IAW 145.303(a) (3) and 145.303(b) (1) IAW FAR 43.161 (1) I certify this aircraft has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR ALL COMPLIANCES

Signed

[Signature]
Jim G. 250778 ASPIA

Date 3/22/21

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959
jim@mindenairstcraftrepair.com

DATE	Aircraft "N" Number	Model	S/N	Tach Time	Total Time
	N73509	172M	17267518	2134.71	2134.71

Performed 100 hour/annual service requirements IAW Cessna "Skyhawk" service manual. Inspected ELT IAW FAR 91.207D, expires 4/23. I certify this aircraft has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed

Date

6/1/22

Jim Crozier 2897793 A&PIA

ID SIGNATURE,
ICATE TYPE
NUMBER

ENGINE LOG

ENGINE DESCRIPTION

Mfgr. **LYCOMING**

Place

VILLAMPORT, Lu

Date 1973

Type

Model *T-360-A1B6* Serial No. *L11150-51*

Rated H. P.

Maximum H. P.

Weight (Dry)

Rated R. P. M.

Maximum R. P. M.

Oil Pressure

Bore

Stroke

Displacement

Cu. In.

Compression Ratio

Supercharger Ratio

Gear Ratio

Propeller **HARTZELL**Hub Design *HC-M24R-1BF* Hub Serial No. *EN33*

Blade Design

Blade Serial No. *C41293* Blade Serial No. *C42565*

Maximum Hub H. P.

Maximum Blade H. P.

Pitch

Diameter

Length

Owners Name

Address

City

State

3

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
10/7/73									<i>Pro L Flight Time Wooden BAC</i>		
10/25/73											
11/2/74											
BROUGHT FORWARD											
TOTALS											

☐ AIRPLANE ☒ ENGINE TIME 108:10
 MAINTENANCE ACCOMPLISHED:
☒ 100 hr INSPECTION
☒ MAINTENANCE ITEMS LISTED AND/OR ON
 FILE NO. MC-141 THIS ENGINE HAS
 BEEN REPAIRED AND INSPECTED IN ACCORDANCE
 WITH CURRENT REGULATIONS OF THE FAA AND
 IS APPROVED FOR RETURN TO SERVICE.
S.E. SHOP AUTH. SIGNATURE DATE 1-20-74
 BEECH AIRCRAFT CORP. MMF3345
W.W. Butenschlager

FORM 351-100 (Rev. 1-67) U.S. GOVERNMENT PRINTING OFFICE: 1967 O - 351-100

ENGINE LOG

[illegible]

5

[illegible]

Signed Robert J. Hayflick Title Chief
Certified Repair Station #4303
UNITED BEECHCRAFT, INC.
P. O. Box 62 WICHITA, KANSAS

ENGINE LOG

7

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
9-4-74	389 hours total time engine		Cleaned and timed both magnetos.								
Tac. Time <u>389 hrs.</u> Date <u>9-4-74</u> " I certify that this (aircraft) (engine) has been Inspected in accordance with (Annual) (100 hr) inspection and was determined to be in airworthy condition."											
Signed <u>D. J. O. Hermin</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085											
3-7-75	486 hours total time engine		Replaced push rod seal on #2 cylinder. Repaired engine baffling. Changed oil: Shell 30/65 'W'								
Tac. Time <u>486 hrs.</u> Date <u>3-7-75</u> " I certify that this (aircraft) (engine) has been Inspected in accordance with (Annual) (100 hr) inspection and was determined to be in airworthy condition."											
Signed <u>D. J. O. Hermin</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG


DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6-11-75	589 hours tach.		Oil changed: Shell 50/100 w'								
Tac. Time <u>589 hrs</u> Date <u>6-11-75</u> " I certify that this (aircraft) (engine) has been Inspected in accordance with (annual) (100 hr) inspection and was determined to be in airworthy condition."											
Signed <u>[Signature]</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085											
SEP 4 - 1975	Installed New Alternator Beech Part #33-380009-1		Ops. OK.		Date <u>9/4/75</u> Work Order No. <u>9742</u> Tach Time <u>657.8</u>						
S/N A1625		I certify the above mentioned repair(s) are airworthy.		Signed <u>[Signature]</u> AIP 444384921 for							
Chapman Aviation, Inc. Addison Airport — Dallas, Texas											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

9

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
10-16-75									690 hours tach. Presented intake valve in #3 cylinder. Oil changed: Shell 40/80 removed. Honed #5 cylinder.		
Tac. Time <u>690 hrs</u> Date <u>10-16-75</u> "I certify that this (aircraft) (engine) has been Inspected in accordance with (Annual) (100 hr) inspection and was determined to be in airworthy condition."									Signed <u>D. T. E. Harrison</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085		
2-20-76									772 hours tach and total time engine. Oil changed: Shell 30/65 'W'. Repaired engine baffling.		
Tac. Time <u>772 hrs</u> Date <u>2-20-76</u> "I certify that this (aircraft) (engine) has been Inspected in accordance with (Annual) (100 hr) inspection and was determined to be in airworthy condition."									Signed <u>D. T. E. Harrison</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085		
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
1976											
7-8									875 hours tach. Replaced push-rod tube seals on #2 cylinder. Replaced all spark-plugs; Champion REM 38 E. Oil changed: Shell 50/100 'W'.		
Mac. Time 875 hrs Date 7-8-76 "I certify that this (aircraft) (engine) has been Inspected in accordance with (100 hr) (100 hr) inspection and was determined to be in airworthy condition."											
Signed <u>Don Harrison</u> for AIRCRAFT SALES CORPORATION Repair Station Certificate No. 3256 Waukegan Memorial Airport Waukegan, Illinois 60085											
											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

11

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
1-15-77	TT	941							ENGINE REMOVED FROM BUSH B24R		
ENGINE DISASSEMBLED FOR MAJOR OVERHAUL. ALL PARTS CLEANED											
STEEL PARTS MAGNAFLUX REPORT BACK OF BOOK ^{STD.} CRANK SHAFT											
REWORKED BY GISON AVIATION & ALPHA PRODUCTS CO. COUNTER WEIGHT											
S/O 1143A SEE TAG BACK OF BOOK. ENGINE REASSEMBLED USING NEW											
SUPERIOR PISTONS, VALVES INT & EXH, BEARINGS, ROD BOLTS & NUTS ^{AD 5000-01} ^{AD 5000-01}											
NEW RINGS, NEW CAM SHAFT, CYL RECONDITIONED BY CAPITOL AVIATION											
SPRINGFIELD NEW WIRES & HONED STD. INSTALLED NEW SPARK PLUGS REPLACED											
BLOCK & POINTS IN MALS. FUEL SYS <u>NOT</u> OVERHAULD. INSTALLED REBUILD STARTER											
ENGINE BUILT FOR HOME BUILT AIRCRAFT SYMBUL. NOT INSTALLED & NOT RUN.											
AAP 1792886 Ronald J. Anderson											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

13

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
<i>9/24/80</i>											
					<i>65.3</i>		<i>65.3</i>		<i>Cleaned screws, checked fittings for tightness. Cleaned air intake filter reinstalled. drained oil added 8 qts. Aeroshell 80 W.</i>		
BROUGHT FORWARD											
<i>Daniel R. Wilson</i>											

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 <u>85</u>			
tach	1356.5		I certify this engine inspected in accordance with an annual inspection and found airworthy this date. Robert C. Macle A&I 2164638
hobbs	1561.7		
TSMCH	56.5		
3-15-86	1384		tach Change oil & filter Perry 50, send oil analysis to AOA replace vacuum pump w/ Airborne #11AA006885

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
11/14/87			
Tech	1397.0		I certify this engine inspected in accordance with an annual inspection and found airworthy this date. Oil filter changed with Pennzoil 50wt. Cleaned plugs.
hobbs	1561.8		
			Robert C. Mace A71 2164638
3-9-87			
	1420		Change oil, filter, check Battery, replace engine mounts, replace intake air box
7-20-87			
	1446		Change oil, check Battery, replace Starter Bendix, ring gear

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE

ACCUMULATED
TOTALS

Description of Inspection, Repair and Overhaul

Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

19 87

Hours

10ths

10/4 1453.0

I certify this engine inspected in accordance with an annual inspection and found airworthy this date.

Robert C. Mace
#1 2164638

7-17-88 1470

Change oil, filter replace Battery
replace spark plugs

8-14-88 1495

Change oil, filter 25 hrs. insp.

9-1-88 1516

Change oil, filter, check leak down cold
#1 = 4% ; #2 4% ; #3 = 12% ; #4 = 6%

ENGINE MAINTENANCE LOG

Description of Inspection, Repair and Overhaul

Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

DATE

ACCUMULATED
TOTALS

1989

Hours

10ths

4/13 1616.0

I certify this engine inspected in accordance
with applicable inspection and found
airworthy this date.

Kofat Mac
*HI 2164638

12/31 1625.0

change oil, filter, replace spark plugs, replace 1 magnet

4-23 1648.5

change oil, filter, 25 hr inspection

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 ⁹⁰ 10/29 Tech	1660.0		I certify this engine inspected in accordance with an annual inspection and found airworthy this date. ^{#1} ^{#2} ^{#3} ^{#4} ^{#5} ^{#6} ^{#7} ^{#8} ^{#9} ^{#10} Robert C. Hall #10612164638
	1671.8		Change oil, filter, OH, Alt., replace prop gov fitting - SER A D #
10-28-91	1681.8	8	Change oil, filter, time mag, leak down - Cond #1 - 6%, #2 - 10%, #3 - 10%, #4 - 4%

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul
	Hours	10ths	
19 <u>91</u>			Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
10/28	1681.8		I certify this engine inspected in accordance with an annual inspection and found airworthy this date. Robert C. Maale A+I 2164638
5-17-92	1702		Change oil, filter, 25 hrs.
9-17-92	1726	HRS	Change oil, filter, 25 hrs ins

ENGINE MAINTENANCE LOG

DATE

ACCUMULATED
TOTALS

Description of Inspection, Repair and Work

Enter date, odometer, miles, work done, and remarks. Also enter engine type, make, and model.

All work must be done in accordance with the engine type, make, and model.

Notes: Enter in the remarks.

10-7-93

Hours

Miles

2-6 TACH TIME 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

10-7-93 1735.3 TSMCH 435.2

O/H #1 Cyl. replace guide & valve
replace & magneto & fuel pump 435.10

10-4-93

1753

Change oil & filter replace battery

10-4-93 1753 Change oil & filter replace battery

ENGINE MAINTENANCE LOG

DATE 19 <u>94</u>	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2-13	1785	0	I CERTIFY THIS ENGINE WAS INSPECTED PER AN ANNUAL INSPECTION AND IS CONSIDERED AIRWORTHY James Vertum AIP 120381509 IA
1/28/95 tach 1763.0			I certify this engine inspected in accordance with an annual inspection and found airworthy this date. Robert C. Mac AIP 2164638 AFP

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 <u>95</u>			
10/7/95			I CERTIFY THAT THIS <u>Engine</u> HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>Sary M Jones</i> A+P 515409418 IA
TACH 1784.0			
5-1-97	TACH 1847.6	ENG. TOTAL TIME 1548.2	SMCH. 547.6. CHANGED OIL AND INSTALLED NEW OIL FILTER. WELDED MUFFLER FLANGE. (NOTE AD 90-09-10 ON OIL PUMP IS DUE 7-15-97.) I CERTIFY THAT THIS ENG. HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION PER FAR 43 APPENDIX D. DETERMINED TO BE AIRWORTHY AND APPROVED FOR RETURN TO SERVICE <i>Small Lusk</i> I.A. 1K59018

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19__			
			1/6/99
			On 8/11/83 and tach time 1300.0 we complied
			with SB's 454, 455, and 456 by installing the
			gears prescribed by these SB's in the oil pump.
			Therefore AD 96-09-10 is not applicable or p/k/w
			Robert C. Mace
			A+I 7164638 ATP
July 20, 2000			Tach 1853.1 Clean engine check engine controls fuel & oil
			screens Chg oil Aero Shell 50WT det also chg filter Clean
			spark plugs 9u Ad 84-26-02 by installing new Cessna Air
			Filter Comp check 1-72/80 2-75/80 3-76/80 4-77/80 7/10/80 7/10/80 7/10/80 7/10/80
			507263671

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19			
			I certify this <u>5134</u> has been inspected in accordance with FAA 43 Appendix D, in accordance with <u>Part 43.1</u> Inspection, repair or alteration of this aircraft, engine or propeller -- <u>5134</u> Date <u>July 20, 2000</u> in <u>1803.6</u> Signature <u>Medford Z. B. H. P. 507263671</u>
Sept 1, 2001			Tach 1900, 3 Clean engine check engine controls Fuel & oil screens Clean & check Plugs New seals installed in Mixture Valve Assembly by Holman Aviation - Chandler AZ Temp check 1- 71/80 2- 74/80 3- 78/80 4- 78/80 Medford Z. B. H. P. 507263671

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19____	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
			I certify this <u>engine</u> has been inspected in accordance with FAR 43 Appendix "D", in accordance with <u>Annual</u> inspection, and as of this date, return it to service. T.T. <u>599.3 SMott</u> <u>600.3 SMott</u> <u>SHOULD BE 600.3</u> Date <u>Sept 1, 2001</u> Tech <u>1900.3</u> Signature <u>Michael L. Blum</u> IA # <u>507263671</u>
July 9, 2004			Tech reads 1919.6 Clean engine check engine controls and oil screen. Check plugs, Repair R Fuel engine baffle Inst. 11 new Fuel pump - Clean all fuel screens including a flush of all the fuel system. Re P Propri - Inst. 11 see prop leg Comp Check 1-78/80 2-75/80 3-75/80 4-77/80 Michael L Blum - AIP 507263671 Ad 2002-26-01 PCW new clamps installed insp OK Michael L Blum AIP 507263671

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19____	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
			I certify the engine has been inspected in accordance with
			FAR 43 Appendix "D", in accordance with a <u>Annual</u>
			inspection, and as of this date, return it to service. T.T. <u>619.65 MOH</u>
			Date <u>July 9, 2004</u> Tach <u>1919.6</u>
			Signature <u>Michael L. L. IA # 507263571</u>
<u>7/20/2004</u>	<u>1929.5</u>		<u>REMOVED FUEL PUMP & SENT IN FOR OVERHAUL</u> <u>AERO ACCESSORIES, INC GIBSONVILLE N.C. USA</u> <u>RE INSTALLED THIS DATE & TEST RUN & FLIGHT</u> <u>Shirley Quinn AEP 1258843 7/20/2004</u>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2006	1952.8		I certify that this engine has been inspected 1 A W
TSMOH	652.8		100 H inspection and was determined to be in an airworthy condition John A. Clower A P 571582681 1 A
2007	1953.6		I certify that this engine has been inspected 1 A W
TSMOH	653.6		100 H inspection and was determined to be in an airworthy condition John A. Clower A P 571582681 1 A
2008	1981.8		I certify that this aircraft engine has been
3-11-08 TT	681.6 SMCH		inspected 1 A W and 100 H inspection and was determined to be in an airworthy condition John A. Clower A P 571582681 1 A

ENGINE MAINTENANCE LOG

DATE 19____	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1-06-40	198	6.7	I Certify that this aircraft engine has been inspected 1 AW 100 HA inspection and was determined to be in airworthy condition Job 1 Closure AP 571582581A
2-8-11	2007.1		DRAW OIL, R&M, 1-SP. & INSTALL NEW C148110-1 OIL FILTER & 8 QTS W100. REPL HFE-3M ROD ENDS ON PROP & TAILOR CONTROLS. ADJ. IDLE MIXTURE, REPL. OIL FILTER ADAPTER GSKT. P/N 061323862. ENG. RUN, OPS & LK CK OK. Wm L 10540669675
3-17-11	2008.0		I certify that this aircraft engine has been inspected 1 AW 100 HA inspection and was determined to be in an airworthy condition Job 1 Closure AP 3440145

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19__			
	2008.5		inspected this aircraft engine per 100 Hq inspection
	426.12		and was determined to be in an airworthy condition Job 1 Clear AP3416141A
	203.5		inspected this aircraft engine per 100 Hq inspection
			and was determined to be in an airworthy condition Contributed Job 1 Clear AP3416145 1A ①74②75③76④78
1-22-14	2092.8		DRAIN OIL - REMOVE FILTER, REPLACED FILTER CH 48110-1
T3440	742.8		FILL TO 9 QTS AEROSHELL 100 PLUS REMOVE SPARK
			PLUGS CLEANED 4, REPLACED 4 WITH OVERHAULLED H.C. SPARK
			PLUGS CLEANING REM 388 CHECK TIMING, COMPRESSION
			① 74/80 ② 74/80 ③ 74/80 ④ 74/80 EXHAUST ROD CHECKED FOR LEAK
			MUFFLER EXAMINED OK <i>Tim Quinn</i> ADP 1655843

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE

A


19____

Hour

Minden Aircraft Repair Inc.**2227-A1 Bellanca St. ,Minden, NV 89423****775-720-1959 jim@mindenaircraftrepair.com**

AIRCRAFT "N" NUMBER	ENGINE MODEL	S/N	TACH TIME	TSMOH
N73509	IO360-A1B6	L-11150-51	2071.3	762

Changed oil and filter, serviced with 8 qts Aeroshell 15w50 oil. Cut and inspected oil filter. Took sample for "Blackstone" oil analysis. Replaced all intake gaskets. Washed and ran engine, no leaks noted..


Signed: Date: 8/12/14

Jim Crozier 2897793 A+PIA

DATE _____
19____
Minden Aircraft Repair Inc.
2227-A1 Bellanca St. ,Minden, NV 89423
775-720-1959 jim@mindenaircraftrepair.com

AIRCRAFT "N" NUMBER	ENGINE MODEL	S/N	TACH TIME	TSMOH
N73509	IO360-A1B6	L-11150-51	2072	772.6

R+R both magnetos with new "Slick" magnetos P/N 4372. R+R engine driven fuel pump, P/N 40296, with an overhauled unit from "Aero Accessories, inc." WO# 100BB-0000, see 8130-3 form dated 6/26/2012.

Signed:  Date: 9/17/14

Jim Crozier 2897793 A+PIA

Minden Aircraft Repair Inc.

2227-A1 Bellanca St. ,Minden, NV 89423

775-720-1959 jim@mindenairstcraftrepair.com

DATE

19

AIRCRAFT
"N"
NUMBER

ENGINE
MODEL

S/N

TACH TIME

TSMOH

N73509

IO360-A1B6

L-11150-51

2086

773.7

Inspected engine IAW Cessna "Skyhawk" service manual chapter 2. Compression #1} 78/80 #2} 77/80 #3} 76/80 #4} 78/80. Checked and/or adjusted magneto to engine timing. Cleaned, gapped, tested and rotated spark plugs. Changed oil and filter, cut and inspected filter. Serviced with 8 qts "Aeroshell" 100W Plus oil. Cleaned FI inlet screen. Washed and ran engine, no leaks noted. I certify that this engine has been inspected with an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed:

Date:

Jim Crozier 2897793 A+PIA

ENGINE MAINTENANCE LOG

Minden Aircraft Repair Inc.


Minden Tahoe Airport KMEV

775-720-1959 jim@mindenaircraftrepair.com

AIRCRAFT "N" NUMBER	ENGINE MODEL	S/N	TACH TIME	TSMOH
N73509	IO360A1B6	L-11150-51	2087	774.7

Compression #1 70/80 #2 70/80 #3 66/80 #4 70/80 . Checked and/or adjusted magneto to engine timing. Cleaned, inspected, gapped and rotated spark plugs . Changed oil and filter, serviced with 8 qts "Aeroshell" 15w50 oil. Cut and inspected oil filter. Replaced air filter element. Cleaned fuel injector/carburetor inlet screen. Washed and ran engine. I certify that this engine has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed: 

Date: 6/20/17

Jim Crozier 2897793 A+PIA

DATE _____
19____ H **Minden Aircraft Repair Inc.**
Minden Tahoe Airport KMEV
775-720-1959 jim@mindenaircraftrepair.com

AIRCRAFT "N" NUMBER	ENGINE MODEL	S/N	TACH TIME	TSMOH
N73509	IO360A1B6	L-11150-51	2119.2	806.9

Compression #1 70/80 #2 70/80 #3 66/80 #4 70/80 . Checked and/or adjusted magneto to engine timing. Cleaned, inspected, gapped and rotated spark plug . Changed oil and filter, serviced with 8 qts "Aeroshell" 15w50 oil. Cut and inspected oil filter. Replaced air filter element. Cleaned fuel injector/carburetor inlet screen. Cleaned fuel injectors and flow divider screen. Washed and ran engine. I certify that this engine has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed: _____

Date: _____

Jim Crozier 2897793 A+PIA

Minden Aircraft Repair Inc.
 Minden Tahoe Airport KMEV
 77-720-1959
jim@mindenaircraftrepair.com

DATE


19

Aircraft "N" Number	Model	S/N	Tach Time	TSMOH
N73509	IO360A1B6	L-11150-51	2132	819.7

Inspected this engine IAW Lycoming engine Operators manual # 60297-12 section 4. Compression #1} 78/80 #2} 78/80 #3} 78/80 #4} 76/80. Cleaned gapped, tested and rotated spark plugs. Checked and/or adjusted magneto to **engine timing**. Changed oil and filter, cut and inspected filter, cleaned suction screen. Serviced with 8 qts Aeroshell 15W50 oil. Washed and ran engine. No leaks noted. I certify that this engine has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed


 Jim Crozier 2897793 A&PIA

Date

9/19/19

ENGINE MAINTENANCE LOG

DATE

19____

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959
jim@mindenairstcraftrepair.com

Aircraft "N" Number	Model	S/N	Tach Time	TSMOH
N73509	IO360A1B6	L-11150-51	2132	819.7

Inspected this engine IAW Lycoming engine Operators manual # 60297-12 section 4. Compression #1) 78/80 #2) 78/80 #3) 78/80 #4) 76/80. Checked and/or adjusted magneto to engine timing. I certify that this engine has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed

Date

3/22/21

Jim Crozier 2897793 A&PIA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE

19____


Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959

jim@mindenaircraftrepair.com

Aircraft "N" Number	Model	S/N	Tach Time	TSMOH
N73509	IO360A1B6	L-11150-51	2134.71	822.41

Inspected this engine IAW Lycoming engine Operators manual # 60297-12 section 4. Compression #1} 78/80 #2} 78/80 #3} 78/80 #4} 76/80. Changed oil and filter, serviced with 8 qts Aeroshell 15W50 oil. Cut and inspected filter. Cleaned gapped tested and rotated spark plugs. Checked and/or adjusted magneto to engine timing. I certify that this engine has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.
SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed


Jim Crozier 2897793 A&PIA

Date

6/1/22

Model B2D 340206
Serial 745860



PROPELLER LOGBOOK

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
11/14/86	1408.5	00:00 hr.	Complete Overhaul per McCauley O/H Manual 780630, S/L, S/B A.D. Notes to date, all parts & material installed or used is noted in attached WO# 000144 dated 11/14/86 with Maint Release Leo D. Neumann	
			Aviation Enterprises, Inc. dba Leo's Aircraft Service Propeller & Governor Repair FAA Approved Repair Station 467-98 12247 S. Gilbert Rd. Gilbert AZ 85234 (602) 892-6508	
NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12				

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
12/21	00:00	00:00	Installed prop	Robert C. Mace AFI 2164638
tach	1408.5			
10/4	1453.3	45.250H	Recertify this prop inspected in accordance with an annual inspection and found airworthy this date.	Robert C. Mace AFI 2164638

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
11/13/89	1616.0	207.5	I certify this propeller inspected in accordance with an annual inspection and found airworthy this date.	Robert C. Mace A712164638
10/29/90	1660.	251.5	I certify this propeller inspected in accordance with an annual inspection and found airworthy this date.	Robert C. Mace A712164638

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
10/28/91 Tech	1681.8	272.3	I certify this propeller inspected in accordance with an annual inspection and found to be airworthy this date.	Roger C. Mac HI 2164638

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

Date 1993	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
2-6	1735.3	327.3	I Certify This Propeller has Been Inspected In Accordance With A Annual Inspection And Has Been Found To Be In Airworthy Condition Alex Addams AFD 117,117	<i>[Signature]</i> IA
1994 2-13	1785.0	377.0	I CERTIFY THIS PROPELLER WAS INSPECTED PER AN ANNUAL INSPECTION AND IS CONSIDERED AIRWORTHY THIS DATE <i>[Signature]</i> IA 120389509	

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
1/28/95	1363.0		I certify this propeller inspected in accordance with an annual inspection and found airworthy this date.	Robert O. Mace ATI 2164638 ATP

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description Of Work	Authorized Signatures Repairman and Station Certificate Numbers
10/7/95	375.5 1784.0	375.5	I CERTIFY THAT THIS <u>Propeller</u> HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN NEWORTHY CONDITION.	
7/28/03			This logbook closed on this date. New logbook issued This date	

NOTE: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12



FAA CRS# W59R659N

A/C N# _____

Prop M/N B2D34CZ14

Prop S/N 705860

PROPELLER LOGBOOK

Signature

Librarian ADP 1659843

MAINTENANCE RECORD

Date	Time Run	T.T.S.O.	Description of all operations pertaining to A/Ds S/Bs, S/Ls, and minor adjustments	Signature
9/20/68	1968		I certify that this aircraft properly has been inspected 100 100 Hour inspection and was determined to be in an airworthy condition	John J. Brown AP571582 (8/1A)
11-21-67	1968		I certify that this aircraft properly has been inspected 100 100 Hour inspection and was determined to be in an airworthy condition	John J. Brown AP571582 (11/1A)

MAINTENANCE RECORD

Date	Time Run	T.T.S.O.	Description of all operations pertaining to A/Ds S/Bs, S/Ls, and minor adjustments	Signature
8-11-08	2821	5 620	I Certify that this aircraft propeller has been inspected IAW 100HR inspection and was determined to be in an airworthy condition AP57158258/113	John R. Quinn
1-5-2010	TAC 1990.3	76.7	REMOVE PROPELLER INSTALLED NEW O-RING SEAL. REMOVED FOR ENGINE SHAFT SEAL REPLACEMENT	John R. Quinn AP1655843

MAINTENANCE RECORD

Date	Time Run	T.T.S.O.	Description of all operations pertaining to A/Ds S/Bs, S/Ls, and minor adjustments	Signature
1-6-2010	19613		Inspect propeller per 100 A inspection and determine turbine in an airworthy condition John C. Caw - AP571584911A	
3-17-11	19613		inspect propeller 1 AW 100 NA inspect and was determined to be in an airworthy condition	
4-20-11 2-19-11	20196		inspect propeller per 100 NA inspection and was determined to be in an airworthy condition	John C. Caw - AP34401451A
				John C. Caw AP 3440145

Minden Aircraft Repair, Inc.

2227-A1 Bellanca St., Minden, NV 89423

775-720-1959 jim@mindenairstcraftrepair.com


AIRCRAFT "N" NUMBER	PROP MODEL	S/N	TACH TIME	TSNP
N73509	B2D34C214	705860	2086	166.4

Signature

I certify that this propeller has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed:



Date:

2/15/15

Jim Crozier 2897793 A+PIA

9/20/14

2082.6

R+R prop for resale.



2897793 A+P

4/4/16

2086.8

inspected Prop IAW an annual inspection and was determined to be in serviceable condition R/L Allen 1532 289798 IA

MAINTENANCE RECORD

Minden Aircraft Repair Inc.

Minden Tahoe Airport KMEV

775-720-1959 jim@mindenaircraftrepair.com

Description of all operations pertaining to
Type and minor adjustments

Signature

AIRCRAFT "N" NUMBER	PROP MODEL	S/N	TACH TIME	TSPOH
N73509	B2D34C214	705860	2087	167.4

Dressed blades and painted backs. I certify that this propeller has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed:

Date:

6/22/17

Minden Aircraft Repair Inc.

Minden Tahoe Airport KMEV

775-720-1959 jim@mindenaircraftrepair.com

AIRCRAFT "N" NUMBER	PROP MODEL	S/N	TACH TIME	TSPOH
N73509	B2D34C214	705860	2119.2	199.6

Dressed blades and painted backs. I certify that this propeller has been inspected IAW an annual inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed:

Date:

7/1/18

Jim Crozier 2897793 A+PIA

MAINTENANCE RECORD

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959

jim@mindenairstcraftrepair.com

Aircraft "N" Number	Model	S/N	Tach Time	TSNP
N73509	B2D34C214	705860	2132	212.4

Dressed blades and painted backs. I certify that this propeller has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed

Date

9/19/19

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959

jim@mindenairstcraftrepair.com

Aircraft "N" Number	Model	S/N	Tach Time	TSNP
N73509	B2D34C214	705860	2132	212.4

I certify that this propeller has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.

SEE SEPARATE LISTING FOR AD COMPLIANCES

Signed

Date

3/22/21

Jim Crozier 2897793 A&PIA

Minden Aircraft Repair Inc.
Minden Tahoe Airport KMEV
77-720-1959
jim@mindenaircraftrepair.com

Aircraft "N" Number	Model	S/N	Tach Time	TSNP
N73509	B2D34C214	705860	2134.71	215.11

I certify that this propeller has been inspected IAW a 100 hour inspection and has been found to be airworthy at this time.

~~SEE SEPARATE LISTING FOR AD COMPLIANCES~~

Signed _____

Date _____

Jim Crozier 2897793 A&PIA

[illegible]